


MEDICAL LIBRARY

(MINISTRY OF HEALTH.)





22500766873

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.

20
6
TWENTY-THIRD

DETAILED ANNUAL REPORT

OF THE


REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1877.]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.

1881.

[C.—3018.] Price 2s. 1d.

rs;

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOmec
Call	scr
No.	WA

REPORT.

TO THE RIGHT HON.

SIR WILLIAM VERNON HARCOURT, Q.C., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *August 8, 1881.*

SIR,

On the 18th April 1878, the Registrar-General for Scotland had the honour, in conformity with the requirements of the ninth section of the Scottish Registration Act, 17 & 18 Vict. cap. 80, to transmit to the Secretary of State for the Home Department General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1877, along with the usual explanation and commentary.

On the same date, his Thirteenth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 & 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1877).

It is shown in the Report that the Birth-rate of 1877 considerably exceeded the average rate of the ten preceding years;

that so low a Death-rate had not, since 1861, been experienced in Scotland; but that the Marriage-rate had not been well sustained, and although almost identical with the average of recent years, was decidedly lower than that of 1876.

In the Abstracts and Summary Tables illustrating the Causes of Death, the nomenclature introduced by Dr Farr into the Reports of the Registrar-General for England has been for the first time followed in the present Scottish Detailed Annual Report.

I have the honour to be,

SIR,

Your most obedient Servant,

STAIR AGNEW,

Registrar-General.

CONTENTS.

Report of Registrar-General to the Secretary of State,	Page iii
Report by Dr Robertson to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855-1877 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Population,	x
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1877,	xi
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1877,	xii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1877,	xii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1877,	xiii

BIRTHS.

Births in 1877, and their Proportion to the Population, with relative Tables,	x
Tables showing particulars relative to the Births during each of the years 1855 to 1877 inclusive,	xiv
Number and Proportion of Twins and Triplets,	xiv

MARRIAGES.

Number of Marriages in 1877, and their Proportion to the Population,	xv
Proportion of Legitimate Children to the Marriages in Scotland and England,	xvi
Influence of Density of Population on the Marriages,	xvii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1877, and 1855-1877, with relative Tables,	xvi
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xviii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xix
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xix

DEATHS.

Number of Deaths in Scotland in 1877, and their Proportion to the Population,	xxii
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1877, with relative Tables,	xxii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1867-1877,	xxiii
Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1877,	xxiv
Mortality of Female lower than that of the Male,	xxvii
High Mortality in Towns at every period of life, as compared with mortality of Rural Districts,	xxvii
Causes of Death in 1877, with relative Tables,	xxvii
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables,	xxxii
Small-pox Deaths in Scotland for twenty-two years,	xxxiv
Vaccinations in Scotland, 1867-1877,	xxxvi & xxxvii
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths,	xxxiii & xxxviii
The Twenty most fatal Diseases in England and Scotland in 1877,	xxxix

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1877.

Weather, Weekly and Monthly, and its Influence on the Mortality,	xli
Table showing the Meteorology of Scotland during each month of the year 1877, together with the Monthly and Daily Number of Births, Deaths, and Marriages,	xlii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1877,	xliv
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1877,	xlv
Influence of Season, etc., on the Mortality at different Ages,	xlv

APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1877,	xlix
--	------

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1877, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Area in Square Miles of each County,	1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1877, also of the Illegitimate Births in every Registration District,	2-23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1877 ; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
--	----

Table of the Civil Condition of the parties who married in 1877; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex	25
Table of the Ages of all Males who married in Scotland and its Counties in 1877, . . .	26
Table of the Ages of all Females who married in Scotland and its Counties in 1877, . . .	28

DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1877, together with the Populations in 1861 and 1871,	30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1877, together with the Male Populations in 1861 and 1871,	32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1877, together with the Female Populations in 1861 and 1871,	34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1877,	36
Do. Males,	38
Do. Females,	40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1877,	42
Do. Males,	44
Do. Females,	46
Summary Table of the Causes of Death in each of the Counties of Scotland in 1877—	
Males,	48
Females,	49
Summary Table of the Causes of Death in each of the Principal Towns of Scotland in 1877—	
Males,	64
Females,	65
Summary Table of the Causes of Death in each of the Large Towns of Scotland in 1877—	
Males,	72
Females,	73
Summary Table of the Causes of Death in each of the Small Town Districts of the Counties of Scotland in 1877—	
Males,	82
Females,	83
Summary Table of the Causes of Death in the Mainland-Rural Districts of Scotland in 1877—	
Males,	96
Females,	97
Summary Table of the Causes of Death in the Insular-Rural Districts of Scotland in 1877—	
Males and Females,	112
Table of the Causes of Death in all Scotland at different Periods of Life—	
Males,	116
Females,	117
Table of the Causes of Death in the Principal Town Districts of Scotland at different Periods of Life—	
Males,	132
Females,	133

	Page
Table of the Causes of Death in the Large Town Districts of Scotland at different Periods of Life—	
Males,	148
Females,	149
Table of the Causes of Death in the Small Town Districts of Scotland at different Periods of Life—	
Males,	164
Females,	165
Table of the Causes of Death in the Mainland-Rural Districts of Scotland at different Periods of Life—	
Males,	180
Females,	181
Table of the Causes of Death in the Insular-Rural Districts of Scotland at different Periods of Life—	
Males,	196
Females,	197
Table of the Causes of Death in Glasgow at different Periods of Life—	
Males,	212
Females,	213
Table of the Causes of Death in Edinburgh at different Periods of Life—	
Males,	228
Females,	229
Table of the Causes of Death in Dundee at different Periods of Life—	
Males,	244
Females,	245
Table of the Causes of Death in Aberdeen at different Periods of Life—	
Males,	260
Females,	261
Table of the Causes of Death in Greenock at different Periods of Life—	
Males,	276
Females,	277
Table of the Causes of Death in Paisley at different Periods of Life—	
Males,	292
Females,	293
Table of the Causes of Death in Leith at different Periods of Life—	
Males,	308
Females,	309
Table of the Causes of Death in Perth at different Periods of Life—	
Males,	324
Females,	325
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1877, in each of the Groups of Districts, Divisions, and Counties of Scotland,	340
<hr/>	
Constitution of the Compound Districts,	341
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated,	342
Index to Districts,	343

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

Commercial depression such as had been felt during 1876 was still more severely manifested during 1877. The *Economist* of 9th March 1878 enumerates the following special causes of the distress that prevailed in 1877:—(1) the unsettled political condition of France; (2) the severe famine in southern India; (3) the extending collapse of railway investments in the United States, the opposition there threatened to the resumption of cash payments, and the clamour for the repudiation of public obligations; (4) the war between Russia and Turkey, and the uncertainty of all European politics. In this country another bad harvest had been experienced; disease was rife among cattle; and the sufferings that fell upon the agriculturists were both severe and general. The iron trade and the coal trade were likewise in an exceptionally depressed condition. One of

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1877, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4939	2·2298	0·7543	9·2
1873	3,430,923	119,700	10,925	76,946	26,748	42,754	3·4889	2·2427	0·7796	9·1
1874	3,462,916	123,711	10,991	80,720	26,390	42,991	3·5725	2·3310	0·7621	8·9
1875	3,495,214	123,578	10,786	81,767	25,974	41,811	3·5356	2·3394	0·7431	8·73
1876	3,527,811	126,534	11,029	74,129	26,579	52,405	3·5868	2·1013	0·7534	8·72
1877	3,560,715	126,822	10,568	73,937	25,817	52,885	3·5617	2·0765	0·7251	8·33

the chief disturbing elements in 1877 was the prevalence of strikes in nearly all the great trades. The unfavourable influences above alluded to affected Scotland in common with the other divisions of the United Kingdom, and may be traced in the diminished marriage-rate of the year.

POPULATION.

The estimate of population used in the present and in former Detailed Annual Reports is based upon the enumerations of the males and females living in Scotland at the two Census periods 1861 and 1871. The rate of increase for each sex is assumed to have remained constant since 3d April 1871, and the estimate of population is carried to the middle of 1877, *i.e.*, to a time six and a quarter years after the Census of 1871. At the middle of 1877, the whole country, according to estimate, contained 3,560,715 inhabitants, of whom 1,707,076 were males and 1,853,639 females. In the third division of Table II. this population will be found distributed over the five new groups of registration districts into which it has been found useful for statistical purposes to consider all Scotland as divided. In order to effect this distribution at a period six and a quarter years removed from the last Census enumeration, it is necessary to make various adjustments; and it is certain that no adjustment will suffice to make the last three columns of Table II. comparable in point of accuracy with the preceding columns, which contain Census numbers.

BIRTHS.

During the year 1877, the number of births registered in all Scotland was 126822; being fully 356 births for every ten thousand of estimated population. The birth-rate, 3·5617 per cent., was, with the exceptions of those recorded in 1874 and 1876, the highest that has been reported in Scotland during the last twenty-three years.

In the Large Towns there were registered 15863 births, showing a birth-rate in these districts of 4·442 per cent. In the Small Towns, the 29510 births were equivalent to a birth-rate of 3·665 per cent. In the Eight

TABLE II.—Population of Scotland, in its Five New Groups of Districts, by the Censuses of 1861 and 1871, and estimated to the middle of 1877.

FIVE NEW GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1877.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns }	407,839	477,116	884,955	502,021	566,535	1,068,556	577,363	640,580	1,217,943
Large Towns	129,933	144,448	274,381	160,176	174,081	334,257	172,252	184,842	357,094
Small Towns	335,356	369,024	704,380	371,118	404,969	776,087	386,031	419,045	805,076
Mainland- Rural }	513,554	548,239	1,061,793	508,787	540,327	1,049,114	511,392	540,097	1,051,489
Insular-Rural	63,166	73,619	136,785	61,041	70,963	132,004	59,762	69,351	129,113
SCOTLAND .	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,707,076	1,853,639	3,560,715

Principal Towns, there were 44575 registered births, and consequently a birth-rate of 3·660 per cent. In the Mainland-Rural Districts the registered births numbered 33596, and the birth-rate was 3·195 per cent. In the

TABLE III.—Births, Deaths, and Marriages in the Five New Groups of Districts in Scotland, 1855–1877.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	19542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593
1874	42631	32124	10574	15189	10026	3051	29557	17560	5695	32877	18816	6443	3457	2194	627
1875	43621	30983	10670	14638	9802	2995	28926	18285	5594	33104	20303	6160	3289	2394	555
1876	44265	27977	10722	15439	9024	3116	29601	16826	5773	33802	18192	6351	3427	2110	617
1877	44575	28227	10706	15863	9057	2938	29510	16060	5434	33596	18475	6207	3278	2118	532

Principal Towns above 25000 inhabitants. Large Towns above 10000 and under 25000 inhabitants. The Small Towns from 3000 to 10000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10000 of population.

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five New Groups of Districts of Scotland, to the Population during each of the Years 1855–1877.

YEARS.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·103	0·708	3·070	1·727	0·579	2·707	1·586	0·486
1873	3·722	2·692	0·950	4·039	2·679	0·904	3·657	2·193	0·775	3·056	1·730	0·601	2·568	1·662	0·453
1874	3·752	2·827	0·931	4·287	2·830	0·861	3·709	2·204	0·715	3·146	1·801	0·617	2·649	1·681	0·480
1875	3·724	2·645	0·911	4·260	2·852	0·872	3·631	2·295	0·702	3·142	1·927	0·585	2·529	1·841	0·427
1876	3·706	2·342	0·898	4·407	2·576	0·890	3·696	2·101	0·721	3·211	1·728	0·603	2·645	1·628	0·476
1877	3·660	2·318	0·879	4·442	2·536	0·823	3·665	1·995	0·675	3·195	1·757	0·590	2·539	1·640	0·412

Insular-Rural group of districts, the number of registered births was only 3278, and the birth-rate only 2·539 per cent. In regard to this group it must be noted that so low a proportion of births has not been recorded in the Insular-Rural Districts since the year 1855.

The number of illegitimate births in all Scotland was 10568, and amounted to 8·33 per cent. of the total of births registered. It is satisfactory to note that the rate of illegitimacy in Scotland has been of late years manifestly decreasing. The rate now recorded is the lowest that has been observed during the last twenty-two years. In Tables Va. and VI. will be found all the usual details regarding the amount of illegitimacy in each of the Eight Principal Towns, and in each of the five registration groups, as well as in the geographical divisions and counties. In the Occasional Table headed Vb. we again give the proportion of illegitimate births to the

TABLE Va.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1877, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Esti- mated Popula- tion, 1877.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Mar- riages.	Per cent. to Pop.
Glasgow . .	555,933	21,124	3·800	1683	8·0	13,823	2·486	4941	0·889
Edinburgh . .	218,729	7,257	3·318	571	7·9	4,644	2·123	2090	0·956
Dundee . .	142,951	5,365	3·753	528	9·8	3,026	2·117	1101	0·770
Aberdeen . .	98,181	3,385	3·448	361	10·7	2,060	2·098	786	0·801
Greenock . .	72,377	2,626	3·628	134	5·1	1,563	2·160	503	0·695
Paisley . .	48,761	1,819	3·730	137	7·5	1,325	2·717	474	0·972
Leith . .	54,257	2,149	3·961	113	5·3	1,169	2·155	523	0·964
Perth . .	26,564	850	3·200	87	10·2	617	2·323	288	1·084

OCCASIONAL TABLE Vb.—Showing the state of Illegitimacy in all Scotland, in the Five New Groups of Registration Districts, in each of the Principal Towns, and in two Counties during 1877.

LOCALITIES.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1877.	Number of Illegitimate Children born during 1877.	Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15-45.	Percentage of Illegitimacy in Total Births.
All Scotland . . .	478,124	10,568	2·21	8·33
Principal Towns . . .	176,093	3,614	2·05	8·1
Large Towns . . .	46,890	1,006	2·15	6·3
Small Towns . . .	101,165	2,261	2·23	7·7
Mainland-Rural . . .	134,832	3,481	2·58	10·4
Insular-Rural . . .	19,144	206	1·08	6·3
Glasgow . . .	74,963	1,683	2·25	8·0
Edinburgh . . .	37,135	571	1·54	7·9
Dundee . . .	24,768	528	2·13	9·8
Aberdeen . . .	14,447	361	2·50	10·7
Greenock . . .	7,743	134	1·73	5·1
Paisley . . .	7,234	137	1·89	7·5
Leith . . .	5,971	113	1·89	5·3
Perth . . .	3,832	87	2·27	10·2
County Banff . . .	7,884	311	3·94	16·6
County Wigtown . . .	5,405	182	3·37	14·8

estimated numbers of unmarried and widowed females living in each locality, at ages between 15 and 45.

Of the 126822 live births registered in Scotland in 1877, there were 65089 males and 61733 females. For every hundred female live births there were consequently 105·4 male births. Among the legitimate alone

TABLE VI.—Number of Births, Deaths, and Marriages in 1877, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population Estimated to middle of year 1877.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per cent to Pop.	No.	Per cent to Births	No.	Per cent to Pop.	No.	Per cent to Pop.
SCOTLAND		3,560,715	126822	3·5617	10568	8·33	73937	2·0765	25817	0·7251
1. PRINCIPAL TOWN DISTS. .		1,217,943	44575	3·660	3614	8·1	28227	2·318	10706	0·879
2. LARGE TOWN DISTRICTS .		357,094	15863	4·442	1006	6·3	9057	2·536	2938	0·823
3. SMALL TOWN DISTRICTS .		805,076	29510	3·665	2261	7·7	16060	1·995	5434	0·675
4. MAINLAND-RURAL DISTS.		1,051,489	33596	3·195	3481	10·4	18475	1·757	6207	0·590
5. INSULAR-RURAL DISTS. .		129,113	3278	2·539	206	6·3	2118	1·640	532	0·412
DIVISIONS.										
I.	NORTHERN	125,224	3111	2·484	255	8·2	2053	1·639	591	0·471
II.	NORTH-WESTERN. . .	165,797	4129	2·490	270	6·5	2753	1·660	809	0·488
III.	NORTH-EASTERN . . .	409,218	13258	3·240	1840	13·9	6735	1·643	2702	0·660
IV.	EAST-MIDLAND . . .	582,323	19387	3·329	1722	8·9	11164	1·917	3906	0·671
V.	WEST-MIDLAND . . .	256,072	8797	3·435	555	6·3	5185	2·025	1572	0·614
VI.	SOUTH-WESTERN . . .	1,304,095	54094	4·148	3686	6·8	31875	2·444	10817	0·829
VII.	SOUTH-EASTERN . . .	517,981	17705	3·418	1362	7·7	10344	1·997	4167	0·804
VIII.	SOUTHERN	200,005	6341	3·170	878	13·8	3828	1·914	1253	0·626
COUNTIES.										
1	Shetland	31,569	670	2·122	47	7·0	466	1·476	142	0·450
2	Orkney	30,593	804	2·628	52	6·5	520	1·700	144	0·471
3	Caithness	40,285	1095	2·718	122	11·1	671	1·666	195	0·484
4	Sutherland	22,777	542	2·380	34	6·3	396	1·739	110	0·481
5	Ross and Cromarty .	81,885	1878	2·293	89	4·7	1335	1·630	362	0·442
6	Inverness	83,912	2251	2·683	181	8·0	1418	1·690	447	0·533
7	Nairn	8,388	247	2·945	22	8·9	149	1·776	49	0·584
8	Elgin	44,702	1357	3·036	200	14·7	785	1·756	272	0·608
9	Banff	50,483	1878	3·720	311	16·6	896	1·775	372	0·737
10	Aberdeen	260,351	8699	3·341	1168	13·4	4368	1·678	1784	0·685
11	Kincairdine	35,294	1077	3·052	139	12·9	537	1·522	225	0·638
12	Forfar	262,141	9289	3·544	900	9·7	5232	1·996	1881	0·718
13	Perth	125,184	3528	2·818	345	9·8	2438	1·947	851	0·680
14	Fife	164,015	5527	3·370	383	6·9	2892	1·763	1009	0·615
15	Kinross	7,417	197	2·656	17	8·6	159	2·144	35	0·472
16	Clackmannan	23,566	846	3·590	77	9·1	443	1·880	130	0·552
17	Stirling	96,336	3871	4·018	233	6·0	2133	2·214	722	0·749
18	Dumbarton	65,611	2455	3·742	138	5·6	1310	1·997	425	0·648
19	Argyll	76,811	2027	2·639	148	7·3	1387	1·806	303	0·394
20	Bute	17,314	444	2·564	36	8·1	355	2·050	122	0·705
21	Renfrew	212,952	7797	3·661	485	6·2	4772	2·241	1668	0·783
22	Ayr	201,183	8146	4·049	587	7·2	4419	2·197	1375	0·683
23	Lanark	889,960	38151	4·287	2614	6·8	22684	2·549	7774	0·874
24	Linlithgow	42,722	1677	3·925	139	8·3	766	1·793	273	0·639
25	Edinburgh	365,054	12610	3·454	923	7·3	7720	2·115	3230	0·885
26	Haddington	37,824	1184	3·130	97	8·2	621	1·642	231	0·611
27	Berwick	36,319	1029	2·833	97	9·4	618	1·702	179	0·493
28	Peebles	12,799	404	3·156	35	8·7	186	1·453	85	0·664
29	Selkirk	23,263	801	3·443	71	8·9	433	1·861	169	0·726
30	Roxburgh	47,430	1570	3·310	156	9·9	936	1·973	299	0·630
31	Dumfries	74,186	2299	3·099	363	15·8	1455	1·961	484	0·652
32	Kirkcudbright . . .	41,721	1243	2·979	177	14·2	726	1·740	245	0·587
33	Wigtown	36,668	1229	3·352	182	14·8	711	1·939	225	0·614

there were 104·8 males to every hundred females; among the illegitimate alone, 107·19 males to every hundred female live births.

In England, during the same year, there were registered for every hundred female live births 103·6 males; among the illegitimate alone, the male births were to the female as 102·5 to 100.

In Holland, during 1877, for every hundred female legitimate live births there were 105·4 males; but for every hundred illegitimate female births, there were only 101·4 males born.

In Austria, for every hundred legitimate female live births there were 106·1 males; and among the illegitimate births, the same ratio of sexes was observed.

In Sweden, for every hundred live and legitimate female births, there were born 105·5 males; while for every hundred live and illegitimate female births, the number of males was 106·4.

There were registered in all Scotland, during 1877, the births of 126822 living children. Of these children, 2858 were twins, and 36

TABLE VII.—Births in Scotland, 1855–1877; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105·5	105·6	103·0	84
1874	63602	60109	57960	54760	5642	5349	1512	13	105·8	105·8	105·5	81
1875	63432	60146	57886	54906	5546	5240	1477	9	105·5	105·4	105·8	83
1876	64819	61715	59113	56392	5706	5323	1463	20	105·0	104·8	107·2	85
1877	65089	61733	59657	56597	5432	5136	1429	12	105·4	105·4	105·8	77

TABLE VIII.—Births, 1877. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	22897	21678	44575	21042	19919	40961	1855	1759	3614	491	6
Large Towns	8141	7722	15863	7626	7231	14857	515	491	1006	195	1
Small Towns	15088	14422	29510	13925	13324	27249	1163	1098	2261	333	3
Mainland-Rural	17272	16324	33596	15483	14632	30115	1789	1692	3481	374	2
Insular-Rural	1691	1587	3278	1581	1491	3072	110	96	206	36	...
SCOTLAND . .	65089	61733	126822	59657	56597	116254	5432	5136	10568	1429	12

triplets. Hence the number of mothers who bore live children during the year was $126822 - 1429 - 24 = 125369$. Of these mothers, one in every 87·7 bore twins, and one in every 10,447 bore triplets.

Regarding still-births in Scotland no returns are made to the Registrar-General,—a circumstance which statisticians and physiologists cannot but regret. Those disposed to question the utility of such returns may be reminded that, without such information as they would furnish, the mortality due to the process of childbearing cannot be ascertained year by year with the desirable precision. The example of foreign countries has abundantly proved that such returns may be enforced without inconvenience. To proposals for their institution in this country, it has been objected, that they would minister to a public taste for gossip, and occasion the promulgation of details. To such objections it is sufficient to reply, that no particular difficulty is experienced in preventing the details of a Census from being improperly used by indiscreet and over-curious parties; and that a record of still-births might surely be kept in the Registrar-General's office, so as to be accessible for legitimate purposes only to all whom it might truly concern, and yet be efficiently guarded against the unauthorised inspection of the impertinently curious.

MARRIAGES.

In former Detailed Annual Reports some pains were taken to show that, in Scotland, marriages were carefully and promptly registered; and that, if the marriage-rate was not, as a general rule, quite so high as that of England, the difference was not due to any laxity in the administration of the Scottish Registration Act, or to any extraordinary frequency of clandestine marriage in this country.

In estimating the fertility of marriages in any country where the marriage-rate is not stationary, Dr Farr has recommended that the registered legitimate births of any particular year should be divided by the number of registered marriages of another year, six years antecedent. If this mode of calculation be applied to the births in Scotland during the year now under review, it appears that the registered legitimate births numbered 116254, that in 1871 there were 24019 registered marriages, and that the average fertility of marriages has been $\frac{116254}{24019} = 4\cdot8$, which,

TABLE IX.—Proportion of Births in 1877. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1877.

FIVE GROUPS OF DISTRICTS.	Percentage of Births to Population.	Percentage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·660	8·1	105·6	105·6	105·5	89·8	7345
Large Towns	4·442	6·3	105·4	105·5	104·9	80·3	15666
Small Towns	3·665	7·7	104·6	104·5	105·9	87·6	9724
Mainland-Rural	3·195	10·4	105·8	105·8	105·7	87·8	10948
Insular-Rural	2·539	6·3	106·6	106·0	114·6	89·1
SCOTLAND . . .	3·5617	8·33	105·4	105·4	105·8	87·7	10447

remarkably enough, is the exact number deduced in last Detailed Annual Report from the records of the year 1876.

In England, during 1877, the registered legitimate births amounted to 888200 ; the registered marriages of 1871 to 190112 ; and hence the average fertility of marriages was 4·67, or as usual a trifle lower than the number obtained from comparison of the registered births and marriages in Scotland.

The total number of marriages registered in all Scotland in 1877 was 25817, being 762 fewer than in 1876. The marriage-rate for 1877 was 0·7251 per hundred of estimated population, and was almost exactly the same as the average rate of the ten preceding years, which was 0·7255.

TABLE X.—Marriages, 1877. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

RELIGIOUS DENOMINATIONS.	Number of Marriages.						Proportion in every 100 Marriages.					
	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.												
Established Church .	11773	4007	1265	621	3631	249	45·60	37·43	43·06	48·23	58·50	46·80
Free Church .	5833	2304	625	052	1643	209	22·59	21·52	21·27	19·36	26·47	39·29
United Presb. Church	3313	1436	394	882	567	34	12·83	13·41	13·41	16·23	9·14	6·39
Roman Catholic Ch..	2368	1365	356	465	153	29	9·17	12·75	12·12	8·56	2·47	5·45
Episcopal Church .	651	398	88	103	62	—	2·53	3·72	3·00	1·90	1·00	0·00
Other Denominations	1477	858	202	280	126	11	5·72	8·01	6·87	5·15	2·03	2·07
Denomin. not stated	47	4	—	20	23	—	0·18	0·04	0·00	0·37	0·36	0·00
Irregular Marriages .	355	334	8	11	2	—	1·38	3·12	0·27	0·20	0·03	0·00
Total Marriages .	25817	10706	2938	5434	6207	532	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XI.—Marriages, 1855–1877. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1877.

YEARS.	Total MARRIGES.		REGULAR MARRIAGES according to Rites of the								IRREGULAR MARRIAGES.
	Number.	Percentage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.		
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9	
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36	
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7	
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27	
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17	
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16	
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25	
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27	
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19	
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22	
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32	
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42	
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43	
1868	22855	0·667	9736	5015	3244	1872	467	1403	58	60	
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69	
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74	
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105	
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148	
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197	
1874	26390	0·7621	11820	5922	3586	2267	643	1923	13	216	
1875	25974	0·7431	11587	5889	3443	2254	658	1899	9	235	
1876	26579	0·7534	11996	5944	3603	2279	719	1703	37	298	
1877	25817	0·7251	11773	5833	3313	2368	651	1477	47	355	

In the Eight Principal Towns the rate was highest, amounting to 0·879 per cent.; in the Large Towns it was 0·823; in the Small Towns, 0·675; in the Mainland-Rural Districts, 0·590; and in the Insular-Rural group, 0·412. In every one of the registration groups the marriage-rate of 1877 appears to have been lower than that of 1876.

According to Table Va., the highest marriage-rate was that recorded in Perth; the rate in Glasgow was considerably lower than that in Edinburgh; and the rate in Greenock was the lowest recorded in any of the Principal Towns.*

In Tables X., XI., and XII. are presented all the usual details regarding the marriages celebrated in Scotland and in each of its five groups of registration districts.

Of all marriages recorded in 1877, 1·33 per cent. were irregular, or, in other words, were performed without proclamation of purpose, and without reference to the intervention of religious ceremony. This proportion of irregular marriages is very small, but it has for the last twenty years been steadily increasing. In England, during 1877, 10·9 per cent. of all registered marriages took place in the Superintendent Registrars' offices, and without record of religious ceremony.

Of all the marriages in Scotland, 98·67 per cent. were regular. 45·60 per cent. of the whole were performed by ministers of the Established

TABLE XII.—Proportion of Marriages, 1855–1877. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1877.

YEARS.	PERCENTAGE of REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·23	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81
1875	44·61	22·67	13·26	8·68	2·53	7·31	0·03	0·91
1876	45·13	22·36	13·56	8·57	2·71	6·41	0·14	1·12
1877	45·60	22·59	12·83	9·17	2·53	5·72	0·18	1·33

* While this Report is being prepared for the press the Preliminary Census Report of 3rd April 1881 has appeared, and assures us of the correctness of a suspicion long entertained, that the estimates of the population of Glasgow, Greenock, and Paisley, deduced from the numbers enumerated at the Census periods of 1861 and 1871, are far from accurate.

Church; 22·59 per cent. by ministers of the Free Church; 12·83 per cent. by United Presbyterian clergymen; 9·17 per cent. by priests of the Romish Church; 2·53 per cent. by clergymen of the Church of England; 5·72 per cent. were performed according to the rites of miscellaneous denominations unnecessary to enumerate; 0·18 per cent. according to the usages of denominations not communicated to the registrars.

Summing the second column of Table XII. and dividing by 23, we find that of every hundred marriages that have taken place in Scotland during the twenty-three years terminating with 1877, 45.17 per cent. were per-

TABLE XIII.—Marriages, 1877. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	-	2	-	2	-	-	-	-	-	-	-	-
15-16	-	3	-	2	-	-	-	1	-	-	-	-
16-17	-	60	-	23	-	6	-	17	-	13	-	1
17-18	18	365	4	164	2	44	9	84	3	66	-	7
18-19	137	1075	74	485	12	126	18	243	30	214	3	7
19-20	645	1889	289	809	90	251	139	411	123	403	4	15
20-21	1260	2373	532	985	143	267	296	539	281	557	8	25
21-25	9058	9582	3729	4010	1096	1107	2045	2074	2096	2207	92	184
25-30	7586	5970	3128	2317	828	660	1562	1191	1895	1639	173	163
30-35	3157	2188	1307	926	356	238	597	386	790	569	107	69
35-40	1681	1178	704	492	181	110	317	234	414	309	65	33
40-45	919	618	351	251	94	73	197	146	244	136	33	12
45-50	541	312	238	137	54	36	109	71	124	57	16	11
50-55	387	116	166	60	40	12	78	22	87	21	16	1
55-60	209	57	103	34	14	4	32	7	55	10	5	2
60-65	123	12	53	5	19	2	18	3	26	1	7	1
65-70	58	6	17	1	5	1	8	3	26	1	2	-
70-75	20	1	8	1	-	-	6	-	6	-	-	-
75-80	6	-	3	-	1	-	-	-	2	-	-	-
80-85	3	-	-	-	1	-	1	-	1	-	-	-
85-90	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	10	-	2	2	1	2	2	4	4	1	1
TOTAL	25817	25817	10706	10706	2938	2938	5434	5434	6207	6207	532	532

TABLE XIV.—Marriages, 1877. Percentage of Men and Women at different Ages who contracted Marriages in Scotland in 1877.

[illegible]

formed by ministers of the Established Church of the country, and that the annual deviations from this proportion have been very trifling.

From Table XIII. it may be learned that of 25817 men whose marriages were recorded in Scotland in 1877, 2060, or very nearly 7·98 per cent., were under 21 years of age. The ages of nine men were not specified. Of the females married during the year, the ages of ten were not communicated to the registrars; 5767, or nearly 22·34 per cent., were under 21 years of age; nineteen were aged 60 or more. Two girls belonging to the group of Principal Towns had not, when married, completed their fifteenth year.

TABLE XV.—Marriages, 1855–1877. Number and Proportion of Men and Woman in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1877.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each age to Total Marriages.	Number who married at each Age.	Percentage at each age to Total Marriages.
15–20 years	15961	3·02	68202	12·91
20–25	203882	38·58	240897	45·58
25–30	156542	29·62	126137	23·87
30–35	66089	12·51	46065	8·72
35–40	34539	6·54	23788	4·50
40–45	20566	3·89	12398	2·35
45–50	12945	2·45	6100	1·15
50 and above	17312	3·28	3784	0·72
Not stated	643	0·11	1108	0·20
TOTAL	528479	100·00	528479	100·00

TABLE XVI.—Marriages in Scotland, 1855–1877. Numbers.

YEARS.	Number who Married						Number who Signed				Number of Marriages between					
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women						
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619		
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605		
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601		
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533		
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603		
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558		
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517		
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501		
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584		
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631		
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642		
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715		
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689		
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671		
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651		
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759		
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778		
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889		
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851		
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855		
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837		
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896		
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778		

There were 21945 marriages between bachelors and spinsters; hence 85 per cent. of all marriages took place under such conjugal conditions. In 2285 instances, or in 8·89 per cent. of all marriages, widowers married spinsters; in 795 instances, or 3·08 per cent. of all marriages, bachelors married widows; and in 778 cases, constituting 3·01 per cent. of all marriages, widowers and widows were united.

In the course of these Detailed Annual Reports, Table XVIII. is usually referred to as furnishing in its first six columns some materials for estimating the amount of elementary education possessed by those who become man and wife in the different groups, divisions, and counties of Scotland. The information afforded by the Table is, it must be confessed, rather rude; and the numbers on which in many instances its percentages are founded are too small to warrant any very confident statements regarding the relative progress of education in certain of the counties, within the brief period of a year. But if we compare the data of 1867 with those of 1877 some interesting results may be obtained. Thus, in the former year, 10·59 per cent. of men who married signed the register with a mark, and it may be presumed could not write; while in 1877 only 7·56 per cent. of the men who married resorted to the use of the mark. In 1867, 20·73 per cent. of females who married found it convenient, if not necessary, to use the mark; while in 1877 only 15·41 per cent. of females declined to attempt to sign the register in writing. In 1867 the accomplishment of writing was far from general in the counties of Sutherland, Ross and Cromarty, and Inverness. Males who married in those counties signed with a *mark* in from 21·10 to 39·39 per cent. of all cases; while of every hundred brides, from 31·58 to 54·22 resorted to the mark. In 1877 in these

TABLE XVII.—Marriages in Scotland, 1855-1877. Proportions.

YEARS.	Percentage who Married						Percentage who signed				Proportion in every 100 Marriages between					
	Under 21 years		Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women						
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38		
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04		
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	3·63	8·32	3·04		
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82		
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93		
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	26·7		
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56		
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49		
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66		
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81		
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73		
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04		
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07		
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09		
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95		
1870	7·32	21·72	40·52	57·60	59·48	42·40	39·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19		
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24		
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·35	3·47		
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18		
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	92·01	9·10	17·99	84·47	3·18	8·83	3·24		
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22		
1876	8·18	22·63	43·16	59·26	56·84	40·74	92·50	83·87	7·50	16·13	84·42	2·99	9·15	3·37		
1877	7·98	22·34	43·06	59·46	56·94	40·54	92·44	84·59	7·56	15·41	85·00	3·08	8·89	3·01		

same counties, only 10 per cent. of men who married in Sutherland used the mark; while in Ross and Cromarty 27·35 per cent. and in Inverness

TABLE XVIII.—Marriages, 1877. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1876.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND.		92·44	84·59	7·56	15·41	7·98	22·34	85·00	3·08	8·89	3·01
GROUPS.											
PRINCIPAL TOWNS .		91·51	81·96	8·49	18·04	8·40	23·07	83·15	3·93	9·04	3·86
LARGE TOWNS .		91·15	82·10	8·85	17·90	8·41	23·62	84·04	3·54	8·88	3·54
SMALL TOWNS .		92·42	84·34	7·58	15·66	8·50	23·83	85·08	2·94	9·00	2·93
MAINLAND-RURAL		95·81	92·46	4·19	7·54	7·04	20·19	88·46	1·64	8·25	1·50
INSULAR-RURAL .		79·13	62·03	20·87	37·97	2·82	10·34	86·47	1·50	10·34	1·69
DIVISIONS											
I.	NORTHERN .	96·11	86·46	3·89	13·54	5·58	14·04	86·63	1·81	9·98	1·52
II.	NORTH-WESTERN	78·00	60·69	22·00	39·31	1·73	11·99	85·54	1·23	11·37	1·61
III.	NORTH-EASTERN	98·26	94·19	1·74	5·81	7·29	20·80	86·82	2·29	9·33	1·55
IV.	EAST-MIDLAND .	96·54	89·94	3·46	10·06	7·30	18·15	85·64	2·12	9·47	2·76
V.	WEST-MIDLAND	91·73	85·31	8·27	14·69	6·87	22·65	85·43	3·05	8·65	2·74
VI.	SOUTH-WESTERN	88·48	77·68	11·52	22·32	9·64	26·96	83·59	4·12	8·32	3·91
VII.	SOUTH-EASTERN	96·11	92·32	3·89	7·68	6·91	19·56	85·39	2·86	8·81	2·86
VIII.	SOUTHERN .	97·53	94·81	2·47	5·19	7·34	18·28	88·35	1·28	8·70	1·68
COUNTIES.											
1	Shetland .	94·37	78·87	5·63	21·13	5·63	6·34	85·21	1·41	13·38	0·00
2	Orkney .	100·00	96·53	0·00	3·47	8·33	15·97	88·19	0·69	8·33	2·78
3	Caithness .	97·95	89·74	2·05	10·26	5·64	16·92	86·15	2·05	9·23	2·56
4	Sutherland .	90·00	77·27	10·00	22·73	1·82	16·36	87·27	3·64	9·09	0·00
5	Ross & Cromarty	72·65	54·14	27·35	45·86	1·10	9·12	83·15	0·83	14·92	0·55
6	Inverness .	82·33	66·00	17·67	34·00	2·24	14·32	87·47	1·57	8·50	2·46
7	Nairn .	89·80	73·47	10·20	26·53	4·08	4·08	73·47	6·12	18·37	2·04
8	Elgin .	96·69	91·54	3·31	8·46	6·62	20·96	83·82	2·21	12·50	1·47
9	Banff .	97·58	91·67	2·42	8·33	8·06	21·51	92·74	0·54	5·87	0·81
10	Aberdeen .	98·88	95·46	1·12	4·54	7·57	21·97	86·83	2·58	8·91	1·68
11	Kincardine .	98·22	96·00	1·78	4·00	5·33	13·78	83·56	2·22	12·44	1·78
12	Forfar .	94·31	84·26	5·69	15·74	7·97	20·04	84·21	2·29	10·10	3·40
13	Perth .	98·12	95·42	1·88	4·58	4·47	13·98	85·90	2·12	9·87	2·12
14	Fife .	98·91	95·05	1·09	4·95	8·13	16·85	87·51	1·78	8·42	2·28
15	Kinross .	100·00	100·00	0·00	0·00	2·86	17·14	91·43	2·86	5·71	0·00
16	Clackmannan .	99·23	93·85	0·77	6·15	1·08	28·46	88·46	2·31	6·92	2·31
17	Stirling .	92·94	86·70	7·06	13·30	0·83	27·98	86·01	3·32	8·31	2·22
18	Dumbarton .	87·52	81·18	12·48	18·82	5·88	20·71	83·76	2·12	11·06	3·06
19	Argyll .	94·06	88·45	5·94	11·55	0·66	15·51	86·14	3·30	7·26	2·97
20	Bute .	93·44	83·61	6·56	16·39	4·92	15·57	86·07	4·10	5·74	4·10
21	Renfrew .	88·43	77·58	11·57	22·42	8·87	25·54	84·11	3·06	8·99	3·72
22	Ayr .	90·76	83·78	9·24	16·22	10·18	25·96	84·95	3·85	7·93	3·27
23	Lanark .	88·09	76·63	11·91	23·37	9·71	27·44	83·24	4·40	8·25	4·06
24	Linlithgow .	89·74	84·62	10·26	15·38	7·33	31·50	83·52	3·30	9·16	3·66
25	Edinburgh .	96·75	92·88	3·25	7·12	6·81	18·92	84·49	3·22	9·04	3·16
26	Haddington .	92·21	87·45	7·79	12·55	7·36	18·61	91·77	2·60	4·76	0·87
27	Berwick .	98·32	95·53	1·68	4·47	6·15	13·97	88·27	0·00	10·06	1·68
28	Peebles .	100·00	97·65	0·00	2·35	5·88	17·65	89·41	0·00	9·41	1·18
29	Selkirk .	95·27	94·67	4·73	5·33	8·88	20·71	91·72	0·00	7·69	0·59
30	Roxburgh .	99·00	95·99	1·00	4·01	10·03	23·75	91·30	1·34	6·69	0·67
31	Dumfries .	98·55	95·87	1·45	4·13	5·37	15·70	86·98	0·41	10·74	1·86
32	Kirkcudbright .	98·37	97·96	1·63	2·04	6·94	17·96	88·98	2·86	6·94	1·22
33	Wigtown .	92·44	87·56	7·56	12·44	8·44	16·89	86·67	1·33	8·89	3·11
EDINBURGH .		97·56	94·59	2·44	5·41	6·60	16·99	83·25	3·59	9·62	3·94
GLASGOW .		87·57	75·15	12·43	24·85	9·94	26·27	83·08	4·47	8·24	4

17.67 per cent. did not attempt a written signature. Of females in 1877, 22.73 per cent. in Sutherland, 45.86 per cent. in Ross and Cromarty, and 34 per cent. in Inverness used the mark in lieu of signature. These proportions, while they show clearly enough that education has made considerable progress in Scotland during the last ten years, certainly suggest that there are large and sparsely peopled counties, in which its march is comparatively slow, or in which the full benefits of the Compulsory Education Act have not yet been thoroughly obtained.

In the last two lines of Table XVIII. will be found the usual figures relative to the populations of Edinburgh and of Glasgow. In the former city, 2.44 per cent. of the males and 5.41 per cent. of the females who married in 1877 used the mark. In the latter city, 12.43 per cent. of the males and 24.85 per cent. of the females did not at the time of marriage make use of written signature.

DEATHS.

The number of Deaths registered in all Scotland in 1877 was 73937, being at the rate of nearly 208 for every ten thousand of estimated population. The average annual death-rate during the ten years immediately preceding was 222.28 per ten thousand, that of 1876 was 210.13. Since 1861 the recorded mortality of Scotland has never been so low as in 1877.

In England the death-rate was only 204 per thousand; being the lowest rate experienced for the last forty years in that division of the United Kingdom.

The mortality in the five registration groups into which for convenience in statistical inquiries we are in the habit of considering

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855-1877.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157
1874	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111
1875	40323	41444	15272	15711	4984	4818	9026	9259	9925	10378	1116	1278
1876	37404	36725	14256	13721	4500	4524	8420	8406	9177	9015	1051	1059
1877	37173	36764	14190	14037	4521	4536	8052	8008	9383	9092	1027	1091

Scotland as divided, was as follows:—In the Eight Principal Towns there were 28227 deaths, showing a death-rate of 231·8 per ten thousand inhabitants; in the Large Towns, 9057 deaths indicated a death-rate of 253·6; in the Small Towns, 16060 deaths were equivalent to a death-rate of 199·5; in the Mainland-Rural Districts, 18475 deaths showed a death-rate of 175·7; in the Insular-Rural Group the deaths numbered 2118, and the death-rate was 164 per ten thousand.

As in 1876, so in 1877, the mortality was highest in the Large Towns and lower than usual in the Eight Principal Towns. At the time when this Detailed Report is being finally adjusted (1881), it has been made obvious, by the publication of the Preliminary Census Report, that the estimates of the population of Paisley, Glasgow, and Greenock must of late years have been very far from correct. While the number of the inhabitants of Paisley was in 1877 understated, the numbers in Glasgow and in Greenock were overstated, and this was likewise the case with the numbers representing the total population of the group of Eight Principal

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1877.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085				
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114				
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523
1873	2·381	2·117	2·895	2·510	2·855	2·511	2·343	2·056	1·803	1·661	1·684	1·654
1874	2·456	2·216	3·025	2·651	2·979	2·691	2·322	2·096	1·857	1·747	1·794	1·584
1875	2·410	2·275	2·753	2·548	3·011	2·705	2·369	2·228	1·940	1·915	1·855	1·829
1876	2·213	1·998	2·518	2·184	2·665	2·494	2·196	2·014	1·794	1·666	1·753	1·521
1877	2·178	1·983	2·458	2·181	2·625	2·454	2·086	1·911	1·835	1·683	1·718	1·573

TABLE XXI.—Town Deaths, 1867–1877. Annual Number of Deaths in the Eight Principal Towns of Scotland.

TOWNS.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.
Glasgow . . .	12578	13832	15648	13955	15790	14053	14499	15845	15384	13763	13823
Edinburgh . . .	4765	4781	5406	4715	5447	5484	4578	5011	5044	4392	4644
Dundee . . .	2952	2917	3564	3185	3336	3491	3281	4170	3305	3075	3026
Aberdeen . . .	1824	2029	1787	1927	1997	2119	2120	2066	2011	2033	2060
Greenock . . .	1433	1658	1750	1674	1772	1697	2220	1690	2180	1613	1563
Paisley . . .	1335	1221	1449	1352	1453	1430	1589	1388	1364	1287	1325
Leith . . .	1064	973	1169	1059	1081	1338	1084	1254	1060	1174	1169
Perth . . .	569	626	694	641	550	587	637	700	635	640	617

Towns. While we have no alternative at present but to use the estimates of population which were in 1877 believed to be correct, and which were applied to the Annual Report of that year, it seems right to abstain as much as possible from inviting anything like comparison of the rates of mortality in each of the Eight Towns. It is obvious that a contrary course might lead to statements without proper foundation, and suggestions of views disparaging to certain local authorities. Once for all, we here disclaim all intention of provoking invidious comparisons or of censuring local authorities in these Reports.

Of the 73937 deaths registered in Scotland in 1877, 37173 occurred in males and 36764 in females. Hence, according to the estimates of male and female population given in Table II., the deaths per thousand of the inhabitants of all Scotland were 20·765; for every thousand males, 21·78; for every thousand females, 19·83. From Table XX. it may be learned that the male mortality preponderated in every one of the registration groups, and was as usual most marked in the Principal Towns.

The percentage of deaths to estimated population at each of

TABLE XXII.—Proportion of Town Deaths, 1867–1877. Annual Percentage of Deaths to the Population in each of the Principal Towns in Scotland.

TOWNS.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	Mean Annual Mortality.	1877.
Glasgow .	2·82	3·04	3·37	2·96	3·29	2·87	2·91	3·12	2·88	2·52	2·978	2·49
Edinburgh	2·52	2·48	2·77	2·38	2·70	2·67	2·20	2·37	2·38	2·04	2·451	2·12
Dundee .	2·71	2·60	3·09	2·69	2·75	2·80	2·56	3·16	2·44	2·21	2·701	2·12
Aberdeen	2·20	2·41	2·09	2·21	2·26	2·35	2·31	2·22	2·12	2·11	2·228	2·10
Greenock	2·69	3·01	3·09	2·87	2·94	2·73	3·47	2·56	3·20	2·30	2·886	2·16
Paisley .	2·78	2·54	3·01	2·80	3·01	2·96	3·28	2·86	2·81	2·64	2·869	2·72
Leith . .	2·51	2·24	2·63	2·32	2·31	2·79	2·21	2·49	2·05	2·22	2·377	2·15
Perth . .	2·16	2·38	2·62	2·43	2·08	2·22	2·41	2·64	2·40	2·41	2·375	2·41

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1877.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	les.	Fem.	Males.	Fem.
Under 1 Year	8128	6443	3465	2756	1086	903	1749	1367	1677	1307	151	110
— 2	3083	2726	1521	1339	427	404	641	534	464	413	30	36
— 3	1362	1272	619	598	208	190	297	279	228	197	10	8
— 4	826	761	362	349	123	103	183	171	150	133	8	5
— 5	586	617	247	261	82	82	127	134	125	125	5	15
0– 5	13985	11819	6214	5303	1926	1682	2997	2485	2644	2175	204	174
5–10	1510	1532	593	576	207	220	341	348	350	367	19	21
10–15	1015	886	337	310	128	104	239	217	281	235	30	20
15–20	1249	1254	405	501	137	146	274	293	387	289	46	25
20–30	2617	2595	969	1024	286	322	562	589	711	588	89	72
30–40	2350	2413	1081	1029	280	310	440	502	488	515	61	57
40–50	2470	2421	1149	1088	303	304	484	461	494	505	40	63
50–60	2953	2870	1190	1206	358	350	633	609	692	636	80	69
60–70	3595	3660	1167	1325	429	414	832	815	1055	976	112	130
70–80	3465	4360	812	1121	327	461	811	1009	1346	1554	169	215
80–90	1676	2487	245	484	127	193	382	572	773	1039	149	199
90–100	222	438	28	68	9	23	44	106	116	197	25	39
100 and above	8	25	—	1	—	1	2	1	5	15	1	7
Not stated	58	4	—	1	4	1	11	1	41	1	2	—
ALL AGES	37173	36764	14190	14037	4521	4536	8052	8008	9383	9092	1027	1091

seventeen periods of life is separately shown, for males and for females for all Scotland, and for each of its five registration groups, in Table XXIV. For males under one year of age the death-rate was 14·895; for females, the rate was 12·202. The mortality at this early age was most considerable in the Large Towns, where males died at the rate of 18·88 and females at that of 16·113 per cent. In the other registration groups the Table shows the usual connection between the amount of infant mortality and the density of the population.

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1877.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	14·895	12·202	17·589	14·545	18·880	16·113	13·718	11·116	11·277	9·043	10·113	7·328
— 2	6·526	5·995	9·306	8·538	8·611	8·482	5·896	5·018	3·392	3·152	2·157	2·810
— 3	2·775	2·691	3·799	3·733	4·114	3·825	2·518	2·501	1·581	1·442	0·663	0·547
— 4	1·714	1·630	2·271	2·256	2·490	2·173	1·597	1·516	1·054	0·973	0·498	0·326
— 5	1·251	1·370	1·627	1·789	1·731	1·771	1·141	1·250	0·886	0·922	0·297	0·986
0-5	5·687	4·981	7·445	6·570	7·570	6·808	5·167	4·430	3·708	3·178	2·655	2·384
5-10	0·695	0·727	0·869	0·860	0·935	1·029	0·657	0·692	0·521	0·567	0·245	0·290
10-15	0·504	0·462	0·542	0·511	0·630	0·538	0·497	0·473	0·445	0·401	0·390	0·277
15-20	0·701	0·705	0·681	0·779	0·765	0·802	0·563	0·742	0·719	0·584	0·753	0·390
20-30	0·958	0·835	0·878	0·834	1·001	1·018	0·998	0·893	1·004	0·733	1·228	0·714
30-40	1·188	1·014	1·427	1·152	1·380	1·284	1·036	0·967	0·922	0·807	0·956	0·648
40-50	1·573	1·305	2·123	1·654	1·884	1·670	1·375	1·120	1·067	0·949	0·760	0·871
50-60	2·570	2·078	3·364	2·664	3·184	2·700	2·453	1·963	1·832	1·488	1·701	1·122
60-70	4·727	3·727	5·827	4·534	6·314	4·682	4·836	3·642	3·725	2·950	3·020	2·760
70-80	9·604	8·599	11·408	8·869	11·398	10·696	9·615	8·601	8·831	8·163	6·998	7·183
80-90	19·901	18·325	20·570	18·615	22·478	18·576	21·594	19·696	18·635	17·551	19·920	17·960
90-100	36·634	35·065	32·180	31·193	27·273	28·866	34·375	46·901	40·418	32·888	35·211	35·780
100 and above	32·000	49·020	0·000	8·333	0·000	20·000	28·571	12·500	50·000	68·182	50·000	100·000
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL. .	2·178	1·983	2·458	2·191	2·624	2·454	2·086	1·911	1·835	1·683	1·718	1·573

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1877.

[illegible]

Children in the second year of life died in highest proportion in the Principal Towns, and in the other groups the deaths were obviously most numerous where the population was most dense. In the Insular-Rural Districts alone the mortality of male children between 1 and 2 years old was less than that recorded among females of that age.

In the third and fourth years of life the law connecting mortality and density of population is still seen to hold good; and male mortality, according to the Table, everywhere slightly preponderated in 1877.

In the fifth year of life, the inhabitants of the Large Towns appeared to have suffered in slightly higher proportion than those of the Principal Towns; elsewhere the law connecting density and mortality may be clearly traced. Everywhere, but especially in the Insular-Rural Districts, the mortality of females exceeded that of males.

TABLE XXVI.—Deaths at different Ages in each of the Eight Principal Towns of Scotland during the Year 1877.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3106	993	770	368	360	223	294	107
— 2	1713	365	273	113	149	121	89	37
— 3	715	160	101	60	70	49	43	19
— 4	387	115	65	44	34	30	25	11
— 5	293	65	43	37	29	15	15	11
0- 5	6214	1698	1252	622	642	438	466	185
5-10	628	167	99	89	63	53	46	24
10-15	317	86	58	66	45	36	18	21
15-20	476	136	85	70	42	54	28	15
20-30	1013	299	183	169	118	105	75	31
30-40	1024	384	213	141	132	87	85	44
40-50	1091	362	259	142	126	107	100	50
50-60	1108	415	297	152	132	136	102	54
60-70	1054	467	302	220	122	139	106	82
70-80	656	408	214	249	98	129	103	76
80-90	212	198	54	121	37	39	37	31
90-100	28	24	10	19	6	2	3	4
100 and above	1	—	—	—	—	—	—	—
Not stated	1	—	—	—	—	—	—	—
ALL AGES . . .	13823	4644	3026	2060	1563	1325	1169	617

TABLE XXVII.—Percentage of Deaths to the Population at each Age in each of the Principal Towns of Scotland in 1877.

[illegible]

Between the ages of 5 and 10 years, the mortality (and especially that of females) was highest in the Large Towns. In the Principal Towns the male mortality very slightly preponderated; elsewhere the female mortality was the greater, and the law connecting density with mortality was plainly illustrated.

Between the ages of 10 and 15 the deaths were likewise most numerous in the Large Towns. In all the groups of registration districts, the mortality of males considerably exceeded that of females.

In all the Town Districts, but more especially in the Large Towns, the deaths between the ages of 15 and 20 were more numerous among females than among males. In the Rural Districts, however, both Mainland and Insular, the male sex suffered in far higher ratio than the female.

At ages between 20 and 30 the mortality of males was more considerable than that of females in all the groups of registration districts, except in the Large Towns, in which female mortality very slightly preponderated.

At all ages between 30 and the end of life the death-rate of males was, as usual, higher than that of females in every registration group where the number of recorded deaths was large enough to warrant a comparison of death-rates.

The percentage of deaths at each age to the total deaths in Scotland and in each of its five registration groups, is given both for males and for females in Table XXV. We learn from that Table that of the whole male mortality that took place in Scotland in 1877, 37·62 per cent. occurred among children who had not completed the first five years of life.

In the Principal Towns the proportion of the total male mortality borne by children under five years of age was 43·79 per cent.; in the Large Towns, the proportion was 42·60; in the Small Towns, 37·22; in the Mainland-Rural Districts, 28·18; in the Insular-Rural, 19·86 per cent.

In relation to the subject of longevity the following details are interesting. Of every hundred females who died in all Scotland during 1877, 19·87 were aged 70 and upwards. In the Insular-Rural Districts there died of such aged females 42·16 per cent; in the Mainland-Rural, 30·85 per cent.; in the Small Towns, 21·07; in the Large Towns, 15·05; in the Principal Towns, 11·93 per cent. These numbers sufficiently illustrate the connexion between the degree of density or "proximity" that exists in a population, and the frequency with which instances of longevity are met with in it.

CAUSES OF DEATH.

In the present Detailed Annual Report the Tables illustrating the causes of death have been arranged in conformity with the system of medical nomenclature long used in the English Registrar-General's Reports under the direction of Dr Farr, and which has now been introduced into all the Monthly, Quarterly, and Annual Reports issued from this office. In consequence of the great number of additional headings required for the due exhibition of Dr Farr's nomenclature, no less than 292 pages are found necessary for the detailed Tables, which were in former years compressed within the compass of 186. And in the present Report it was found absolutely impossible to secure reasonable brevity, without omitting the Tables applicable to *persons*, which used to be given, but which merely

contained the numbers derived from the addition of corresponding items in the Tables applicable to males and to females. No inconvenience is apprehended from the omission of the Tables relative to persons; for the numbers

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . . .	2076	2178	1983	2318	2458	2191	2536	2625	2454
1. Miasmatic Order . .	302	301	303	328	338	319	389	369	407
2. Tubercular Order . .	350	360	341	429	440	420	462	476	449
3. Nervous System . . .	213	234	194	236	266	210	252	276	230
4. Organs of Circulation .	142	145	139	143	145	141	160	162	159
5. Respiratory Organs . .	409	448	373	555	604	511	504	556	456
6. Organs of Digestion . .	128	135	123	124	136	113	156	157	154
7. Urinary Organs . . .	39	53	26	39	52	28	44	62	26
8. Generative Organs . .	5	—	10	5	—	10	5	—	9
9. Locomotive Organs . .	9	12	7	12	15	9	13	18	8
10. Skin, etc.	5	6	5	7	8	5	9	10	7
11. Developmental Dis- eases of Children . . .	73	83	63	96	111	82	88	99	78
12. Age	146	113	176	84	60	105	147	105	186
13. Atrophy	73	79	66	75	80	70	129	138	121
14. Violent Deaths . . .	83	134	37	77	119	39	78	120	135
Small-pox	1	1	1	1	2	1	1	1	1
Measles	29	31	28	39	43	36	56	55	56
Scarlatina	39	43	36	22	25	20	52	56	48
Diphtheria	27	26	29	28	27	29	32	32	32
Croup	26	28	25	31	33	29	39	34	43
Hooping-cough	45	43	47	73	73	73	54	39	67
All FEVERS, viz.	53	53	54	48	50	47	60	59	59
Typhus	7	8	7	12	13	10	7	4	9
Enteric.	41	40	42	33	34	33	50	54	46
Relapsing	—	—	—	—	—	—	—	—	—
Continued.	5	5	5	3	3	4	3	1	4
Erysipelas	8	8	8	9	9	9	8	6	9
Metria	5	—	9	5	—	10	7	—	13
Influenza	3	3	3	2	2	1	3	3	2
Dysentery	4	4	5	3	3	3	5	5	6
DIARRHŒA	44	46	42	50	54	46	60	62	58
Cholera	—	2	2	2	1	2	4	5	3
Rheumatism	10	9	11	10	8	11	8	6	9
Dropsy	12	10	14	11	9	13	15	11	18
Cancer	50	36	62	48	33	62	50	39	60
Scrofula	21	23	20	26	29	24	19	21	16
Tabes Mesenterica . . .	32	38	27	41	49	34	50	56	45
PHTHISIS	239	233	245	288	279	297	300	287	312
Hydrocephalus	57	66	48	74	81	66	93	112	75
Apoplexy	53	54	52	57	60	55	57	54	60
Paralysis	58	57	59	54	52	56	72	70	73
Epilepsy	8	9	6	6	7	6	10	12	8
Convulsions	33	42	26	47	61	34	44	52	37
BRONCHITIS	263	272	256	372	383	362	322	347	300
Pneumonia	90	113	70	124	153	98	105	132	79
Enteritis	26	28	24	26	28	24	30	32	28
All Liver Diseases . . .	36	39	33	35	40	30	47	55	40
Teething	20	23	18	29	32	26	21	24	18
CHILDBIRTH	11	—	22	14	—	26	11	—	22
Fracture & Contusion . .	29	49	10	31	52	13	32	57	9
Burns and Scalds . . .	13	21	6	8	9	6	5	6	5
Drowning	19	34	6	12	22	3	18	30	6

of deaths from each cause, and at each age, among those of each sex, are now given on pages facing each other, so that the deaths of persons may be ascertained with a minimum of trouble, by simply adding corresponding items

Hundred Thousand Persons of the Population in 1877, allowing for Causes not Specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	1995	2086	1911	1757	1835	1683	1640	1719	1573
1. Miasmatic Order . .	319	312	327	247	245	248	154	153	155
2. Tubercular Order . .	334	340	328	244	253	235	237	286	193
3. Nervous System . .	212	226	199	186	201	172	115	137	95
4. Organs of Circulation . .	145	153	137	142	143	141	57	62	53
5. Respiratory Organs . .	348	396	305	268	293	245	256	261	253
6. Organs of Digestion . .	133	137	128	124	126	122	109	115	104
7. Urinary Organs . .	39	55	24	39	54	25	24	36	14
8. Generative Organs . .	5	1	8	6	—	12	4	—	7
9. Locomotive Organs . .	8	10	6	8	9	6	1	2	—
10. Skin, etc.	3	1	5	5	6	5	5	4	5
11. Developmental Dis- eases of Children . .	70	79	62	48	54	41	29	38	21
12. Age	135	100	166	197	160	232	452	378	518
13. Atrophy	72	83	62	57	62	52	19	26	12
14. Violent Deaths . .	83	129	40	94	158	34	87	159	23
Small-pox	2	2	2	1	1	1	—	—	—
Measles	23	23	23	14	15	13	18	14	21
Scarlatina	55	59	52	47	50	44	3	4	2
Diphtheria	32	26	37	24	24	24	5	4	5
Croup	26	29	24	17	19	15	25	24	26
Hooping-cough	35	35	34	21	18	23	13	14	12
All FEVERS, viz. . . .	66	64	68	50	48	52	31	36	25
Typhus	5	7	4	5	6	4	7	4	9
Enteric	52	47	56	41	39	44	20	26	14
Relapsing	—	—	—	—	—	—	—	—	—
Continued	9	10	8	4	3	4	4	6	2
Erysipelas	8	10	7	7	8	7	2	2	2
Metria	6	—	11	3	—	6	4	—	7
Influenza	3	2	4	5	6	5	9	10	9
Dysentery	3	4	4	6	5	7	1	2	—
DIARRHŒA	44	43	45	35	35	34	15	18	12
Cholera	2	1	2	2	2	2	2	2	2
Rheumatism	8	7	8	11	10	12	24	22	26
Dropsy	12	11	14	11	9	12	31	20	40
Cancer	46	30	60	56	44	68	36	34	39
Scrofula	22	22	21	18	18	17	9	16	4
Tabes Mesenterica . .	33	40	26	19	21	17	7	8	5
PHTHISIS	224	213	234	178	178	178	207	243	176
Hydrocephalus	56	65	47	30	36	24	14	20	9
Apoplexy	56	55	57	47	49	46	20	24	16
Paralysis	57	56	59	61	60	62	50	58	44
Epilepsy	8	9	6	8	11	6	7	10	4
Convulsions	28	33	23	21	27	16	13	16	11
BRONCHITIS	217	230	205	165	166	163	148	141	155
Pneumonia	80	103	59	59	74	45	41	52	32
Enteritis	27	29	26	26	29	23	10	12	9
All Liver Diseases . .	39	41	36	32	30	33	29	30	28
Teething	20	23	18	11	12	10	10	14	7
CHILDBIRTH	12	—	23	8	—	15	12	—	23
Fracture & Contusion .	31	52	12	26	45	7	8	16	2
Burns and Scalds . .	7	9	6	27	49	7	11	14	9
Drowning	22	39	5	22	37	7	56	113	6

in the Tables appropriated to males and females. Had Tables of persons been given in the present Detailed Report, the space used in exhibiting the causes of death would have been 438 instead of 292 pages. Comparison

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Miasmatic Order . . .	1456	1384	1529	1416	1376	1455	1534	1407	1660
2. Tubercular Order . . .	1685	1653	1717	1853	1792	1916	1821	1813	1829
3. Nervous System . . .	1028	1076	980	1020	1083	956	995	1053	938
4. Organs of Circulation . .	684	667	701	618	591	645	632	616	648
5. Respiratory Organs . . .	1969	2058	1880	2396	2459	2332	1989	2118	1860
6. Organs of Digestion . . .	619	618	620	535	553	517	613	598	628
7. Urinary Organs . . .	187	245	129	170	210	129	172	238	107
8. Generative Organs . . .	25	2	49	22	1	44	18	—	36
9. Locomotive Organs . . .	45	55	36	50	60	40	50	67	33
10. Skin, etc.	26	27	26	28	32	23	34	38	29
11. Developmental Dis- eases of Children . . .	350	383	317	413	453	372	336	379	316
12. Age	703	518	890	362	245	479	580	401	757
13. Atrophy	350	365	334	322	324	320	509	527	492
14. Violent Deaths . . .	402	614	187	332	485	177	307	457	158
Small-pox	5	5	5	5	6	4	3	4	2
Measles	141	141	141	170	175	166	219	211	227
Scarlatina	190	196	184	97	102	91	206	215	196
Diphtheria	132	119	146	121	112	131	126	123	129
Croup	126	128	125	133	136	131	153	130	176
Hooping-cough	217	197	238	315	297	333	212	150	274
All FEVERS, viz. Typhus	258	243	271	209	203	217	235	227	243
Enteric	37	38	35	50	54	47	27	16	38
Relapsing	197	183	211	144	138	150	196	204	187
Continued	1	1	1	1	1	1	—	—	—
Erysipelas	23	21	24	14	10	19	12	7	18
Metria	38	38	38	37	35	37	30	22	38
Influenza	23	—	45	22	—	44	26	—	51
Dysentery	16	16	16	7	9	5	10	11	9
DIARRHŒA	21	19	23	13	14	11	21	18	24
Cholera	212	211	213	214	221	206	238	238	238
Rheumatism	10	8	11	8	5	11	15	18	11
Dropsy	47	39	55	41	32	51	30	25	36
Cancer	58	46	71	47	35	59	58	43	74
Scrofula	239	166	313	208	136	281	197	150	243
Tabes Mesenterica	102	106	99	113	117	108	74	81	67
PHTHISIS	156	174	138	176	199	154	198	213	183
Hydrocephalus	1153	1069	1237	1244	1133	1355	1183	1094	1272
Apoplexy	274	304	244	320	342	299	366	426	307
Paralysis	255	247	263	248	244	252	226	206	245
Epilepsy	281	263	300	233	212	254	283	267	299
Convulsions	37	43	30	28	30	25	39	45	33
BRONCHITIS	161	192	129	201	247	155	173	197	149
Pneumonia	1269	1249	1289	1605	1558	1652	1268	1313	1223
Enteritis	434	518	351	535	623	446	413	504	323
All Liver Diseases	126	130	122	113	114	111	117	121	114
Teething	172	177	168	150	163	137	187	208	165
CHILD BIRTH	97	104	90	124	131	116	82	90	74
Fracture & Contusion . . .	54	—	109	60	—	120	45	—	89
Burns and Scalds	140	226	53	136	211	60	127	217	38
Drowning	64	95	32	34	38	29	21	22	20
	92	155	28	54	90	17	70	115	27

of the Tables in the Detailed Annual for 1876 (see pages 48 to 234) with the Tables in the present Detailed Annual (see pages 48 to 340) will show that the above is no mere random calculation.

Diseases to the Total Deaths from Specified Causes in 1877.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Miasmatic Order . .	1601	1494	1709	1408	1336	1474	937	891	982
2. Tubercular Order . .	1675	1632	1719	1389	1377	1395	1443	1667	1228
3. Nervous System . .	1064	1085	1043	1060	1095	1019	699	799	603
4. Organs of Circulation .	726	735	717	811	778	840	347	359	335
5. Respiratory Organs .	1746	1897	1595	1532	1597	1457	1562	1516	1607
6. Organs of Digestion .	665	658	671	709	689	726	665	671	658
7. Urinary Organs . .	194	263	124	222	292	149	148	208	89
8. Generative Organs . .	24	4	44	36	2	70	23	—	45
9. Locomotive Organs . .	41	48	33	43	51	35	6	12	—
10. Skin, etc.	16	6	25	30	33	27	28	23	33
11. Developmental Dis- eases of Children . .	351	379	322	272	307	245	176	220	134
12. Age	675	480	870	1124	871	1378	2756	2199	3292
13. Atrophy	362	399	325	326	339	311	114	150	78
14. Violent Deaths . .	415	620	209	535	858	200	528	926	145
Small-pox	9	8	11	3	3	3	—	—	—
Measles	116	111	121	81	84	77	108	81	134
Scarlatina	277	283	271	268	272	263	17	23	11
Diphtheria	159	123	194	139	131	145	28	23	33
Croup	132	139	124	95	104	86	153	139	167
Hooping-cough	174	168	180	118	101	136	80	81	78
All FEVERS, viz. . . .	330	306	355	287	263	310	182	208	156
Typhus	27	32	23	28	32	24	40	23	56
Enteric	258	225	290	236	211	261	119	150	89
Relapsing	1	—	3	1	1	—	—	—	—
Continued	44	49	39	22	19	25	23	35	11
Erysipelas	42	48	37	43	43	42	11	12	11
Metria	28	—	56	17	—	35	23	—	45
Influenza	15	9	21	30	31	29	57	58	56
Dysentery	22	20	23	34	25	42	6	12	—
DIARRHŒA	222	208	235	199	193	204	91	104	78
Cholera	9	5	13	10	9	11	11	12	11
Rheumatism	39	35	43	61	52	69	148	127	167
Dropsy	63	53	72	60	51	69	187	116	257
Cancer	228	143	315	322	239	406	222	197	246
Scrofula	108	107	109	100	101	99	57	93	22
Tabes Mesenterica . .	165	191	138	107	113	100	40	46	33
PHTHISIS	1123	1020	1227	1013	968	1054	1261	1412	1116
Hydrocephalus	279	313	245	170	196	142	85	116	56
Apoplexy	283	265	301	270	266	272	119	139	100
Paralysis	288	268	308	349	329	367	307	336	279
Epilepsy	38	45	30	48	59	37	40	58	22
Convulsions	139	159	119	120	145	94	80	93	67
BRONCHITIS	1089	1104	1074	940	906	970	903	822	982
Pneumonia	401	494	307	336	401	268	250	301	201
Enteritis	137	138	137	149	159	138	62	69	56
All Liver Diseases . .	194	198	190	181	164	198	176	174	179
Teething	103	111	94	62	66	57	62	81	45
CHILDBIRTH	59	—	118	45	—	92	74	—	145
Fracture & Contusion .	157	250	63	146	245	43	51	93	11
Burns and Scalds . .	36	42	30	157	266	43	68	81	56
Drowning	109	186	32	124	201	44	341	660	33

The total of deaths registered in all Scotland during the year 1877 was 73937; but in 1575 cases the causes of death were not known to the informants, or were communicated to the Registrars in terms such as rendered them useless for statistical tabulation. Thus 2·13 per cent. of all deaths registered were not referred to any specified cause. It seems inevitable that, in consequence of the want of coroners' inquests in Scotland, the above percentage must include a certain number of deaths by suicide. In the absence of medical testimony, or of the authoritative statement of a procurator-fiscal, a registrar is naturally cautious in referring a death to "suicide" or "homicide."

During 1877 the deaths in all Scotland that were referred to the Miasmatic Order of the Zymotic Class amounted to 10538, being 302 for every hundred thousand of estimated population, and constituting 14·56 per cent. of all registered deaths. The incidence of such diseases appears (see Tables XXVIII. and XXIX.) to have been most felt in the Large Towns; but in none of the five registration groups was it so considerable as usual.

The deaths from the chief Miasmatic diseases and from ordinary causes are so arranged in Table XXXII. as to exhibit the mortality due to each during five successive periods of life. Of every hundred deaths from

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1877, allowing for Causes not Specified.

DISEASES.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS, . . .	2486	2123	2117	2098	2160	2717	2155	2323
Miasmatic Diseases . . .	359	301	260	326	303	424	304	220
Tubercular Diseases . . .	491	354	351	334	459	527	365	417
Brain, etc.,	227	236	226	249	225	326	257	258
Heart, etc.,	119	185	154	143	129	128	174	250
Respiratory Organs . . .	684	430	536	374	389	496	442	463
Organs of Digestion . . .	131	118	91	148	125	136	126	99
Dev. Dis. of Children . .	102	84	107	79	94	101	100	53
Old Age	63	70	93	130	85	194	81	209
Violent Deaths	77	77	78	63	90	72	94	65
Small-pox	2	—	—	1	—	—	—	—
Measles	65	12	25	11	20	48	9	27
Scarlatina	25	8	14	61	14	25	15	34
Diphtheria	28	37	11	34	46	14	26	19
Croup	32	31	18	25	49	39	30	30
Hooping-cough	81	91	62	23	52	112	63	4
Fevers, viz.	49	45	29	74	35	64	78	35
Typhus	13	4	6	23	1	41	20	4
Enteric	33	34	22	47	34	19	52	23
Relapsing	—	1	—	—	—	—	2	—
Continued	3	6	1	4	—	4	4	8
Dysentery	3	2	1	11	—	8	2	—
Diarrhœa	45	46	72	49	49	56	54	38
Cholera	1	4	1	1	3	2	—	—
Rheumatism	7	11	11	12	10	14	13	8
Dropsy	11	5	12	8	13	25	13	15
Cancer	37	79	42	59	41	39	50	46
Phthisis	318	233	264	226	345	360	233	307
Apoplexy	54	59	67	45	52	107	46	61
Paralysis	42	53	53	71	50	110	94	76
Bronchitis	460	269	377	263	227	355	309	307
Pneumonia	147	106	129	63	113	118	96	91
Teething	38	16	15	17	45	50	20	23

Miasmatic diseases, 58·2 occurred during the first five years of life, 68·7 during the first ten years, 3·7 between the ages of 10 and 15, 19·1 between the ages of 15 and 60. To children under five years of age no disease was so destructive as Hooping-Cough. Of such children, 1483 succumbed to this one cause, being 94·4 per cent. of those who died of the same disease at all ages. Of 1019 deaths from Measles, 912, or 89·5 per cent., occurred among children under five years old. Of the total of deaths from Croup, 89·9 per cent. took place at the same early age. Of 1751 deaths attributed to Diarrhoea, Dysentery, or Cholera, 1751, or 59·6 per cent., occurred at ages under five years. There were 222 deaths ascribed to Syphilis, and of these it is melancholy to observe that 177, or no less than 79·7 per cent., occurred during the first five years of life, while 172 took place during the first two years alone. From Continued Fevers of all kinds there were 1861 deaths, being at the unusually moderate rate of 53 out of every hundred thousand of estimated population. In every one of the five registration groups, the form of Fever now generally known as Typhoid or Enteric was more frequent than Typhus. The number of deaths from Typhoid Fever was 1427, while the fatal cases of Typhus were only 265. From Simple Continued Fever the deaths were 164. To Relapsing Fever, which of late years has been very rare in Scotland, and has hardly been

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the Year 1877.

DISEASES.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Miasmatic Diseases	1444	1418	1228	1554	1403	1561	1411	947
Tubercular Diseases	1975	1667	1658	1592	2125	1940	1694	1795
Brain, etc.	913	1112	1068	1187	1042	1200	1193	1111
Heart, etc.	479	871	727	682	597	471	807	1076
Respiratory Organs	2751	2025	2532	1783	1801	1826	2051	1993
Organs of Digestion	527	556	430	705	579	501	585	426
Dev. Dis. of Children	410	396	505	377	435	372	464	228
Old Age	253	330	439	620	494	814	376	900
Violent Deaths	310	363	368	300	517	265	436	280
Small-pox	8	—	—	5	—	—	—	—
Measles	261	57	118	52	93	177	42	116
Scarlatina	101	38	66	291	65	92	70	146
Diphtheria	113	174	52	162	223	52	121	82
Croup	129	146	85	119	237	144	139	129
Hooping-cough	326	429	293	110	251	412	292	17
Fevers, viz.	197	213	137	353	162	236	362	151
Typhus	52	19	28	110	5	151	93	17
Enteric	133	161	104	224	157	70	241	99
Relapsing	—	5	—	—	—	—	9	—
Continued	12	28	5	19	—	15	19	35
Dysentery	12	9	5	52	—	29	9	—
Diarrhoea	181	217	340	234	237	206	251	164
Cholera	4	19	5	5	14	7	—	—
Rheumatism	28	52	52	57	46	52	60	35
Dropsy	44	24	57	38	60	92	60	65
Cancer	149	372	198	281	190	144	232	198
Phthisis	1279	1098	1247	1077	1597	1325	1081	1322
Apoplexy	217	278	316	214	251	394	213	263
Paralysis	169	250	250	338	231	405	436	327
Bronchitis	1850	1267	1781	1254	1051	1307	1434	1322
Pneumonia	591	499	609	300	523	434	445	392
Teething	153	75	71	81	208	184	93	99

observed at all in England, only 5 deaths were attributed. Of deaths from Fevers of all kinds, 13·9 per cent. took place at ages under five years; 14·1 per cent. between the ages of 5 and 10; 11·6 per cent. between 10 and 15; 52·9 per cent. between 15 and 60; and 7·5 per cent. among persons who had completed their sixtieth year of life.

Out of every hundred thousand inhabitants of the Eight Principal Towns there died, of Miasmatic Diseases, 328; in the Large Towns, the corresponding rate was 389; in the Small Towns, 319; in the Mainland-Rural Districts, 247; and in the Insular-Rural group, 154. In the whole of Scotland the rate was 302 for every hundred thousand of population; and, as may be learned from Table XXIX., the deaths from Miasmatic causes constituted 14·56 per thousand of the total of deaths from Specified Causes.

During 1877 there were registered in all Scotland only 38 deaths from Small-pox. Of these deaths, 13 occurred in Glasgow, and 1 in Aberdeen; none in any other of the Principal Towns. Three died in the Large Towns, viz., 2 in Coatbridge and 1 in Govan. Fifteen died in the Small Towns, viz., 1 in Elgin, 2 in Dumbarton, 1 in Bute, 9 in Lanark, and 2 in Wigtown. In the Mainland-Rural Districts there were 6 Deaths, viz., 2 in the county of Inverness, 1 in Aberdeenshire, 1 in Perthshire, 1 in Dumbartonshire, and 1 in Wigtownshire. From the Insular-Rural Districts no death from Small-pox was returned. Three children died of Small-pox between the ages of six and twelve months. Another died before having attained the age of two years. In Tables XXXII., XXXIV., XXXV., and XXXVI., which have already appeared in the Annual Report and Supplement for 1878, will be found such details as we are in the habit of furnishing, regarding the mortality from Small-

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1877.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PERCENTAGE AT EACH AGE.					
	0-5 years.	5-10.	10-15.	15-60.	Above 60.	Total.	0-5.	5-10.	10-15.	15-60.	Above 60.	Total.
Small-pox	4	2	4	28	—	38	10·5	5·3	10·5	73·7	0·0	100
Measles	912	76	14	17	—	1019	89·5	7·5	1·4	1·6	0·0	100
Scarlatina	863	362	84	64	1	1374	62·8	26·3	6·2	4·7	0·0	100
Diphtheria	636	209	43	58	10	956	66·5	21·9	4·5	6·1	1·0	100
Croup	823	88	3	1	—	915	89·9	9·7	0·3	0·1	0·0	100
Hooping-cough . . .	1483	80	4	4	—	1571	94·4	5·2	0·2	0·2	0·0	100
All Fevers, viz. . . .	258	263	215	985	140	1861	13·9	14·1	11·6	52·9	7·5	100
Typhus	13	15	25	193	19	265	4·9	5·7	9·4	72·8	7·2	100
Enteric	202	229	175	729	92	1427	14·2	16·0	12·3	51·1	6·4	100
Relapsing	—	—	1	4	—	5	0·0	0·0	20·0	80·0	0·0	100
Simple Continued .	43	19	14	59	29	164	26·2	11·6	8·5	36·0	17·7	100
Dysentery	37	5	1	50	57	150	24·7	3·3	0·7	33·3	38·0	100
Diarrhoea	964	20	10	167	371	1532	62·9	1·3	0·7	10·9	24·2	100
Cholera	42	5	—	15	7	69	60·9	7·2	0·0	21·7	10·2	100
Erysipelas	111	9	3	79	73	275	40·4	3·3	1·1	28·7	26·5	100
Syphilis	177	1	—	38	6	222	79·7	0·5	0·0	17·1	2·7	100
All Zymotics	6518	1177	417	2136	949	11197	58·2	10·5	3·7	19·1	8·5	100
All other Diseases, } exclud'g Zymotics }	19286	1865	1484	21056	19049	62740	30·7	3·0	2·4	33·6	30·3	100
Total Deaths	25804	3042	1901	23192	19998	73937	34·9	4·1	2·6	31·4	27·0	100

pox and the administration of the Scottish Vaccination Act during the year now under review.

Scarlatina caused 39 deaths out of every hundred thousand of the estimated population of Scotland,—a proportion considerably lower than that recorded during some recent years. The disease appears to have been more destructive in the Large and Small Towns, than in the Eight Principal Towns. Its incidence was comparatively trifling in the Insular-Rural Districts.

Hooping-cough was the registered cause of 45 deaths per hundred thousand of population. Its fatality followed very closely the order of density or aggregation of the population, being by far more conspicuous in the Principal Towns than in the Rural Districts of the country. In former Detailed Reports we have had occasion to remark that female children in general suffer in higher proportion than males from Hooping-cough. In 1877 it was in the Large Towns only that this excessive mortality of females was very clearly manifested.

The deaths from Measles in all Scotland were 1019, or 29 per hundred thousand of population. The disease was most prevalent in

TABLE XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PERCENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotic Deaths.	All other Diseases.
0—5	25,804	6,518	19,286	25·3	74·7
5—10	3,042	1,177	1,865	38·7	61·3
10—15	1,901	417	1,484	21·9	78·1
15—60	23,192	2,136	21,056	9·2	90·8
Above 60	19,998	949	19,049	4·7	95·3
0—15	30,747	8,112	22,635	26·4	73·6
15 and upwards	43,190	3,085	40,105	7·1	92·9

TABLE XXXIV.—Small-pox Deaths in Scotland.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1867	100
1856	1,306	1868	15
1857	845	1869	64
1858	332	1870	114
1859	682	1871	1,442
1860	1,495	1872	2,448
1861	766	1873	1,126
1862	426	1874	1,246
1863	1,648	1875	76
1864	1,741	1876	39
1865	383	1877	38
1866	200		

the Large Towns; least prevalent in the Rural Districts; not more destructive to one than to the other sex.

The deaths tabulated as due to Diphtheria numbered 956; those attributed to Croup, 915. It must, however, be noted that, with every care, we find it impossible to observe the pathological distinctions between these two affections in our tabulations, and are sometimes obliged to proceed in rather arbitrary fashion in referring deaths to one or other.

To Gout, the deaths of 4 males and of 9 females were ascribed. Of these, one male died under 40 years of age, one female under 10, and another under 50 years. The remaining 10 died at ages between 60 and 85. Of course, it must not be inferred that this short list comprehends all the deaths connected with the gouty diathesis. Every well-informed medical man knows that to this diathesis a notable proportion of deaths are truly referrible, which find their way into our tables under the heads of Angina Pectoris, Diseases of the Heart, of the Brain, and of the Kidney.

To Dropsy, without explanation as to its cause, 422 deaths were referred. Of these, 166 occurred in males and 256 in females.

Cancer was assigned as the cause of 1732 deaths, whereof 604 occurred among males and 1128 among females. The disease appears to have been quite as frequent in the Mainland-Rural Districts as elsewhere. Of the Principal Towns, Edinburgh and Aberdeen would appear to furnish more instances of death from Cancer than Glasgow and Dundee. Of all deaths from this cause, about 83 per cent. occurred at ages between 45 years and the end of life. Of every hundred thousand males in all Scotland, 36 died of Cancer, and 62 out of every hundred

TABLE XXXV.—Vaccinations in Scotland, 1867–77, and Proportion to the Births each Year.

Years.		Success-fully Vaccinated.	Vaccina-tion Post-poned.	Insusceptible of Vaccination—			Died before Vaccina-tion.	Removed from District before Vaccination, or otherwise un-accounted for.	TOTAL BIRTHS.
				From Constitutional Insuscep-tibility.	From having had Small-pox	From previous Vaccina-tion.			
1867	Numbers .	101139	670	233	16	151	9855	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
1874	Numbers .	108022	1229	206	33	205	11288	2878	123861
1875	Numbers .	108096	1211	190	1	252	11326	2575	123651
1876	Numbers .	111815	1034	177	5	348	10760	2567	126706
10 Years.	Average .	104435	963	206	35	225	10309	2587	118761
1877	Numbers .	112229	1304	180	4	480	10374	2329	126900
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
1874	Percentage	87·213	0·992	0·166	0·027	0·165	9·114	2·323	100·000
1875	Percentage	87·420	0·979	0·154	0·001	0·204	9·160	2·082	100·000
1876	Percentage	88·248	0·816	0·140	0·003	0·275	8·492	2·025	100·000
10 Years.	Percentage	87·937	0·811	0·173	0·029	0·189	8·680	2·178	100·000
1877	Percentage	88·438	1·028	0·141	0·003	0·378	8·175	1·835	100·000

thousand females. It is probable that the number of deaths referrible to Cancer is considerably understated; for a good many deaths from Cancer of Stomach, Liver, &c., are returned as diseases of these viscera without information as to the particular form of disease ascertained or suspected.

Hydrophobia caused the death of 1 male in Dumfriesshire, and of 2 females, aged 15 and 30 years, in Glasgow.

From Alcoholism, including Delirium Tremens and Intemperance, there died 170 males and 78 females.

Tubercular Diseases caused 12193 deaths constituting a mortality of about 350 out of every hundred thousand of estimated population, and affecting persons of the male sex in a proportion slightly exceeding that which was observed among females. The deaths from the diseases of this class were not more numerous than usual, and yet amounted to 16·85 per cent. of all deaths that occurred in Scotland. They were most numerous in the Large Towns; somewhat less frequent in the Principal Towns; decidedly less frequent in the Small Towns; and still less frequent in the Rural Districts. From Consumption alone there died in all Scotland, 3889 males and 4453 females, being 8342 persons. Of these deaths, 1376, or about 16·5 per cent., occurred among persons under 15 years of age; 5614, or 67·3 per cent., among those aged from 15 to 45 years; and 1352, or 16·2 per cent., among those aged 45 and upwards. In the whole of Scotland and in each of its groups of registration districts (except the Mainland and Insular Rural), Consumption was appreciably more frequently fatal to females than to males. In the Mainland-Rural Districts the proportions of male and

TABLE XXXVI.—Vaccinations in Scotland, 1867-1877, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
1874	Numbers .	108022	1229	206	33	205	2873	112573
1875	Numbers .	108096	1211	190	1	252	2575	112325
1876	Numbers .	111815	1034	177	5	348	2567	115946
10 Years.	Average .	104435	963	206	35	225	2587	108452
1877	Numbers .	112229	1304	180	4	480	2329	116526
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
1874	Percentage	95·958	1·092	0·183	0·029	0·182	2·556	100·000
1875	Percentage	96·235	1·078	0·169	0·001	0·224	2·293	100·000
1876	Percentage	96·437	0·892	0·153	0·004	0·300	2·214	100·000
10 Years.	Percentage	96·296	0·887	0·190	0·032	0·207	2·385	100·000
1877	Percentage	96·312	1·119	0·154	0·003	0·411	1·999	100·000

female population that fell victims to this cause were identical; in the Insular-Rural group the proportion of males who died far exceeded that of females. As for the relative frequency of deaths by Consumption in the Eight Principal Towns of Scotland, the reader is referred to Tables XXX. and XXXI. It is tolerably plain that in the cases of Glasgow and of Greenock, in which we now know that our estimates of population must in 1877 have been too high, Consumption was a more frequent cause of death than in Aberdeen and Leith, where the estimates may be held to have been correct. In the case of Paisley the mortality from Consumption appears to have been higher than in any other Principal Town; but in explanation of this circumstance, it must be carefully noted, that this in great measure depends upon the population of Paisley having of late years been far in excess of our estimates.

There were attributed to Scrofula, 740 deaths; to Tabes Mesenterica, 1128; and to Hydrocephalus, 1983. These numbers do not materially differ from those recorded for the year 1876. Examination of Table XXVIII. will show that these diseases were far more destructive to the urban than to the rural populations of the country.

Diseases of the Nervous System proved fatal to 7439 persons; of whom 3913 were males and 3526 females. The mortality from these causes was 213 per hundred thousand of the population of all Scotland, and constituted 10·28 per cent. of the deaths attributed to specified causes. These rates are somewhat higher than those recorded for 1876; and as usual indicate a greater mortality among males than among females, and among the urban than among the rural population.

TABLE XXXVII.—Deaths from Fever in 1877.

FEVERS.	RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage to Total Fever Deaths.
Typhus	57	10·5	208	15·8
Enteric	442	81·4	985	74·7
Relapsing	1	0·2	4	0·3
Simple Continued . .	43	7·9	121	9·2
ALL FEVERS . . .	543	100·0	1318	100·0

TABLE XXXVIII.—Monthly Deaths from Fever in the Eight Principal Towns of Scotland during the Ten Years 1868–1877; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January .	1039	556	344	July .	761	387	283
February .	904	431	333	August .	730	343	312
March .	1006	435	343	September .	720	309	344
April .	928	513	322	October .	869	359	402
May .	853	462	294	November .	967	458	372
June .	824	419	321	December .	1059	472	431

Diseases of the Organs of Circulation caused 4948 deaths, of which 2424 occurred among males and 2524 among females. Of every hundred thousand inhabitants of Scotland, 142 fell victims to these diseases during 1877. The incidence of Heart Diseases was most considerable in the Large Towns; far less considerable in the Insular-Rural Districts, where, however, the recognition of such diseases cannot reasonably be expected from informants without medical information. It is to the difficulty of procuring medical attendance in the remote islands, and not to any comparative rarity in the occurrence of rheumatism and arterial degeneration, the two conditions on which most cases of Heart Disease are believed to depend, that we are naturally led to attribute the infrequent use of such terms as "Heart Disease," "Fatty Heart," "Valvular Disease," "Aneurism," "Pericarditis," &c., in certificates of death furnished to the registrars in such localities.

Diseases of the Respiratory Organs proved fatal in 1877 to 14249 persons, of whom 7483 were males and 6766 females. This mortality considerably exceeded that recorded for 1876, but did not nearly come up to that registered in 1875. Out of every hundred thousand of estimated population there perished in 1877, by diseases of the Respiratory System, in all Scotland, 409; in the Principal Towns, 555; in the Large and Small Towns, 504 and 348 respectively; while in the Mainland-Rural Districts the rate was 268, and in the Insular-Rural Group only 256. Bronchitis alone caused in all Scotland, 9182 deaths; a heavy mortality, amounting to 263 out of every hundred thousand of estimated population, and representing 12·69 per cent. of the deaths from all Specified Causes. The rate of mortality per hundred thousand of population was 372 in the Eight Principal Towns; 322 in the Large Towns; 217 in the Small Towns; 165 in the Mainland-Rural; and 148 in the Insular-Rural Districts. The deaths from Pneumonia were 3144; from Pleurisy, 301; from Laryngitis, 214; from Asthma, 348; and from Lung Diseases of Unspeci-

TABLE XXXIX.—The Twenty most fatal Diseases in Scotland and England in 1877, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Bronchitis	263	Bronchitis	221
Phthisis	239	Phthisis	210
Age	146	Heart, etc., Diseases of	140
Heart, etc., Diseases of	142	Age	107
Pneumonia	90	Atrophy and Debility	104
Developmental Dis. of Children	73	Convulsions	99
Atrophy	73	Pneumonia	97
Paralysis	58	Developmental Dis. of Children	74
Hydrocephalus	57	Diarrhoea	60
All Fevers	53	Scarlatina	59
Apoplexy	53	Apoplexy	54
Cancer	50	Cancer	50
Hooping-cough	45	Paralysis	49
Diarrhoea	44	Hooping-cough	46
Scarlatina	39	All Liver Diseases	42
All Liver Diseases	36	All Fevers	41
Convulsions	33	Measles	37
Tabes Mesenterica	32	Hydrocephalus	32
Measles	29	Tabes Mesenterica	32
Fractures and Contusions	29	Fractures and Contusions	30

fied Nature, 1060. This last number, it may be remarked, is unusually large,—nearly four times as large as the corresponding number recorded for 1876. The explanation is connected with the system of classification employed for the first time in the present Detailed Report, in accordance with which a very large number of deaths returned to the Registrar-General as due to “Pulmonary Congestion” are referred to Lung Disease of unspecified or uncertain nature. Our usual practice in former Reports has been to include such deaths under the heading Pneumonia. There can be no doubt that under the vague term “Congestion of the Lungs” many cases of Consumption, Pneumonia, and Bronchitis are included, and it seems hopeless to attempt their distribution under their appropriate headings. Probably the course now followed, of referring all such cases to “Lung Diseases of Unspecified Nature” is the least objectionable that has been proposed.

Diseases of the Digestive Organs caused 4478 deaths, being 135 for every hundred thousand males, and 123 for a like number of females of the whole population of Scotland. Teething is no longer referred to Diseases of the Digestive System, but constitutes a section of Order 1 of Class IV., or of the Developmental Diseases. From Gastritis and Enteritis there were 1188 deaths; from Peritonitis, 465; from Ulceration of the Intestines, 201; from Ileus, Intussusception, and Stricture of the Bowels, 408; from Diseases of the Liver and Biliary System, 1248; from Diseases of the Spleen, 36; from Unspecified Diseases of the Stomach, &c., 707. The deaths from Hernia were 142 in number, 75 among males and 67 among females. Of these deaths, 10 took place during the first year of life, and 106 at ages exceeding fifty years.

To Diseases of the Urinary Organs 1356 deaths were ascribed, being 39 for every hundred thousand of estimated population. Such deaths were nearly twice as frequent among males as among females. Of Nephritis, there died 138 persons; of Ischuria, 47; of Calculus, 45; of Cystitis, 112; of Bright’s Disease, 432; of Kidney Disease of Unspecified Nature, Addison’s Disease, &c., 473; of Diabetes, 109.

From Diseases of the Ovaries there were 68 deaths, and from Diseases of the Uterus 110; from Paramenia, 31. There were likewise 163 deaths from Metria, and 394 from Childbirth. Hence 557 deaths were registered as due to puerperal causes. The number of children born alive in Scotland during 1877 was 126,822. When the corrections for twin and triplet births are made, the number of mothers who gave birth to live children becomes 125,369. Of these, 0.444 per cent., or about 1 in every 226, died of causes directly connected with the act of childbearing.

Diseases of the Organs of Locomotion caused 327 deaths.

The deaths from Diseases of the Integumentary System were 191. It must be noted that, in accordance with our new classification, Carbuncle is included in the first order of the Zymotic Class of Diseases.

To Premature Birth, 1545 deaths were attributed; to Teething, 702; to Cyanosis, Spina Bifida, and other malformations, 286.

Of Old Age, 5084 persons are reported to have died. Of these, 1882 were males and 3202 females. Fully 87 per cent. of these persons had completed their threescore and ten years. In the Insular-Rural Districts the proportion of deaths occurring at extreme ages is, as usual, very remarkable; but it is to be feared that, in consequence of the ignorance of the informants, some exaggeration of the ages of those who die is apt to find its way into the certificates.

Of 8 males who died in 1877 at the age of 100 years or more, one, aged 108, was a pensioner, and had formerly been a shepherd; one, aged 104, a pensioner, had been a foot soldier; one, aged 102, was a retired crofter; one was a gamekeeper; one, a pauper, had been formerly a post-runner; and another, likewise a pauper, had been a general labourer.

Of 25 females who are reported as having died at ages not less than 100 years, the oldest, 108 years, was a farmer's widow; another, aged 106, was likewise a farmer's widow; one, aged 105, had been a Berlin-wool merchant; one, aged 104, was the widow of a meal-miller; other two, of like age, were the widows of a shoemaker and of a crofter; three, aged 102, were paupers, and two of them widows; one, aged 101, was the widow of a linen-weaver; another, of the same age, was a crofter's widow; nine, aged 100, are merely designated as paupers' widows, crofters' widows, farmers' widows, and the like; one, likewise 100, was a carrier's widow, and another the widow of a house carpenter. Regarding the conjugal condition of other three no information is forthcoming.

To Atrophy and Debility, 2531 deaths were attributed. Of these, 2161, or fully 85 per cent., occurred in children before the completion of their second year of life.

There were 2906 Violent Deaths, being at the rate of 134 for every hundred thousand of male population and of only 37 for a like number of females. Fractures and Contusions caused 1011 of these deaths; Drowning, 630; Burns and Scalds, 461; and Suffocation, 290. There were, besides the above, 324 deaths registered as resulting from Accident or Negligence, under such headings as Gunshot Wounds, Cuts, Stabs, Poison, &c.

There were 10 deaths by Murder or Manslaughter, and one male was executed by Hanging.

The following list of deaths by Suicide embraces all that have been certified to the registrars. By Hanging, 53 males and 17 females effected self-destruction; by Drowning, 22 males and 14 females; by Cut-throat, 30 males and 11 females; by Gunshot, 6 males; by Poison, of nature not stated, 2 males and 1 female; by Opium or Laudanum, 5 males and 4 females; by Strychnia, 1 male and 1 female; by Prussic Acid, 1 male; and likewise 1 male from Vitriol, and another from Prussic Acid. Three males and 1 female effected their purpose by precipitation, 1 male by exposing himself to an advancing railway train, and other 4 males by means not specified. There were registered in all 179 Suicides, whereof 130 were males and 49 females.

There were 90 deaths registered as Sudden and due to unascertained causes, and 1485 from causes not specified or ill-defined.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

It has long been customary to devote considerable space in these Reports to details concerning the weather and its apparent influence upon the public health; but except as ample confirmations of the popular impression that the prevalence of cold wet weather is apt to be attended or followed by marked increase in the lethality of the most familiar epidemic disorders, and by unusual mortality from chest complaints, it is to be feared that our reiterated illustrations of the subject have been of little use. In presenting observations upon the weather of 1877 we shall confine ourselves as much as possible to statements already made in the Annual Report for

1877, and to tables, by means of which the meteorological peculiarities of the year under review may be readily contrasted with those recorded during former years.

In Table XL. will be found, in very succinct form, the main facts regarding the mean temperature and mortality experienced throughout Scotland during each month of 1877, followed by a similar statement founded upon the observations made during the decennium 1855–1864. These last observations serve for the construction of a sort of standard of mean temperature and mortality, to which it is both easy and convenient to refer the observations of subsequent years. Any marked deviation from this standard can hardly escape attention, and will suggest explanation or commentary. It may at once be gathered from Table XL. that the chief peculiarity of the records of temperature in 1877 has been the lowness of average temperature during March and the six months immediately following. The temperature of February and of November was fully two degrees above that of the corresponding months during the decennial period. The other months presented nothing unusual as to temperature. January was, as usual, the coldest month; July was the warmest, but with a mean temperature of 1°·3 below the average of former Julys.

In order to form a clear idea of the relation between temperature and mortality during the successive months of 1877, the reader should bear in mind that, during December 1876, the mean temperature had been high, and the mortality under the average of the last ten Decembers. It is necessary to bear this circumstance in mind, for it is plain enough that the inclemency of any particular month may very materially increase the number of deaths in the month immediately following, even though there may be nothing remarkable in the temperature of the latter.

January 1877 was characterized by a low barometric pressure, a rather high mean temperature, an unexampled number of rainy days, and a depth of rainfall only once before attained (viz. in 1863) in the recorded years. The deaths per diem were 224.

February was characterized by a low barometer, high mean temperature, a full amount of rain, and extra strength of wind; the great

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1877, compared with the Mean of the Ten Years 1855–1864.

YEAR 1877.					1855–1864.	
MONTHS.	Mean Tempera- ture.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per An- num, or 1000 per Month.	Monthly Proportion of Deaths.	Mean Tempera- ture.
January . . .	37°·6	6952	6952	1107	1134	37°·2
February . . .	39°·5	5927	6562	1045	1193	37°·4
March	38°·4	7646	7646	1218	1145	39°·8
April	41°·4	6849	7077	1127	1083	44°·1
May	45°·9	7027	7027	1119	1010	49°·5
June	55°·1	5710	5900	940	956	55°·6
July	56°·3	5617	5617	895	895	57°·6
August	55°·1	5454	5454	868	856	57°·3
September . .	50°·5	4848	5009	798	843	52°·8
October	46°·7	5740	5740	914	858	47°·2
November . . .	42°·5	5655	5843	931	954	40°·2
December . . .	39°·3	6521	6521	1038	1073	38°·6
YEAR . . .	45·7	73,946	75,348	12,000	12,000	46·7

preponderance of that wind being from the west, and the rain apparently with it. The deaths per diem were 212.

March was characterized by a low barometer, and a rather low mean temperature, with a great number of rainy days but no very great depth of rainfall, while the wind was chiefly from the west. The mortality, the heaviest recorded during any month of the year, amounted to 247 deaths per diem.

April had a mean temperature less than the average by $2^{\circ}7$. The barometric pressure likewise was less than usual. The rainfall was pretty equally distributed, and its average amount $0\cdot72$ inch above the average of former seasons. The force of the winds was above the average; their main direction a point south of due east. The daily deaths were 228.

May had a mean temperature $3^{\circ}6$ below the average. The barometer likewise stood low, but its daily range was at least half an inch more than usual. The rainfall considerably exceeded the average. The average pressure of the wind was excessive, and its prevailing currents from E.N.E. The daily number of deaths was 227, exceeding the mortality of 1875 and 1876.

June had a mean temperature very little below the average. The barometric pressure likewise was less than usual. The rainfall was excessive. The winds were strong; their general currents from S.W. by S. The daily deaths were only 190.

In *July* the chief characteristics of the weather were wet, cold, and windy; more particularly, the signs were low barometric pressure and

TABLE XLI.—Meteorology of Scotland for 1877, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1877, as stated in the Quarterly Reports.

1877.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	56°·4	57°·0	59°·5	65°·0	67°·3	83°·4	75°·3	77°·0	69°·3	67°·4	63°·0	56°·0	83°·4
Lowest Temp. in do.	4°·0	11°·0	8°·3	15°·0	20°·0	34°·0	36°·5	30°·2	30°·0	22°·3	15°·0	9°·0	4°·0
Mean Day Temp. . .	42°·4	44°·8	44°·6	47°·4	52°·9	63°·0	62°·6	61°·2	57°·8	53°·0	47°·6	44°·0	51°·8
Mean Night Temp. . .	32°·8	34°·2	32°·1	35°·5	38°·8	47°·2	50°·1	49°·0	43°·2	40°·5	37°·4	34°·6	39°·6
Daily Range	9°·6	10°·6	12°·5	11°·9	14°·1	14°·9	12°·4	12°·2	14°·6	12°·5	10°·1	9°·4	12°·9
Mean Temperature .	37°·6	39°·5	38°·4	41°·4	45°·9	55°·1	56°·3	55°·1	50°·5	46°·7	42°·5	39°·3	45°·7
Highest Temperature in sun	82°·8	93°·0	109°·0	115°·0	123°·2	136°·4	136°·0	134°·0	128°·0	114°·4	97°·6	84°·0	136°·0
Lowest on grass at night	4°·0	5°·0	10°·0	15°·0	16°·0	25°·0	29°·0	25°·2	21°·0	17°·0	13°·5	9°·0	4°·0
Wet-bulb Temperature	35°·8	37°·2	35°·9	38°·7	43°·0	51°·8	53°·5	52°·7	48°·0	44°·5	40°·3	37°·9	43°·3
Dew-point Temperature	34°·0	35°·2	33°·9	36°·0	39°·8	48°·8	51°·2	50°·9	45°·8	42°·7	38°·5	36°·4	41°·1
Humidity of Air . . .	89	88	87	83	80	80	84	88	86	88	88	90	86
Elastic force of Vapour (inches)	0·197	0·206	0·196	0·212	0·247	0·347	0·378	0·374	0·311	0·274	0·234	0·216	0·266
Number of Rainy Days	23	18	18	12	13	15	22	22	11	19	21	18	212
Amount of Rain (inch.)	6·96	4·12	2·58	2·96	2·75	3·72	4·31	6·35	2·12	5·32	6·07	4·57	51·83
Amount of Cloud . .	7·0	5·9	6·3	6·7	6·5	5·9	7·1	7·2	5·9	6·6	6·1	6·6	6·5
Hours of Sunshine . .	60	98	126	135	192	231	168	129	166	115	87	55	1562
Mean Barometer (in.)	29·634	29·712	29·674	29·819	29·860	29·897	29·762	29·807	30·030	29·802	29·386	29·823	29·767
Easterly Winds (number of days)	10	1	8	22	14	8	4	13	8	5	3	4	100
Westerly Winds (do.)	14	21	17	3	11	16	21	11	14	19	21	22	190
Births	10932	9372	10952	10915	11376	11064	10842	10376	9770	10928	10150	10147	126824
Deaths	6952	5927	7646	6849	7027	5710	5617	5454	4848	5740	5655	6521	73946
Marriages	3091	1452	1434	1720	1052	3963	2737	1487	1470	1682	2196	3506	25790
Daily Births	353	335	353	364	367	369	350	335	325	353	338	327	347
Daily Deaths	224	212	247	228	227	190	181	176	162	185	189	210	205

large variations thereof, low mean temperature and small variations of it, indicating thereby a clouded sun, large humidity of the air, large number of rainy days, great depth of rainfall, large amount of strong W.S.W. wind. The daily deaths were 181.

In *August* the weather was again wet, cold, and windy; the particulars being low barometer, low mean temperature, small variation of it, large humidity of the air, large number of rainy days, excessively large rainfall, extra strength of wind nearly equally balanced from all points of the compass. The daily deaths, 176, were well within the average.

September was dry, but windy and cold; or more particularly, there was large barometric pressure, low mean temperature, great daily range of temperature, ordinary humidity, less days on which rain fell, little more than half the usual quantity of rain, strong wind largely from N. and N.W. The daily deaths were only 162, indicating a very favourable condition of the public health, and less numerous than during any other month of the year.

October was characterized generally by its mean temperature being rather low, but still more by its amount of both rain and wind being very great, and that wind more westerly and southerly than is usual in October. The deaths per diem again rose to 185.

November was remarkable, almost unprecedentedly so, for low barometric pressure, great fluctuations of the barometer, high mean temperature, great number of rainy days, great depth of rainfall, great amount of wind, chiefly south-west in its direction. The daily deaths, 189, were certainly not numerous for November.

December was not far from an ordinary example of the month. The mean temperature and mean humidity were slightly above the average; so likewise were the amount of rainfall and the number of rainy days. The winds, which were strong, had in general a westerly direction.

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1877.

1877.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	38°·4	40°·5	39°·0	41°·7	47°·1	56°·0	57°·2	55°·9	51°·7	47°·7	43°·6	40°·0
Highest Temperature . . .	53°·1	54°·9	59°·5	65°·0	64°·0	77°·7	73°·3	75°·3	69°·3	67°·0	62°·0	55°·0
Lowest Temperature . . .	16°·0	18°·0	20°·0	27°·0	27°·0	41°·0	42°·5	35°·0	34°·0	28°·0	27°·0	18°·0
Rainfall in inches . . .	7·11	3·32	2·45	3·03	2·38	3·19	4·02	7·65	1·66	4·42	5·52	3·62
Easterly Winds (days) . . .	10	1	8	23	17	11	5	15	8	5	3	5
Westerly Winds (days) . . .	16	24	20	3	12	15	21	13	18	21	23	23
Total Deaths . . .	2589	2229	2993	2562	2707	2178	2044	2048	1884	2245	2120	2622
Daily Deaths . . .	84	80	97	85	87	73	66	66	63	72	71	85
Zymotic Diseases . . .	321	202	346	351	394	338	324	326	297	377	345	380
Small-pox . . .	—	2	1	1	5	4	3	—	—	2	1	—
Measles . . .	22	25	36	45	83	76	65	31	23	23	22	39
Scarlatina . . .	25	23	19	19	21	11	10	14	14	37	35	41
Diphtheria . . .	35	28	30	25	21	22	23	19	22	41	40	38
Hooping-cough . . .	61	74	90	108	105	67	77	57	55	65	60	75
Croup . . .	45	32	40	24	22	17	14	21	30	42	46	51
All Fevers . . .	55	47	51	39	46	47	39	44	54	62	59	55
Diarrhoea . . .	29	33	30	43	37	54	60	107	70	64	46	35
Dysentery . . .	4	3	7	3	6	—	4	2	3	2	3	4
Cholera . . .	1	1	—	—	—	1	1	4	—	3	1	—
Consumption . . .	288	270	398	321	327	319	282	265	239	234	227	261
Diseases Respiratory Organs	729	558	917	682	689	451	345	307	343	525	527	718
Heart, etc., Diseases . . .	144	137	149	133	141	133	116	135	118	119	120	145
Brain, etc., Diseases . . .	273	226	264	253	254	224	237	221	183	226	197	250
Debility and Premat. Birth .	122	123	170	120	138	100	102	119	99	123	110	140
Age . . .	119	86	144	119	109	81	89	81	65	84	80	115

The daily deaths were 210,—certainly not more numerous than might be expected in the month of December.

In attempting to illustrate the dependence of the mortality from certain diseases upon the meteorological peculiarities of the successive months, it will be necessary to appeal continually to Table XLII. Here, however, it must be noted that our illustrations are limited to the data furnished by the Eight Principal Towns.

It appears that in the Principal Towns the cold month of March was more fatal than any other, and that the mortality was due chiefly to excessive frequency of deaths from Diseases of the Respiratory System, and to numerous deaths ascribed to debility about the period of birth. The more genial temperature of April seems to have been connected with a diminution in this mortality, which however in May recurred. The temperature of May, it may be remarked, was about 3° below the average of that month during former seasons. From May till September the mortality underwent considerable decrease, and in September had as usual reached a minimum. October and all the winter months were in nowise remarkable. The mortality as usual increased towards the end of the year, but even in December had hardly reached the average observed during previous years.

By means of Table XLII. it is easy to trace, in a general way, how far each of the more ordinary causes of death contributed to the mortality among the inhabitants of the Eight Principal Towns during each month of the year.

The deaths from Smallpox were far from numerous, and during January, August, September, and December, not a single death was referred to this cause.

Deaths from Measles and its sequelæ showed in March a tendency to increase in frequency, attained a maximum of 83 in May, and there-

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1877.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean.	Highest	Lowest					Mean.	Highest	Lowest	
1	January 6	580	34·7	50·1	16·0	2·18	27	July 7	452	54·7	69·2	43·0	0·59
2	13	570	38·1	49·5	24·0	1·04	28	14	443	57·1	72·2	42·5	0·86
3	20	589	40·4	53·1	27·0	1·44	29	21	511	57·3	69·0	43·0	1·82
4	27	547	40·2	51·0	31·0	1·34	30	28	436	58·6	69·0	48·0	0·60
5	February 3	530	39·8	57·0	30·0	2·34	31	August 4	475	56·5	73·0	40·0	0·41
6	10	553	42·7	53·8	33·0	1·07	32	11	477	59·0	75·0	46·0	0·83
7	17	564	42·4	54·9	31·2	1·34	33	18	449	58·7	73·0	46·0	1·33
8	24	533	39·5	54·0	26·0	0·37	34	25	437	51·7	64·0	35·0	3·40
9	March 3	605	35·7	56·0	18·0	0·15	35	September 1	493	53·6	70·0	42·0	2·00
10	10	663	38·1	56·0	26·0	0·44	36	8	433	49·9	65·0	33·0	0·53
11	17	688	40·4	59·5	26·0	0·45	37	15	484	54·3	67·5	35·0	0·97
12	24	719	36·8	49·0	23·0	0·28	38	22	440	51·6	69·0	35·0	0·08
13	31	670	40·1	56·0	31·0	1·23	39	29	458	51·4	66·0	34·0	0·03
14	April 7	617	44·2	57·8	31·0	1·06	40	October 6	461	51·1	64·0	33·0	0·04
15	14	583	38·8	50·2	27·0	0·93	41	13	484	48·0	67·0	33·0	1·06
16	21	609	42·3	59·2	28·0	0·47	42	20	464	43·8	64·0	28·0	0·88
17	28	567	41·0	55·0	31·0	0·83	43	27	537	47·1	62·0	31·1	1·63
18	May 5	604	40·7	55·6	27·0	0·03	44	November 3	503	48·8	58·0	38·0	0·99
19	12	667	44·3	58·5	28·0	0·24	45	10	494	47·8	62·0	33·0	1·39
20	19	606	49·0	62·0	38·1	0·95	46	17	467	45·8	59·1	33·0	1·38
21	26	604	49·5	64·0	35·0	0·20	47	24	467	39·9	55·0	27·0	1·38
22	June 2	565	51·6	63·0	38·0	1·53	48	December 1	567	38·6	48·0	28·9	1·03
23	9	546	54·5	69·9	41·3	1·24	49	8	591	40·2	51·0	31·0	0·64
24	16	506	56·8	75·0	41·0	0·04	50	15	574	41·4	53·0	32·0	1·79
25	23	491	56·5	77·7	41·0	0·64	51	22	612	44·4	55·0	31·9	0·35
26	30	482	56·5	70·0	41·0	0·82	52	29	567	33·7	52·0	18·0	0·91

after steadily declined till, in November, their number was only 22. The low temperature that prevailed in March and May sufficiently explains the comparative frequency of deaths by Measles during these months. Hooping-cough, a disease in which the inflammatory complications powerfully influence the mortality, began, as might have been expected, to predominate as an epidemic during the cold weather in March. Its ravages were not checked by the more genial April, but continued with unabated violence till the middle of summer. Yet although Hooping-cough during 1877 numbered more victims than any other epidemic disease, it was certainly not more fatal than during the average of previous years.

The influence of the cold weather was less distinctly marked in the case of other familiar epidemic diseases, such as Scarlatina, Diphtheria, and Croup.

The mortality from Fevers, under which term Typhus and Typhoid Fevers are chiefly included, was during no month very serious. Deaths from these causes were most frequent in October, November, December, and during the first three months of the year.

Diarrhœa is the cause of many deaths in our Principal Towns, and these deaths for the most part occur among children in the early years of life. There can be no question that a warm summer is tolerably sure to be attended with an increase in the fatality of infantile bowel-complaints; but as the summer of 1877 was certainly the reverse of warm, it need excite no surprise to find that the deaths from Diarrhœa have been decidedly less common than usual. In August there were only 107 deaths from Diarrhœa, 70 in September, and 64 in October; but the Table shows that the minimum mortality from this disease was recorded in January and in March, the two coldest months of the whole year.

Consumption proved fatal in 398 cases in March, and in the succeeding months declined in fatality, till in November its victims were only 227 in number. In some of our former Reports, and especially in that for 1876, the unusually high mortality from Consumption during the month of May has been commented on. During 1877 no such mortality

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1877, and Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1877.					Proportion at each Age in every Hundred Deaths per Month.				
	0-5 years.	5-20.	20-60.	60 and above.	Total Deaths.	0-5 years.	5-20.	20-60.	60 and above.	Total.
January . .	1014	217	807	551	2589	39.2	8.4	31.2	21.2	100.0
February . .	952	205	670	402	2229	42.7	9.2	30.1	18.0	100.0
March. . .	1141	257	969	626	2993	38.1	8.6	32.4	20.9	100.0
April . . .	993	254	795	520	2562	38.8	9.9	31.0	20.3	100.0
May . . .	1066	297	852	492	2707	39.4	11.0	31.5	18.1	100.0
June . . .	830	258	698	392	2178	38.1	11.8	32.0	18.1	100.0
July . . .	784	231	654	375	2044	38.4	11.3	32.0	18.3	100.0
August . .	845	205	626	372	2048	41.3	10.0	30.6	18.1	100.0
September .	774	198	602	310	1884	41.1	10.5	32.0	16.4	100.0
October . .	1035	183	651	376	2245	46.1	8.1	29.0	16.8	100.0
November .	949	181	634	356	2120	44.8	8.5	29.9	16.8	100.0
December .	1166	224	767	465	2622	44.5	8.5	29.3	17.7	100.0
YEAR . .	11,549	2,710	8,725	5,237	28,221	40.9	9.6	30.9	18.6	100.0

was observed. This may perhaps be partly accounted for by the comparative mildness of the month of April.

No class of diseases is more unequivocally influenced by the weather than that which includes Bronchitis, Pneumonia, and other inflammatory affections of the Organs of Respiration. It was but natural that in a cold wet year diseases of the lungs should be rife; and the sudden rise of deaths from such causes, from 558 in February to 917 in March, at once suggests that atmospheric influences must have been at work during early spring. It would be tedious to point out further how the excessive mortality of the comfortless month of March was checked during the comparatively mild April, how it subsided to a minimum in August, and thereafter steadily rose as the winter approached.

A very few words will suffice to illustrate the main facts brought out by Tables XLIV. and XLV., as to the comparative mortality at each of four periods of life experienced during each successive month of 1878. In the first place, attention must be paid to the circumstance that the statements of Table XLV., to which only it will be necessary to allude, refer exclusively to the population of the Eight Principal Towns, and to months equalized, by the process frequently explained in our Quarterly Reports, to a uniform length of thirty-one days.

Children under five years of age died in largest proportion during the months of December and March. The mortality was at its minimum in July, and did not much exceed this minimum in September. It seldom happens that the warmest month of the year is likewise distinguished by the lowest rate of infant mortality; but in 1877 there was during summer no such heat as commonly induces Diarrhœa among infants.

Among adolescents, or those aged between five and twenty, deaths were most frequent in May, June, March, and April,—during those months, in short, in which the influence of Consumption and of Diseases of the Organs of Respiration was most marked. The minimum mortality of adolescents was in October and November.

Adults, under which term are grouped all persons between twenty and sixty years of age, suffered far more severely during March than at any

TABLE XLV.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1877.

MONTHS.	Relative Number of Deaths in 1877.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0-5 years.	5-20.	20-60.	60 and above.	Total.	
January . . .	1014	217	807	551	2589	1081
February . . .	1054	227	742	445	2468	1030
March . . .	1141	257	969	626	2993	1249
April . . .	1026	262	822	537	2647	1105
May . . .	1066	297	852	492	2707	1130
June . . .	858	267	721	405	2251	939
July . . .	784	231	654	375	2044	853
August . . .	845	205	626	372	2048	855
September . . .	800	205	622	320	1947	813
October . . .	1035	183	651	376	2245	937
November . . .	981	187	655	368	2191	914
December . . .	1166	224	767	465	2622	1094
YEAR . . .	11,770	2,762	8,888	5,332	28,752	12,000

other time of the year. Deaths among this class were at a minimum in September. The mortality among adults recorded in Table XLV. was very clearly influenced by the deviations from the normal temperature of the successive months exhibited in Table XL.

Among the aged, or those who had attained their sixtieth year, the fluctuations of mortality varied from month to month in a manner not materially differing from what has been noted in regard to the class of adults.

Among the whole inhabitants of the Eight Principal Towns the deaths during each month were in the following order of fatality: March, May, April, December, January, February, October, June, November, August, July, and September.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON, M.D.

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
EDINBURGH, 1st August 1881.

VACCINATIONS IN SCOTLAND—1877.

		Success- fully Vacci- nated.	Vacci- nation Post- poned.	Insusceptible of Vaccine Disease			Died before Vacci- nation.	Removed from District before Vaccina- tion, or otherwise unaccount- ed for.	Total Births for 1877.
				On the ground of Constitu- tional Insuscep- tibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccina- tion.			
	SCOTLAND, - - -	112229	1304	180	4	480	10374	2329	126900
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWNS, - - -	88677	251	43	3	349	4282	942	44547
2	LARGE TOWNS, - - -	14070	111	15	0	42	1316	326	15879
3	SMALL TOWNS, - - -	26377	287	37	1	59	2314	462	29537
4	MAINLAND-RURAL, - - -	30569	383	66	0	28	2247	357	33650
5	INSULAR-RURAL, - - -	2536	272	19	0	3	215	242	3287
	DIVISIONS.								
1	NORTHERN, - - -	2676	139	14	0	9	193	89	3120
2	NORTH-WESTERN, - - -	3282	303	16	0	8	300	227	4136
3	NORTH-EASTERN, - - -	12248	105	16	0	3	855	49	13276
4	EAST-MIDLAND, - - -	17308	155	29	0	70	1632	207	19401
5	WEST-MIDLAND, - - -	7845	99	11	0	28	599	225	8807
6	SOUTH-WESTERN, - - -	47504	273	52	2	338	4703	1225	54097
7	SOUTH-EASTERN, - - -	15664	179	27	2	5	1577	256	17710
8	SOUTHERN, - - -	5702	51	15	0	19	515	51	6353
	COUNTIES.								
	I. NORTHERN.								
1	Shetland, - - -	554	43	1	0	0	38	37	673
2	Orkney, - - -	723	31	8	0	1	31	12	806
3	Caithness, - - -	912	57	1	0	7	93	26	1096
4	Sutherland, - - -	487	8	4	0	1	31	14	545
	II. NORTH-WESTERN.								
5	Ross and Cromarty, - - -	1597	105	6	0	4	138	31	1881
6	Inverness, - - -	1685	198	10	0	4	162	196	2255
	III. NORTH-EASTERN.								
7	Nairn, - - -	229	1	2	0	0	15	0	247
8	Elgin (or Moray), - - -	1241	24	0	0	0	86	6	1357
9	Banff, - - -	1731	16	6	0	3	119	5	1880
10	Aberdeen, - - -	8031	57	8	0	0	580	33	8709
11	Kincardine, - - -	1016	7	0	0	0	55	5	1083
	IV. EAST-MIDLAND.								
12	Forfar, - - -	8208	35	16	0	69	869	92	9289
13	Perth, - - -	3157	56	7	0	0	271	38	3529
14	Fife, - - -	5024	52	5	0	1	392	66	5540
15	Kinross, - - -	174	2	0	0	0	20	1	197
16	Clackmannan, - - -	745	10	1	0	0	80	10	846
	V. WEST-MIDLAND.								
17	Stirling, - - -	3478	29	2	0	22	272	73	3876
18	Dumbarton, - - -	2220	30	0	0	0	184	24	2458
19	Argyll, - - -	1790	37	7	0	6	120	69	2029
20	Bute, - - -	357	3	2	0	0	23	59	444
	VI. SOUTH-WESTERN								
21	Renfrew, - - -	6793	80	9	0	52	672	196	7802
22	Ayr, - - -	7396	42	11	0	3	617	80	8149
23	Lanark, - - -	33315	151	32	2	283	3414	949	38146
	VII. SOUTH-EASTERN.								
24	Linlithgow, - - -	1495	11	3	0	0	137	32	1678
25	Edinburgh, - - -	11066	129	13	2	1	1196	199	12606
26	Haddington, - - -	1077	11	4	0	4	72	17	1185
27	Berwick, - - -	937	13	1	0	0	67	4	1032
28	Peebles, - - -	361	2	4	0	0	36	5	406
29	Selkirk, - - -	728	13	2	0	0	59	1	803
	VIII. SOUTHERN.								
30	Roxburgh, - - -	1421	10	0	0	0	137	2	1570
31	Dumfries, - - -	2036	21	12	0	18	190	27	2304
32	Kirkcudbright, - - -	1120	13	2	0	1	98	11	1245
33	Wigtown, - - -	1125	7	1	0	0	90	11	1234

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1877.

1877.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Area in Square Miles.*
		1861.	1871.	Male.	Fem.	Total.	Mal.	Fem.	Total.	Male.	Fem.	Total.			
SCOTLAND, - -		3,062,294	3,360,018	65089	61733	126822	5432	5136	10568	37173	36764	73937	25817	52885	30532.0
GROUPS OF DISTRICTS.															
1	PRINCIPAL TOWNS	884,955	1,068,556	22897	21678	44575	1855	1759	3614	14190	14037	28227	10706	16348	
2	LARGE TOWNS†	272,540	332,180	8141	7722	15863	515	491	1006	4521	4536	9057	2938	6806	
3	SMALL TOWNS	700,474	772,229	15088	14422	29510	1163	1098	2261	8052	8008	16060	5434	13450	
4	MAINLAND-RURAL	1,067,560	1,055,049	17272	16324	33596	1789	1692	3481	9383	9092	18475	6207	15121	
5	INSULAR-RURAL	136,765	132,004	1691	1587	3278	110	96	206	1027	1091	2118	532	1160	
DIVISIONS.															
1	NORTHERN	130,422	127,191	1600	1511	3111	137	118	255	965	1088	2053	591	1058	3730.1
2	NORTH-WESTERN	167,242	166,351	2167	1962	4129	142	128	270	1360	1393	2753	809	1376	7406.1
3	NORTH-EASTERN	366,870	393,199	6842	6416	13258	935	905	1840	3382	3353	6735	2702	6523	3694.3
4	EAST-MIDLAND	523,822	559,676	9875	9512	19387	874	848	1722	5358	5806	11164	3906	8223	4101.0
5	WEST-MIDLAND	242,487	251,088	4562	4235	8797	292	263	555	2667	2518	5185	1572	3612	4216.2
6	SOUTH-WESTERN	1,008,273	1,183,218	27694	26400	54094	1904	1782	3686	16440	15435	31875	10817	22219	2291.5
7	SOUTH-EASTERN	413,116	475,523	9138	8567	17705	696	666	1362	5161	5183	10344	4167	7361	1854.2
8	SOUTHERN	210,062	203,772	3211	3130	6341	452	426	878	1840	1988	3828	1253	2513	3238.6
COUNTIES.															
I. NORTHERN.															
1	Shetland	31,670	31,608	346	324	670	27	20	47	213	253	466	142	204	} 935.5
2	Orkney	32,395	31,274	406	398	804	29	23	52	231	289	520	144	284	
3	Caithness	42,200	41,011	547	548	1095	61	61	122	334	337	671	195	424	
4	Sutherland	24,157	23,298	301	241	542	20	14	34	187	209	396	110	146	
II. NORTH-WESTERN.															
5	Ross and Cromarty	82,427	82,093	986	892	1878	50	39	89	646	689	1335	362	543	3150.6
6	Inverness	84,815	84,258	1181	1070	2251	92	89	181	714	704	1418	447	833	4255.5
III. NORTH-EASTERN.															
7	Nairn	8,347	8,372	126	121	247	10	12	22	83	66	149	49	98	199.9
8	Elgin (or Moray)	44,305	44,549	710	647	1357	112	88	200	408	377	785	272	572	488.0
9	Banff	56,020	58,883	968	910	1878	148	163	311	460	436	896	872	982	646.5
10	Aberdeen	223,417	246,298	4513	4186	8699	594	574	1168	2169	2199	4368	1784	4331	1972.0
11	Kincardine	34,781	35,097	525	552	1077	71	68	139	262	275	537	225	540	387.9
IV. EAST-MIDLAND.															
12	Forfar	206,750	240,049	4756	4533	9289	449	451	900	2438	2794	5232	1881	4057	890.4
13	Perth	133,198	128,550	1778	1750	3528	179	166	345	1206	1232	2438	851	1090	2569.8
14	Fife	155,021	160,924	2809	2718	5527	194	189	383	1408	1484	2892	1009	2635	513.2
15	Kinross	8,731	7,918	105	92	197	9	8	17	75	84	159	35	38	77.8
16	Clackmannan	20,122	22,235	427	419	846	43	34	77	231	212	443	130	403	49.8
V. WEST-MIDLAND.															
17	Stirling	88,138	93,345	1982	1889	3871	113	120	233	1118	1015	2133	722	1738	466.5
18	Dumbarton	54,179	61,116	1269	1186	2455	76	62	138	697	613	1310	425	1145	269.8
19	Argyll	83,859	79,661	1084	943	2027	79	69	148	690	697	1387	303	640	3254.9
20	Bute	16,311	16,966	227	217	444	24	12	36	162	193	355	122	89	225.0
VI. SOUTH-WESTERN.															
21	Renfrew	168,746	195,305	4023	3774	7797	247	238	485	2425	2347	4772	1668	3025	253.8
22	Ayr	199,083	200,908	4110	4036	8146	305	282	587	2208	2211	4419	1375	3727	1148.8
23	Lanark	640,444	787,005	19561	18590	38151	1352	1262	2614	11807	10877	22684	7774	15467	888.9
VII. SOUTH-EASTERN.															
24	Linlithgow	39,045	41,379	852	825	1677	72	67	139	363	403	766	273	911	126.7
25	Edinburgh	273,792	328,138	6499	6111	12610	466	457	923	3857	3863	7720	3230	4890	367.1
26	Haddington	37,626	37,755	624	560	1184	56	41	97	318	303	621	231	563	279.9
27	Berwick	36,488	36,382	522	507	1029	49	48	97	309	309	618	179	411	464.3
28	Peebles	11,264	12,218	222	182	404	21	14	35	87	99	186	85	218	356.0
29	Selkirk	14,901	19,651	419	382	801	32	39	71	227	206	433	169	368	260.2
VIII. SOUTHERN.															
30	Roxburgh	49,568	48,241	812	758	1570	83	73	156	440	496	936	299	634	669.5
31	Dumfries	75,904	74,842	1148	1151	2299	181	182	363	709	746	1455	484	844	1103.0
32	Kirkcudbright	42,680	42,087	629	614	1243	91	86	177	364	362	726	245	517	953.7
33	Wigtown	41,910	38,602	622	607	1229	97	85	182	327	384	711	225	518	512.4

* The acreage of all Scotland, so far as can be ascertained from the present state of the Ordnance Survey, is 19,540,416 acres.

† The Distribution of the Population in the Five Groups of Districts does not tally with that given in Table II., but is unavoidably affected here by changes in the Districts, made by authority, since the publication of Census 1871

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay,	915	902	12	14	26	2	1	3	4	4	8	3
	(2) Burra and Quarff	890	952	16	13	29	—	—	—	6	6	12	5
2	Delting,	1975	1862	21	23	44	2	3	5	14	13	27	6
3	Dunrossness, etc.—												
	(1) Dunrossness,	2113	1970	14	12	26	1	—	1	7	10	17	3
	(2) Sandwick and Cunningsburgh,	2337	2326	32	24	56	3	1	4	20	23	43	11
	(3) Fair Isle,	380	226	2	3	5	—	—	—	—	—	—	3
4	Fetlar, etc.—												
	(1) Fetlar,	548	517	9	5	14	—	—	—	6	5	11	2
	(2) North Yell,	932	893	8	10	18	—	1	1	12	12	24	2
5	LERWICK,	3631	4180	51	40	91	6	2	8	27	49	76	49
6	Mid and South Yell,	1784	1843	21	22	43	2	1	3	14	13	27	8
7	Nesting, etc.—												
	(1) Nesting,	855	868	13	13	26	—	3	3	8	10	18	6
	(2) Lunnasting,	880	822	11	8	19	3	1	4	7	8	15	2
	(3) Whalsay & Skerries,	548	989	12	12	24	—	2	2	8	5	13	4
8	Northmavine,	2885	2602	17	20	37	2	—	2	17	10	27	6
9	Sandsting and Aithsting,	2670	2806	28	39	67	—	—	—	16	18	34	7
10	Tingwall, etc.—												
	(1) Tingwall,	1554	1442	18	11	29	2	2	4	7	14	21	4
	(2) Whiteness & Weisdale	1143	1049	12	8	20	2	1	3	5	7	12	7
11	Unst,	3060	2780	18	26	44	—	1	1	21	30	51	8
12	Walls, etc.—(1) Walls,	1365	1325	17	10	27	2	—	2	7	11	18	5
	(2) Sandness,	606	646	10	5	15	—	1	1	3	4	7	1
	(3) Papa-Stour,	366	351	2	4	6	—	—	—	2	—	2	0
	(4) Foula,	233	257	2	2	4	—	—	—	2	1	3	0
	Total,	31670	31608	346	324	670	27	20	47	213	253	466	142
	2. ORKNEY.												
+13	Birsay (part of Harray & Birsay)	1774	1597	25	18	43	—	—	—	15	12	27	5
14	Deerness,	813	863	23	8	31	1	1	2	5	3	8	4
15	Eday and Pharay,	979	905	6	4	10	2	1	3	7	8	15	6
16	Evie and Rendall,	1408	1340	15	17	32	2	1	3	10	10	20	5
17	Firth and Stennes,	1493	1434	17	20	37	1	2	3	10	13	23	6
18	Harray (part of Harray & Birsay)	819	727	5	14	19	—	1	1	3	7	10	3
19	Holm and Paplay,	834	935	13	13	26	1	—	1	3	11	14	5
20	Hoy and Græmsay,	556	581	8	4	12	—	—	—	3	10	13	5
21	KIRKWALL and St Ola,	4422	4261	64	67	131	6	5	11	38	59	97	27
22	North Ronaldshay,	532	539	10	8	18	—	1	—	7	4	11	3
23	Orphir,	1133	1040	11	14	25	1	1	2	11	7	18	7
+24	Rousay and Egilshay,	1152	1101	17	16	33	—	2	2	10	6	16	6
25	St Andrews,	868	870	10	9	19	1	—	1	5	7	12	5
26	Sanday,	2145	2053	20	23	43	3	—	3	21	15	36	5
27	Sandwick,	1225	1153	15	17	32	1	1	2	9	14	23	7
28	Shapinshay,	973	949	17	9	26	—	—	—	6	6	12	2
29	South Ronaldshay and Burray,	3282	3228	41	40	81	6	2	8	27	27	54	14
30	Stromness,	2540	2403	22	28	50	—	1	1	16	26	42	11
+31	Stronsay,	1228	1305	14	15	29	1	1	2	2	10	12	6
32	Walls, etc.—(1) Walls,	1254	1107	14	18	32	—	2	2	7	9	16	2
	(2) Flotta,	420	423	3	4	7	1	—	1	1	4	5	1
33	Westray, etc.—(1) Westray	2153	2090	32	29	61	2	1	3	14	20	34	8
	(2) Papa-Westray,	392	370	4	3	7	—	—	—	1	1	2	1
	Total,	32395	31274	406	398	804	29	23	52	231	289	520	144

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—CARLUKE.

N.B.—An asterisk "*" is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the component parts of these Districts will be found at page 247.

A dagger "+" is prefixed to those Districts which consist of only a part of the Parish of the same name

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
3. CAITHNESS.													
34	Bower,	1746	1700	17	26	43	1	2	3	14	15	29	5
35	Canisbay,	2730	2729	29	42	71	4	5	9	16	21	37	14
36	Dunnet,	1861	1661	17	24	41	—	2	2	14	9	23	7
37	Halkirk,	2864	2664	50	38	88	5	2	7	22	19	41	16
38	Latheron,	8571	7400	84	88	172	10	13	23	61	63	124	26
39	Olrig,	2059	2028	40	20	60	5	3	8	11	15	26	13
40	Reay,	2476	2331	22	23	45	3	6	9	17	24	41	5
41	THURSO,	5561	5754	104	97	201	9	8	17	67	39	106	41
42	Watten,	1491	1453	16	17	33	—	5	5	10	12	22	8
43	WICK,	12841	13291	168	173	341	24	15	39	102	120	222	60
	Total,	42200	41011	547	548	1095	61	61	122	334	337	671	195
4. SUTHERLAND.													
44	Assynt—(1) Kirkton,	553	487	5	7	12	—	1	1	3	6	9	1
	(2) Stoer,	2625	2519	26	21	47	—	—	—	18	20	38	6
45	Clyne,	1886	1733	34	20	54	5	2	7	20	15	35	17
46	Creich—(1) Bonar,	1982	1854	23	15	38	2	1	3	16	23	39	6
	(2) Rosehall,	539	670	9	6	15	1	—	1	7	3	10	3
47	DORNOCH,	2885	2764	29	31	60	3	1	4	24	30	54	18
48	Durness,	1109	1049	13	11	24	—	1	1	7	6	13	2
49	Eddrachillis—(1) Scourie,	727	648	4	4	8	—	—	—	1	1	2	3
	(2) Kinlochbervie,	914	882	15	12	27	1	1	2	11	10	21	3
50	Farr—(1) Kirkton,	1251	1190	13	14	27	1	2	3	10	11	21	6
	(2) Strathy,	852	829	6	8	14	—	1	1	—	3	3	5
51	Golspie,	1615	1804	23	11	34	2	—	2	12	13	25	9
52	Kildonan,	2132	1916	23	16	39	—	2	2	20	23	43	1
53	Laig,	961	978	32	21	53	—	—	—	13	10	23	6
54	Loth,	610	583	6	6	12	—	—	—	6	3	9	4
55	Rogart,	1439	1341	22	15	37	4	—	4	8	14	22	9
56	Tongue,	2077	2051	18	23	41	1	2	3	11	18	29	11
	Total,	24157	23298	301	241	542	20	14	34	187	209	396	110
II. NORTH-WESTERN.													
5. ROSS AND CROMARTY.													
Mainland.													
57	Alness,	1178	1053	19	7	26	—	—	—	6	9	15	4
58	Applecross—												
	(1) Applecross,	1064	1129	11	9	20	2	1	3	8	11	19	2
	(2) Shieldaig,	1480	1341	24	10	34	2	3	5	11	18	29	6
59	Avoch,	1788	1828	32	24	56	2	1	3	21	19	40	12
*59	Carnoch,	c.325	325	4	2	6	1	—	1	4	3	7	2
†60	Contin,	c.697	729	8	7	15	—	1	1	3	8	11	4
61	CROMARTY,	2300	2180	36	26	62	2	2	4	32	24	56	4
62	DINGWALL,	2412	2443	20	26	46	1	3	4	25	20	45	15
63	Edderton,	836	860	9	10	19	2	1	3	3	3	6	3
64	Fearn,	2083	2135	25	21	46	2	1	3	11	17	28	8
†65	Fodderty,	2060	1943	16	18	34	2	1	3	11	15	26	5
66	Gairloch—(1) Northern,	1927	1669	17	9	26	3	—	3	8	15	23	5
	(2) Southern,	3522	3379	24	31	55	1	1	2	22	18	40	11
67	Glenshiel,	485	463	2	6	8	—	—	—	6	4	10	1
68	Killearnan,	1494	1272	11	10	21	—	1	1	8	10	18	5
69	Kilmuir-Easter,	1295	1281	14	8	22	—	1	1	12	8	20	5
70	Kiltearn,	1634	1496	17	14	31	2	—	2	14	13	27	14
71a	Kincardine—												
	(1) Kincardine,	1746	1273	11	13	24	2	2	4	8	11	19	8
	(2) Strathoykel,	412	412	4	5	9	—	—	—	3	2	5	1
*71b	Kinlochluichart,	c. 704	704	16	9	25	—	—	—	4	2	6	1
72	Kintail,	890	753	3	4	7	—	—	—	7	4	11	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
73	Knockbain,	2485	2155	17	20	37	3	1	4	15	26	41	6
74	Lochalsh,	2413	2319	19	25	44	—	3	3	13	28	41	5
75	Lochbroom—												
	(1) Lochbroom,	3577	3167	27	41	68	—	1	1	22	19	41	9
	(2) Coigach,	1285	1239	15	12	27	—	—	—	11	6	17	10
76	Lochcarron,	1592	1629	13	8	21	—	—	—	13	14	27	6
77	Logie-Easter,	932	912	9	7	16	3	—	3	11	9	20	5
78	Nigg,	1253	1201	12	9	21	1	—	1	7	7	14	11
79	Resolis,	1568	1527	23	16	39	1	2	3	10	7	17	10
80	ROSEMARKIE,	1545	1441	14	11	25	2	1	3	15	9	24	4
81	Rosskeen,	3766	3808	51	31	82	4	2	6	26	36	62	21
82	TAIN,	3294	3221	32	23	55	1	—	1	28	40	68	10
83	Tarbat,	2269	2182	22	18	40	1	—	1	8	16	24	4
84	Urquhart & Logie-Wester	3147	2863	23	28	51	2	2	4	13	26	39	15
+85	Urray,	c.2325	2278	25	24	49	1	1	2	17	18	35	12
	<i>Insular.</i>												
*86a	Barvas,	4609	4950	85	83	168	1	—	1	38	48	86	23
*86b	Carloway,	2204	2702	43	39	82	—	—	—	32	24	56	7
87	Lochs,	3568	4162	75	76	151	4	3	7	46	39	85	28
88	STORNOWAY,	8668	9510	120	132	252	2	4	6	69	70	139	51
+89	Uig,	2007	2159	38	20	58	—	—	—	25	13	38	6
	Total,	82427	82093	986	892	1878	50	39	89	646	689	1335	362
	6. INVERNESS.												
	<i>Mainland.</i>												
90a	Abernethy & Kincardine,	1928	1752	17	21	38	4	5	9	10	11	21	10
90b	Alvie,	833	882	14	8	22	4	2	6	11	9	20	5
91	Ardersier,	1239	1284	26	25	51	1	1	2	23	14	37	11
92	Boleskine, etc.—												
	(1) Boleskine,	813	681	5	7	12	2	1	3	5	3	8	—
	(2) Fort-Augustus or Abertarff,	930	897	7	6	13	—	1	1	6	4	10	2
93	Cromdale and Inverallan. (Now 128b <i>infra.</i>)												
94	Croy and Dalcross,	1873	1841	25	12	37	1	1	2	7	11	18	12
95	Daviot and Dunlichty,	1741	1598	17	16	33	—	—	—	8	9	17	4
96a	Dores,	1506	1401	14	15	29	1	2	3	9	11	20	2
96b	Duthil, etc.—(1) Duthil,	1609	1530	20	18	38	5	6	11	9	6	15	6
	(2) Rothiemurchus,	319	342	7	4	11	—	1	1	2	6	8	1
97	Glenelg—(1) Glenelg,	800	714	10	5	15	—	1	1	6	5	11	1
	(2) Knoydart,	574	499	7	8	15	1	—	1	1	4	5	1
	(3) North Morar,	469	440	11	4	15	1	—	1	5	4	9	1
98	INVERNESS,	16162	18552	305	275	580	25	25	50	175	164	339	170
99	Kilmonivaig—												
	(1) Glengarry,	625	550	6	10	16	1	—	1	4	3	7	2
	(2) Lochaber,	1651	1417	17	15	32	—	2	2	9	11	20	3
100	Kilmorack,	2852	2728	34	33	67	3	—	3	26	30	56	16
101	Kiltarlity,	2839	2537	24	17	41	2	1	3	14	20	34	8
102	Kingussie and Insh,	2033	2101	26	19	45	3	1	4	14	21	35	7
103	Kirkhill,	1757	1582	18	17	35	1	1	2	16	16	32	4
104	Laggan,	986	950	19	15	34	2	3	5	6	4	10	1
105	Moy and Dalarossie,	1026	1005	8	8	16	1	—	1	9	7	16	4
106	Petty,	1671	1549	27	26	53	3	2	5	25	14	39	7
107	Urquhart, etc.—												
	(1) Urquhart,	2294	2215	29	19	48	1	1	2	21	12	33	6
	(2) Glenmoriston,	617	565	1	1	2	—	—	—	1	1	2	1
	<i>Insular.</i>												
108	Barra,	1853	1997	30	24	54	2	1	3	21	24	45	11
109	Bracadale,	1335	1113	9	14	23	—	3	3	12	11	23	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
110	Duirinish,	4775	4422	70	50	120	3	3	6	30	31	61	29
111	Harris—(1) Harris,	3769	3668	61	59	120	2	4	6	30	21	51	14
	(2) Bernera,	336	381	11	4	15	—	—	—	4	2	6	4
	(3) St Kilda,	78	71	—	2	2	—	—	—	—	3	3	—
*112	Kilmuir—(1) Kilmuir,	1561	1362	15	17	32	3	1	4	14	18	32	12
	(2) Stenscholl,	1311	1228	25	24	49	2	—	2	14	12	26	4
113	North Uist,	3959	4107	58	51	109	3	4	7	29	32	61	17
114	Portree—(1) Portree,	2579	2328	34	33	67	2	2	4	15	29	44	10
	(2) Raasay,	580	600	8	4	12	—	—	—	7	9	16	—
115	Sleat,	2330	2233	26	36	62	2	4	6	10	24	34	3
116	Small Isles,	567	522	7	5	12	1	—	1	1	8	9	1
+117	Snizort—(1) North,	961	803	7	11	18	—	2	2	13	6	19	2
	(2) South,	1652	1500	20	17	37	—	1	1	15	19	34	5
118	South Uist—												
	(1) Benbecula,	1544	1651	22	24	46	2	1	3	12	10	22	7
	(2) Howmore,	1763	1818	26	25	51	1	1	2	16	9	25	11
	(3) Boisdale,	2051	2280	22	31	53	3	3	6	27	17	44	10
119	Strath,	2664	2562	36	35	71	4	2	6	22	19	41	20
	— Total,	84815	84258	1181	1070	2251	92	89	181	714	704	1418	447
	III. NORTH-EASTERN.												
	7. NAIRN.												
120	Ardelach,	1330	1197	15	13	28	2	—	2	16	7	23	8
121	Auldearn,	1328	1279	17	12	29	1	1	2	10	10	20	7
122	Cawdor,	1203	1027	20	16	36	3	1	4	10	4	14	3
123	NAIRN,	4486	4869	74	80	154	4	10	14	47	45	92	31
	Total,	8347	8372	126	121	247	10	12	22	83	66	149	49
	8. ELGIN (OR MORAY).												
124	Abernethy and Kincardine. (Now 90a <i>supra</i>).												
125	Alves,	1010	1018	21	27	48	1	5	6	6	4	10	2
+126	Bellie,	1967	2013	28	34	62	5	4	9	17	16	33	12
127	Birnie,	411	375	8	5	13	1	—	1	3	5	8	1
128a	Boharm,	1412	1337	17	24	41	5	6	11	14	6	20	10
128b	Cromdale, etc.,—												
	(1) Cromdale & Advie,	1308	1295	13	12	25	3	4	7	12	6	18	10
	(2) Inverallan,	2635	2522	34	34	68	7	3	10	20	21	41	14
129	Dallas,	1102	1060	11	7	18	3	4	7	8	4	12	5
130	DRAINIE,	3028	3293	76	67	143	11	8	19	32	29	61	27
131	Duffus,	3308	3716	69	71	140	6	5	11	30	32	62	27
132	Duthil, etc.—(Now 96b <i>supra</i>).												
133	Dyke,	1247	1238	18	13	31	4	1	5	10	8	18	5
134	Edinkillie,	1303	1286	22	12	34	3	—	3	12	9	21	6
*135	ELGIN,	9866	9703	132	126	258	28	19	47	115	101	216	58
+136	New Spynie,	518	573	12	10	22	—	2	2	9	15	24	—
137	FORRES,	4112	4562	78	52	130	13	5	18	41	36	77	32
138	Kinloss,	1315	1112	17	13	30	—	—	—	6	3	9	8
139	Knockando,	1736	1909	35	20	55	7	3	10	12	18	30	13
140	Rafford,	1055	1101	18	18	36	1	—	1	9	9	18	4
141	Rothies,	2407	2148	29	31	60	1	9	10	19	27	46	9
+142	St Andrews-Lhanbryde,	1344	1286	25	21	46	7	4	11	15	11	26	8
143	Speymouth,	689	634	12	11	23	—	1	1	6	4	10	4
144	Urquhart,	2532	2368	35	39	74	6	5	11	12	13	25	17
	Total,	44305	44549	710	647	1357	112	88	200	408	377	785	272
	9. BANFF.												
+145	Aberlour,	1520	1632	27	29	56	4	4	8	13	13	26	7
146	Alvah,	1467	1436	21	17	38	3	6	9	5	4	9	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
*147	BANFF,	7740	8425	140	146	286	18	19	37	70	67	137	54
148	Botriphnie,	867	785	8	11	19	1	1	2	1	7	8	9
149	Boyndie,	1711	1854	28	38	66	—	11	11	16	9	25	17
+150	CULLEN,	1821	2056	39	27	66	5	3	8	14	20	34	17
151	Deskford,	1031	972	9	14	23	—	3	3	11	5	16	7
*152	Enzie,	2072	2251	42	32	74	7	6	13	25	25	50	19
153	FORDYCE—												
	(1) FORDYCE,	4145	c.2050	31	39	70	3	8	11	23	7	30	17
	(2) Portsoy,			41	38	79	6	8	14	9	15	24	6
154	Forglen,	783	845	12	13	25	3	2	5	3	2	5	2
+155a	Gamrie,	3019	3151	52	55	107	6	8	14	18	23	41	23
*155b	Glenrinnes,	439	466	2	5	7	1	—	1	—	4	4	1
156	Grange,	1909	1876	31	31	62	6	6	12	12	10	22	13
157	Inveravon—(1) Inveravon,	868	890	21	9	30	3	3	6	6	6	12	2
	(2) Glenlivat,	1771	1718	23	16	39	3	2	5	10	11	21	12
158	Inverkeithny,	880	1000	21	16	37	3	2	5	4	12	16	3
159	KEITH,	5943	5891	107	88	195	17	20	37	64	50	114	37
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	4	4	8	3	1	4	3	2	5	2
	(2) Tomintoul,	960	799	11	8	19	3	2	5	9	8	17	3
161	Marnoch,	3289	3294	54	47	101	13	12	25	20	23	43	20
+162	Mortlach,	2801	2737	45	33	78	7	8	15	18	19	37	20
163	Ordiquhill,	764	761	5	7	12	2	2	4	4	5	9	3
164	RATHVEN,	4922	6659	129	123	252	15	13	28	66	51	117	45
165	Rothiemay,	1414	1370	19	16	35	7	1	8	13	14	27	7
166	St Fergus,	1608	1633	27	21	48	6	8	14	9	11	20	8
*167	SEAFIELD,	1725	1755	19	27	46	3	4	7	14	13	27	10
	Total,	56020	58883	968	910	1878	148	163	311	460	436	896	372
	10. ABERDEEN,												
168	ABERDEEN—												
	(1) St Nicholas,	41962	47077	932	901	1833	117	104	221	596	579	1175	446
	(2) Old Machar,	31938	41104	842	710	1552	77	63	140	398	487	885	340
	Do. (Landward),	1298	1373	24	20	44	1	1	2	5	6	11	6
+169	Aberdour,	1837	1945	25	32	57	3	5	8	12	9	21	10
170	Aboyne,	1160	1351	26	21	47	7	2	9	17	13	30	7
171	Alford,	1264	1396	18	14	32	2	2	4	7	13	20	7
172	Auchindoir,	1593	1545	19	22	41	5	7	12	5	15	20	13
+173	Auchterless,	1782	1971	34	23	57	6	5	11	15	12	27	11
174	Belhelvie,	1807	1833	23	27	50	3	3	6	5	5	10	12
175	Birse,	1284	1198	13	9	22	—	2	2	6	5	11	9
176	Bourtie,	547	499	7	8	15	2	2	4	3	2	5	2
177	Cabrach,	794	775	9	9	18	1	3	4	6	12	18	6
178	Cairney,	1490	1525	22	29	51	3	6	9	15	15	30	8
179	Chapel of Garioch,	2023	1928	27	27	54	2	1	3	12	11	23	12
180	Clatt,	511	483	4	4	8	2	—	2	4	4	8	2
181	Cluny,	1254	1366	27	29	56	8	10	18	9	10	19	6
182	Coull,	792	824	16	8	24	4	3	7	5	5	10	7
183	Crathie and Braemar,	1574	1566	28	16	44	3	1	4	14	9	23	7
184	Crimond,	892	887	15	18	33	1	—	1	11	8	19	3
185	Cruden,	2743	3124	54	58	112	7	6	13	28	27	55	39
186	Culsamond,	1165	896	13	15	28	1	3	4	3	7	10	3
187	Daviot,	614	597	7	9	16	2	1	3	5	2	7	4
188	Drumblade,	926	931	12	14	26	—	1	1	3	4	7	2
189	Drumoak,	996	1032	12	14	26	2	3	5	6	4	10	9
190	Dyce,	585	945	11	19	30	—	1	1	3	8	11	6
191	Echt,	1287	1259	16	21	37	—	5	5	16	9	25	4
+192	Ellon,	3239	3036	56	48	104	11	7	18	23	21	44	20

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
193	Fintray,	1003	1108	14	15	29	2	3	5	5	5	10	9
194	Forgue,	1397	1332	23	21	44	4	3	7	8	5	13	4
195	Foveran,	1891	1859	39	32	71	8	6	14	24	17	41	14
196	FRASERBURGH,	4511	5301	155	135	290	11	13	24	57	78	135	41
197	Fyvie,	3264	3306	50	43	93	6	7	13	26	16	42	22
198	Gartly,	1029	972	7	16	23	2	3	5	9	—	9	4
199	Glass,	1049	1061	22	11	33	5	3	8	1	7	8	4
200	Glenbucket,	552	570	7	8	15	1	1	2	5	7	12	1
201	Glenmuick, Tullich, and Glengairn,	c1503	c1995	28	27	55	2	5	7	20	19	39	7
202	HUNTLY,	4329	4374	75	66	141	18	10	28	31	48	79	20
203	Insch,	1565	1596	30	25	55	7	5	12	16	11	27	14
204	INVERURIE,	2668	2970	50	59	109	8	19	27	20	23	43	17
205	Keig,	811	886	9	20	29	—	4	4	4	5	9	5
206	Keithhall,	933	874	11	6	17	1	1	2	5	2	7	1
207	Kemnay,	832	1300	34	24	58	2	—	2	10	6	16	7
208	Kildrummy,	590	660	5	8	13	—	—	—	7	3	10	—
209	Kincardine O'Neil,	2186	2000	36	29	65	2	6	8	11	13	24	13
210	King-Edward— (1) King-Edward, (2) New Byth,	1050 1793	1058 2053	19 43	19 39	38 82	3 9	2 11	5 20	4 20	8 15	12 35	5 9
211	KINNELLAR,	691	601	6	8	14	—	1	1	2	6	8	4
212	Kinnethmont,	1187	1062	12	19	31	3	3	6	9	5	14	5
213	KINTORE,	1895	2158	42	28	70	6	4	10	15	20	35	15
214	Leochel-Cushnie,	1173	1232	18	16	34	2	2	4	12	10	22	3
215	Leslie,	577	532	8	6	14	1	2	3	1	4	5	2
216	Logie-Buchan,	762	808	16	9	25	4	2	6	6	4	10	—
*217	Logie Coldstone & Cromar, Longside,	c1097 3008	c1065 3321	14 71	10 46	24 117	2 12	2 9	4 21	14 21	8 23	22 44	5 29
218	Lonmay,	2142	2245	41	30	71	7	2	9	12	12	24	18
219	Lumphanan,	1251	1239	11	18	29	3	7	10	8	8	16	7
220	Methlic,	2157	2084	28	39	67	3	7	10	17	11	28	16
221	Midmar,	1091	1127	15	11	26	2	2	4	10	6	16	7
222a	Millbrex,	1357	1484	20	22	42	4	6	10	8	9	17	6
*222b	Monquhitter,	2303	2670	26	38	64	8	7	15	18	20	38	17
+223	Monymusk,	988	996	23	16	39	3	—	3	7	6	13	9
224	New Deer,	3736	4147	60	62	122	11	13	24	39	38	77	25
225	Newhills,	3463	4210	79	79	158	8	10	18	31	32	63	29
226	New Machar,	1556	1520	18	22	40	5	3	8	8	6	14	8
*227a	NEW PITSLIGO,	2609	3090	47	54	101	8	13	21	16	22	38	28
*227b	Old Deer,	4392	4434	78	67	145	13	15	28	32	31	63	36
228	Old Meldrum,	2343	2330	37	41	78	9	9	18	17	16	33	14
229	Oyne,	1127	1050	11	16	27	2	2	4	7	9	16	6
230	Peterculter,	1483	1668	27	22	49	3	2	5	11	10	21	9
231	PETERHEAD,	9796	10106	265	230	495	20	20	40	89	85	174	80
232	Boddam,		1400	40	33	73	5	2	7	17	9	26	7
233	Pitsligo,	1890	2218	56	60	116	6	12	18	15	14	29	15
234	Premnay,	916	997	17	20	37	3	4	7	7	5	12	9
235	Rathen,	2554	2850	53	44	97	5	2	7	27	22	49	28
236	Rayne,	1514	1409	22	21	43	3	6	9	7	10	17	13
237a	Rhynie,	1061	1195	18	22	40	3	3	8	5	6	11	3
*237b	Savoch,	2061	1961	29	37	66	9	10	19	10	16	26	13
238	Skene,	1831	1842	31	26	57	4	—	4	11	8	19	6
239	Slains,	1266	1355	19	19	38	2	3	5	14	9	23	4
*240	Strathdon,	1735	1761	20	22	42	3	4	7	9	14	23	9
+241	Strichen,	2409	2254	36	38	74	9	9	18	18	15	33	14
+242	Tarland,	970	983	16	16	32	2	2	4	7	4	11	—
+243	Tarves,	2377	2288	49	28	77	14	2	16	20	11	31	14
244	Tough,	874	760	9	7	16	1	1	2	1	2	3	4
245	Towie,	839	798	12	12	24	—	3	3	6	4	10	5
246	Tullynessle and Forbes,	957	970	16	14	30	2	—	2	7	6	13	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
247	TURRIFF,	3693	4348	71	64	135	6	9	15	29	33	62	33
+248	Tyrie,	833	869	20	17	37	3	3	6	9	4	13	6
+249a	Udny,	1623	1626	32	28	60	3	1	4	14	14	28	9
*249b	Ythan Wells,	1517	1494	25	21	46	9	6	15	11	2	13	10
Total,		223417	246298	4513	4186	8699	594	574	1168	2169	2199	4368	1784
11. KINCARDINE.													
250	Arbuthnott,	932	924	12	12	24	2	-	2	1	2	3	5
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	21	24	45	3	-	3	12	11	23	8
	(2) Portlethen,	1687	1789	13	35	48	4	9	13	17	14	31	9
252	Banchory-Ternan,	2947	2875	33	39	72	4	7	11	21	23	44	10
253	BENHOLM,	1574	1569	26	28	54	3	1	4	8	16	24	14
254	BERVIE,	1561	1843	33	27	60	3	3	6	16	14	30	13
255	DUNNOTTAR,	1828	2102	37	47	84	8	6	14	21	12	33	20
256	Durris,	1109	1021	16	21	37	4	2	6	1	3	4	6
257	Fettercairn,	1700	1539	27	29	56	3	1	4	7	9	16	8
258	FETTERESSO—												
	(1) FETTERESSO,	3575	3585	57	56	113	6	10	16	49	46	95	30
	(2) Cookney,	1952	2080	35	25	60	8	6	14	7	13	20	12
259	Fordoun,	2297	2113	32	17	49	3	2	5	10	11	21	14
260	Garvock,	458	476	6	8	14	-	1	1	-	3	3	6
261	Glenbervie,	1219	1073	10	22	32	4	3	7	6	12	18	7
262	Kinneff and Catterline,	1054	1062	16	17	33	1	1	2	10	4	14	6
263	Laurencekirk,	2110	2174	34	33	67	4	8	12	24	23	47	14
264	Maryculter,	1055	1110	10	15	25	2	2	4	3	3	6	7
265	Marykirk,	2068	1771	24	15	39	5	2	7	11	15	26	7
266	Nigg,	2074	2348	45	50	95	1	2	3	28	24	52	13
267	St Cyrus,	1552	1585	27	25	52	1	1	2	8	8	16	13
268	Strachan,	870	795	11	7	18	2	1	3	2	9	11	3
Total,		34781	35097	525	552	1077	71	68	139	262	275	537	225
IV. EAST-MIDLAND.													
12. FORFAR.													
269	Aberlemno,	1054	1007	12	15	27	-	-	-	5	7	12	16
270	Airlie,	845	778	18	13	31	1	2	3	5	3	8	4
271	Arbirlot,	960	919	22	4	26	2	-	2	2	8	10	2
272	ARBROATH,	17831	20169	355	349	704	25	29	54	228	240	468	147
*273	Auchterhouse,	706	721	8	12	20	2	-	2	6	5	11	5
274	BARRY,	2465	3008	46	47	93	3	1	4	31	28	59	23
275	BRECHIN,	8810	9514	142	140	282	16	25	41	104	129	233	64
276	Carmylie,	1286	1309	23	18	41	4	1	5	9	12	21	9
277	Careston,	225	209	4	3	7	-	-	-	-	-	-	3
278	Cortachy and Clova,	653	554	7	6	13	-	1	1	6	5	11	1
+279	COUPAR-ANGUS,	2642	2797	45	36	81	7	5	12	16	30	46	13
280	CRAIG,	2177	2402	42	42	84	1	1	2	17	19	36	21
+281	Dun,	552	565	7	10	17	1	1	2	3	1	4	2
*282	DUNDEE,												
	(1) St Peter,	91664	22,894	535	501	1036	47	38	85	214	286	500	200
	(2) St Mary,		23,582	496	488	984	65	68	133	310	371	681	229
	(3) St Clement,		25,090	537	507	1044	56	69	125	263	256	519	255
	(4) St Andrew,		38,082	950	901	1851	70	62	132	514	582	1,096	330
	(5) Lochee,		11,076	252	198	450	27	26	53	103	127	230	87
283	Dunnichen,	1932	1536	25	23	48	5	2	7	10	13	23	12
284	Eassie and Nevay,	748	586	5	7	12	-	1	1	4	3	7	1
285	Edzell,	1025	976	10	9	19	2	-	2	11	10	21	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
286	Farnell,	703	580	9	6	15	4	2	6	3	6	9	1
287	Fearn,	439	348	4	4	8	1	—	1	—	1	1	1
288	FORFAR,	10,838	12,585	239	238	477	25	30	55	111	117	228	83
289	Glamis,	1980	1813	31	30	61	5	2	7	13	8	21	11
290	Glenisla,	1008	925	7	5	12	1	1	2	3	2	5	5
291	Guthrie,	476	404	8	8	16	2	—	2	4	4	8	2
292	Inverarity,	961	888	11	13	24	—	3	3	5	4	9	6
293	Inverkeillor,	1792	1521	24	26	50	4	5	9	13	7	20	6
294	Kettins,	962	855	12	15	27	—	1	1	1	4	5	6
295	Kingoldrum,	473	409	12	3	15	—	—	—	2	8	10	—
296	Kinnell,	816	766	12	11	23	3	2	5	5	8	13	6
297	Kinnettles,	447	405	7	5	12	1	1	2	3	5	8	1
298	Kirkden,	1862	1623	27	37	64	3	2	5	17	24	41	9
299	KIRRIEMUIR,	7359	6420	91	83	174	13	10	23	56	63	119	41
300	Lethnott and Navar,	446	318	2	5	7	—	2	2	2	—	2	—
+301	—, Benvie, and Inver- gowrie,	1430	1357	20	11	31	1	1	2	6	11	17	8
302	Lintrathen,	898	756	11	14	25	2	2	4	2	7	9	7
303	Lochlee,	495	424	5	3	8	—	—	—	5	1	6	1
304	Logie-Pert,	1483	1251	14	16	30	1	1	2	6	9	15	8
305	Lunan,	259	248	2	7	9	—	—	—	2	1	3	3
306	Lundie,	442	400	3	6	9	—	—	—	2	5	7	1
307	Mains, etc.—(1) Mains, (2) Strathmartine,	1392	1927	50	41	91	5	3	8	16	18	34	10
308	Marytown,	417	396	6	9	15	—	1	1	1	3	4	2
309	Menmuir,	796	761	11	10	21	—	—	—	3	5	8	4
310	MONIFIETH,	5052	7252	182	163	345	15	7	22	69	69	138	60
311	Monikie,	1460	1397	22	22	44	2	1	3	11	20	31	6
*312	MONTROSE,	15,668	15,783	234	257	491	18	26	44	155	192	347	103
313	Murroes,	763	751	13	13	26	2	—	2	2	4	6	3
314	Newtyle,	1139	931	19	22	41	—	1	1	11	8	19	7
315	Oathlaw,	399	452	7	8	15	1	—	1	3	2	5	1
316	PANBRIDE,	1299	1331	28	14	42	—	2	2	9	10	19	9
317	Rescobie,	747	748	7	8	15	1	1	2	1	1	2	4
318	Ruthven,	265	247	2	4	6	—	2	2	2	2	4	2
+319	St Vigeans,	2553	2513	40	39	79	3	4	7	17	13	30	16
320	Stracathro,	546	503	6	4	10	—	2	2	2	2	4	2
321	Tannadice,	1438	1286	13	15	28	—	1	1	7	4	11	6
322	Tealing,	883	879	8	13	21	—	—	—	4	5	9	4
Total,		206750	240049	4756	4533	9289	449	451	900	2438	2794	5232	1881
13. PERTH.													
323	Aberdalgie,	295	342	7	1	8	1	—	1	2	2	4	1
*324	Aberfeldy,	2402	2286	28	31	59	4	5	9	28	17	45	12
325	Aberfoyle,	565	432	2	6	8	—	—	—	4	3	7	1
326	Abernethy,	1960	1744	26	21	47	1	1	2	21	18	39	12
327	Abernyte,	310	253	5	9	14	—	1	1	2	2	4	4
+328a	ALYTH,	3198	3151	46	52	98	5	6	11	36	30	66	16
*328b	Ardoch,	1418	1316	19	18	37	2	4	6	11	9	20	4
329	AUCHTERARDER,	4208	3795	42	45	87	6	10	16	37	35	72	20
330	Auchtergaven,	2562	2141	39	30	69	7	5	12	28	29	57	13
*331	Balquhidder,	746	743	10	4	14	2	—	2	9	10	19	3
+332	Bendochy,	549	474	13	8	21	2	2	4	1	2	3	4
333	Blackford,	2041	1836	24	25	49	1	—	1	13	16	29	13
334	Blair-Athol,	1553	1718	20	25	45	2	4	6	14	26	40	11
335	BLAIRGOWRIE,	4423	4832	73	48	121	6	7	13	37	44	81	26
336	Callander,	1676	1870	26	19	45	1	2	3	14	22	36	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
+337	Caputh,	1728	1571	17	18	35	1	2	3	16	8	24	5
338	Cargill,	1647	1411	22	18	40	1	—	1	2	12	14	4
339	Clunie,	699	603	6	11	17	1	—	1	5	4	9	3
340	Collace,	534	456	1	7	8	—	—	—	2	3	5	2
+341	Comrie,	2226	1911	18	19	37	2	1	3	13	14	27	10
342	CRIEFF,	4490	4598	66	62	128	5	6	11	45	41	86	17
343	CULROSS,	1423	1354	18	18	36	—	1	1	4	12	16	3
*344	Dowally,	486	461	6	4	10	—	—	—	7	6	13	3
345	Dron,	376	343	3	3	6	—	—	—	1	—	1	4
+346	Dull,	753	677	9	5	14	—	2	2	7	3	10	4
347	Dunbarney,	1035	913	13	13	26	1	—	1	9	13	22	—
*348	Dunblane,	2528	2765	49	47	96	6	6	12	49	41	90	25
*349	Dunkeld,	1086	881	14	10	24	1	—	1	6	4	10	3
350	Dunning,	2084	1832	18	22	40	5	1	6	20	23	43	14
351	Errol,	2759	2504	45	36	81	1	1	2	19	22	41	15
352	Findo-Gask,	399	369	4	6	10	—	—	—	6	—	6	3
353	Forgandenny,	739	632	8	10	18	—	1	1	7	3	10	6
354	Forteviot,	595	567	12	11	23	3	—	3	2	4	6	6
*355a	Fortingall,												
	(1) Innerwick in Glenlyon	1244	{ c621 c393	3	5	8	1	—	1	1	3	4	1
	(2) Fortingall,			9	8	17	2	2	4	2	2	4	4
*355b	Foss,	381	270	5	3	8	3	—	3	1	2	3	2
356	Fowlis-Easter,	317	291	10	11	21	1	2	3	2	4	6	1
+357	Fowlis-Wester,	1276	1028	10	11	21	1	—	1	6	9	15	8
358	Glendevon,	138	105	2	2	4	1	—	1	1	—	1	—
359	Inchture,	659	659	13	11	24	—	—	—	9	7	16	2
360	Kenmore,	1515	1215	13	13	26	1	—	1	14	14	28	6
361	Killin,	1681	1977	12	10	22	3	—	3	15	11	26	11
362	Kilmadock,	3312	3170	31	39	70	2	1	3	32	29	61	17
363	Kilspindie,	665	679	16	14	30	3	—	3	4	2	6	2
364	Kincardine,	1778	1484	16	19	35	7	2	9	12	11	23	12
365	Kinclaven,	758	607	11	5	16	—	—	—	1	7	8	4
366	Kinfauns,	657	578	6	9	15	—	1	1	2	4	6	2
367	Kinloch-Rannoch,	1147	921	16	10	26	3	1	4	14	2	16	4
368	Kinnaird,	318	299	6	6	12	—	—	—	2	3	5	1
369	Kinnoul,	796	723	12	10	22	1	2	3	5	8	13	1
370	Kirkmichael—												
	(1) Kirkmichael,	812	657	8	7	15	3	1	4	6	2	8	7
	(2) Glenshee,	334	241	2	5	7	1	—	1	1	3	4	1
371	LECROFT,	538	535	15	8	23	2	—	2	6	5	11	4
+372	Lethendy, etc.—												
	(1) Lethendy,	235	179	4	—	4	1	—	1	2	—	2	—
	(2) Kinloch,	295	251	2	2	4	—	—	—	2	1	3	1
+373	Little Dunkeld,	2089	2352	22	28	50	3	1	4	19	24	43	10
374	LOGIE,	3483	4553	52	68	120	2	11	13	50	47	97	32
*375	Logiealmond,	815	646	7	11	18	1	1	2	8	6	14	5
+376	Logierait,	1902	1739	22	12	34	3	1	4	17	13	30	10
377	Longforgan,	1823	1753	24	32	56	1	2	3	8	10	18	14
378	Madderty,	536	523	6	4	10	—	—	—	7	8	15	3
379	Meigle,	1122	1003	8	17	25	—	—	—	2	6	8	7
380	Methven,	2290	2073	18	26	44	3	3	6	17	21	38	8
381	Moneydie,	252	244	3	1	4	1	—	1	2	2	4	—
382	Monzie,	461	413	3	3	6	—	—	—	—	2	2	—
+383	Monzievaird and Strowan	782	744	6	7	13	—	—	—	2	8	10	—
+384	Moulin,	1605	1561	16	21	37	—	2	2	12	15	27	12
*385	MUCKHART,	615	612	13	9	22	—	—	—	4	8	12	2
*386a	Muthill,	2001	1916	17	17	34	—	4	4	11	13	24	13
*386b	Persie,	839	820	9	11	20	—	1	1	4	6	10	4
387	PERTH,	26094	26382	425	425	850	43	44	87	305	312	617	288
388	Port of Monteith,	1375	1243	18	13	31	2	—	2	12	9	21	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
389	RATTRAY,	2234	2586	40	38	78	5	5	10	26	25	51	12
390	Redgorton,	1596	1401	20	19	39	2	2	4	9	14	23	5
391	Rhynd,	297	327	4	4	8	1	1	2	3	4	7	1
392	St Madoes,	280	290	8	5	13	—	—	—	—	1	1	—
393	St Martins,	904	735	7	8	15	2	—	2	4	5	9	2
+394a	Scone,	2153	2185	36	29	65	4	3	7	21	14	35	22
*394b	Strathfillan,	411	342	3	4	7	—	—	—	1	5	6	2
*394c	Tenandry,	595	530	3	5	8	—	—	—	2	1	3	2
395	Tibbermore,	1182	1128	13	22	35	1	1	2	11	11	22	7
+396	Trinity-Gask,	488	415	5	5	10	—	—	—	2	5	7	2
397	Tulliallan,	2410	2184	35	35	70	2	4	6	28	29	57	11
+398	Weem,	215	186	4	1	5	—	—	—	2	1	3	1
Total,		133198	128550	1778	1750	3528	179	166	345	1206	1232	2438	851
14. FIFE.													
+399	Abbotshall (merged in 442),												
+400	ABDIE,	1257	1057	10	10	20	—	—	—	14	5	19	8
401	Aberdour,	1874	1697	24	36	60	1	4	5	11	12	23	13
402	ANSTRUTHER- EASTER,	1155	1239	18	19	37	1	—	1	10	10	20	2
403	ANSTRUTHER- WESTER,	421	545	10	8	18	—	—	—	8	3	11	6
404	Arngask,	705	565	4	7	11	—	2	2	3	1	4	4
405	AUCHTERDERRAN, . . .	3457	4017	87	89	176	9	6	15	41	34	75	20
406	AUCHTERMUCHTY, . . .	3285	2958	27	34	61	6	4	10	29	28	57	14
407	Auchtertool,	609	529	18	13	31	1	—	1	8	11	19	3
408	BALLINGRY,	736	982	18	25	43	—	2	2	7	5	12	4
409	Balmerino,	815	717	10	9	19	—	—	—	4	7	11	4
410	Beath,	2390	3534	116	111	227	4	7	11	46	39	85	22
411	BURNTISLAND,	3670	3872	74	65	139	4	5	9	48	35	83	28
412	Cameron,	1362	1158	15	10	25	1	2	3	5	7	12	9
413	Carnbee,	1157	1088	17	21	38	1	3	4	7	8	15	4
414	Carnock,	2925	1764	25	25	50	4	1	5	8	9	17	8
415	Ceres,	2723	2381	29	21	50	3	1	4	21	23	44	14
416	Collessie,	1530	1703	29	31	60	2	1	3	21	16	37	9
417	CRAIL,	1931	1864	18	30	48	1	1	2	12	22	34	11
418	Creich,	377	387	7	7	14	—	1	1	1	3	4	2
419	Cults,	800	767	15	11	26	1	2	3	9	7	16	8
420	CUPAR,	6750	7102	112	97	209	13	13	26	78	94	172	54
421	Dairsie,	638	687	17	8	25	3	2	5	2	12	14	4
422	Dalgetty	1569	1310	32	29	61	—	1	1	9	9	18	6
*423	Dunbog,	414	395	14	7	21	—	—	—	3	3	6	2
*424	DUNFERMLINE— (1) Burgh,	13,506	14,963	345	313	658	18	11	29	167	176	343	134
	(2) Landward,	7609	8293	115	119	234	10	5	15	61	52	113	31
425	Dunino,	370	325	7	2	9	2	—	2	—	2	2	4
426	DYSART,	8842	9682	194	184	378	8	12	20	72	101	173	58
427	ELIE,	826	775	9	5	14	—	—	—	5	4	9	3
428	FALKLAND,	2937	3069	28	39	67	1	5	6	21	17	38	14
429	FERRY PORT-ON-CRAIG, .	2013	2674	54	44	98	8	4	12	30	28	58	15
+430	Flisk,	230	212	4	5	9	—	—	—	3	2	5	—
431	Forgan,	1326	2243	50	48	98	1	4	5	26	26	52	17
*432	INVERKEITHING, . . .	3196	3131	64	42	106	7	4	11	28	29	57	14
433	Kemback,	896	1056	6	11	17	—	—	—	2	4	6	7
434	Kennoway,	2012	1703	20	26	46	3	1	4	12	10	22	10
435	Kettle,	2474	2323	37	31	68	7	1	8	22	28	50	18
436	KILCONQUHAR,	2431	2018	32	24	56	3	2	5	21	13	34	11
437	Kilmany,	656	651	7	12	19	—	—	—	5	2	7	2
438	KILRENNY,	2534	2945	51	52	103	—	2	2	23	31	54	15

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
+439	KINGHORN, . . .	2349	2602	50	35	85	4	9	13	27	27	54	23
440	KINGLASSIE, . . .	1266	1082	18	23	41	—	3	3	9	11	20	5
441	Kingsbarns, . . .	937	922	14	10	24	2	2	4	4	5	9	2
*442	KIRKCALDY & Abbots-hall, . . .	11925	13509	247	252	499	12	9	21	104	136	240	109
443	Largo, . . .	2626	2318	34	28	62	2	2	4	28	19	47	10
444	LESLIE, . . .	4332	4294	68	63	131	9	8	17	27	34	61	24
445	Leuchars, . . .	1903	1727	29	31	60	2	1	3	18	14	32	16
446	Logie, . . .	410	402	7	4	11	1	—	1	2	2	4	3
447	Markinch, . . .	5375	5413	94	92	186	10	7	17	53	45	98	26
448	Monimail, . . .	1054	918	20	7	27	1	—	1	5	11	16	3
449	Moonzie, . . .	179	154	2	4	6	—	2	2	—	—	—	1
450	NEWBURGH, . . .	2693	2529	42	37	79	6	4	10	17	20	37	9
451	Newburn, . . .	374	362	5	2	7	—	—	—	2	1	3	2
452	PITTENWEEM, . . .	1710	1803	34	41	75	2	2	4	17	29	46	10
453	ST ANDREWS and St Leonards, . . .	7605	8592	111	116	227	8	13	21	67	63	130	62
454	St Monance (or Aber-crombie), . . .	1498	1761	36	36	72	—	—	—	9	13	22	9
455	Saline, . . .	1610	1259	10	21	31	1	3	4	12	13	25	5
456	SCOONIE, . . .	3257	3178	52	47	99	3	4	7	21	25	46	20
457	Strathmiglo, . . .	2261	2267	26	31	57	4	4	8	11	22	33	9
458	Torryburn, . . .	1229	1051	9	14	23	—	1	1	12	11	23	11
459	WEMYSS—(1) WEMYSS, . . . (2) Buckhaven, . . .	6003	{ c.2492 c.3908	42 90	46 98	88 188	1 3	2 4	3 7	26 34	29 26	55 60	12 26
Total,		155021	160924	2809	2718	5527	194	189	383	1408	1484	2892	1009
15. KINROSS.													
460	Cleish, . . .	649	539	11	8	19	2	—	2	4	5	9	3
461	Fossway and Tulliebole, . . .	1584	1461	20	16	36	—	1	1	10	14	24	6
462	KINROSS, . . .	2649	2477	35	35	70	2	4	6	21	35	56	10
463	Orwell, . . .	2399	2248	24	21	45	4	2	6	25	18	43	13
464	Portmoak, . . .	1450	1193	15	12	27	1	1	2	15	12	27	3
Total,		8731	7918	105	92	197	9	8	17	75	84	159	35
16. CLACKMANNAN.													
465	ALLOA, . . .	8867	9940	215	230	445	22	19	41	113	104	217	72
466	CLACKMANNAN, . . .	4425	4653	102	83	185	4	6	10	50	33	83	24
467	DOLLAR, . . .	1776	2524	30	23	53	7	—	7	17	20	37	15
468	TILlicouLTRY, . . .	5054	5118	80	83	163	10	9	19	51	55	106	19
Total,		20122	22235	427	419	846	43	34	77	231	212	443	130
V. WEST-MIDLAND.													
17. STIRLING.													
469	Airth, . . .	1194	1396	35	26	61	1	1	2	13	18	31	8
470	ALVA, . . .	3283	4296	97	93	190	5	6	11	61	37	98	25
471	Baldernock, . . .	718	616	7	6	13	—	—	—	3	3	6	5
472	Balfrou, . . .	1517	1502	17	13	30	3	3	6	17	18	35	4
+473	Bothkennar, . . .	c. 1210	1726	57	46	103	5	4	9	25	20	45	15
474	Buchanan, . . .	705	591	8	9	17	—	1	1	2	4	6	1
475	CAMPSIE, . . .	6483	6739	103	97	200	8	3	11	66	37	103	38
476	DENNY—(1) DENNY, . . . (2) HaggS, . . .	4988	{ c.2993 c.2000	78 27	86 27	164 54	9 1	4 2	13 3	34 15	25 14	59 29	25 15
477	Drymen, . . .	1619	1405	18	16	34	1	—	1	15	11	26	7
478	DUNIPACE, , . . .	1731	1733	37	28	65	3	1	4	13	10	23	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
+479	FALKIRK—(1) Burgh,	9030	9547	223	236	459	9	18	27	148	131	279	106
	(2) Landward,	c.6320	6726	178	138	316	11	8	19	94	84	178	79
*480	Fintry,	685	499	8	3	11	—	—	—	10	4	14	6
481a	Gargunnoch,	728	675	12	8	20	1	—	1	2	3	5	3
*481b	GRANGEMOUTH,	c.2249	2569	63	60	123	5	3	8	46	40	86	14
482	Killearn,	1171	1111	25	13	38	1	—	1	6	4	10	5
483	KILSYTH,	6112	6313	146	161	307	4	9	13	75	71	146	51
484	Kippen,	1722	1568	25	21	46	3	4	7	8	12	20	7
485	Larbert,	4999	5280	125	110	235	3	10	13	77	70	147	42
486	Muiravonside,	2660	2653	67	64	131	1	4	5	29	32	61	16
+487	Polmont,	c.4050	3848	86	87	173	6	6	12	55	54	109	28
+488	ST NINIAN'S—												
	(1) ST NINIAN'S,	4693	5289	94	88	182	3	2	5	38	46	84	42
	(2) BANNOCKBURN,	3796	4358	75	84	159	4	2	6	36	25	61	20
489	Slamannan,	2916	4164	115	129	244	5	8	13	67	63	130	41
*490	STIRLING,	12171	12513	231	226	457	17	20	37	151	168	319	106
491	Strathblane,	1388	1235	25	14	39	4	1	5	12	11	23	4
Total,		88138	93345	1982	1889	3871	113	120	233	1118	1015	2133	722
18. DUMBARTON.													
492	Arrochar,	629	525	3	2	5	—	—	—	4	5	9	2
*493	BONHILL,	9059	9593	181	157	338	8	8	16	79	93	172	113
+494	CARDROSS,	4168	4405	83	77	160	8	6	14	54	59	113	29
495	Cumbernauld,	3513	3602	119	80	199	12	14	26	43	32	75	30
*496	DUMBARTON,	8268	11423	265	226	491	12	7	19	157	120	277	58
497	Kilmarnock,	1085	978	13	12	25	—	—	—	8	7	15	—
498	KIRKINTILLOCH,	8179	8257	187	186	373	10	12	22	107	98	205	47
499	Luss,	831	730	7	6	13	—	1	1	5	3	8	4
500	NEW or EAST KILPATRICK,	4910	6038	127	143	270	7	3	10	74	64	138	36
501	Old or West Kilpatrick,	5577	5346	145	146	291	7	6	13	74	44	118	51
502	Roseneath,	1626	1780	16	26	42	—	—	—	23	17	40	12
503	Row,	6334	8439	123	125	248	12	5	17	69	71	140	43
Total,		54179	61116	1269	1186	2455	76	62	138	697	613	1310	425
19. ARGYLL.													
Mainland.													
504	Ardochattan,	1381	1172	15	13	28	2	1	3	4	7	11	6
505	Ardnamurchan—												
	(1) Aharacle,	1544	1414	14	21	35	—	2	2	5	12	17	8
	(2) Arisaig,	1343	1131	15	18	33	—	—	—	9	9	18	3
	(3) Sunart(or Strontian),	759	760	9	4	13	2	—	2	9	7	16	2
	(4) Western Ardnamurchan,	1054	954	14	14	28	1	—	1	13	9	22	4
*506	Ballachulish and Corran of Ardgour,	919	849	8	6	14	—	1	1	5	5	10	6
507	CAMPBELTOWN,	8149	8580	186	148	334	8	11	19	101	110	211	57
508	Craignish,	618	481	6	5	11	—	—	—	3	3	6	—
*509	Cumlodden and Minard,	c.1340	c.1133	20	12	32	1	—	1	19	10	29	4
510	DUNOON and KILMUN,	5461	6871	100	86	186	5	2	7	72	61	133	35
+511	Glassary,	c.1462	c.1228	19	21	40	2	—	2	5	12	17	7
*512	Glenorchy,	869	752	9	5	14	2	1	3	7	13	20	2
+513	INVERARAY,	1650	1503	14	15	29	—	—	—	9	17	26	7
514	Inverchaolain,	424	443	6	7	13	—	1	1	6	2	8	1
+515	Kilbrandon & Kilchattan,	2053	2107	28	18	46	2	3	5	20	17	37	5
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	742	684	9	8	17	—	—	—	6	8	14	2
	(2) Kilberry,	583	485	3	5	8	—	1	1	1	3	4	—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
*517	Kilchrenan, etc.—												
	(1) Kilchrenan, . . .	587	396	4	3	7	—	—	—	4	2	6	2
	(2) Dalavich, . . .	230	217	2	4	6	—	—	—	3	1	4	—
518	Kilfinan, . . .	1891	2228	27	26	53	2	—	2	16	13	29	12
519	Killean and Kilchenzie, .	1890	1614	20	18	38	1	3	4	12	10	22	7
+520	Kilmalie, . . .	3353	3217	37	33	70	4	4	8	32	33	65	7
521	Kilmartin, . . .	949	869	8	7	15	—	—	—	6	8	14	4
522	Kilmodan, . . .	433	358	5	3	8	1	—	1	2	2	4	2
523	KILMORE AND KILBRIDE, .	2962	3402	72	54	126	7	4	11	33	44	77	14
524	Kilninver, etc.—												
	(1) Kilninver, . . .	314	253	—	5	5	—	1	1	—	3	3	—
	(2) Kilmelford, . . .	486	506	—	2	2	—	—	—	2	1	3	—
525	Lismore, etc.—												
	(1) Lismore, . . .	1023	908	5	10	15	1	2	3	4	7	11	1
	(2) Appin, . . .	825	728	6	9	15	1	—	1	5	5	10	1
	(3) Glencoe & Ballachulish, . . .	1324	1529	27	14	41	1	—	1	13	14	27	8
	(4) Duror, . . .	423	370	5	3	8	1	—	1	2	2	4	1
*526	Lochgilphead, . . .	3312	3680	47	49	96	3	2	5	46	28	74	12
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead, . . .	418	436	6	4	10	—	—	—	7	4	11	4
	(2) Kilmorich, . . .	284	330	5	4	9	—	—	—	2	3	5	2
528	Morvern, . . .	1226	973	7	11	18	1	—	1	13	8	21	—
*529	Muckairn, . . .	965	790	9	7	16	1	1	2	5	5	10	2
530	North Knapdale, . . .	1327	1059	15	8	23	2	2	4	10	3	13	6
531	Saddell, etc.—												
	(1) Saddell, . . .	739	645	14	7	21	1	—	1	4	7	11	4
	(2) Skipness, . . .	533	500	3	5	8	—	—	—	—	6	6	2
532	Southend, . . .	1214	1044	9	8	17	—	2	2	5	6	11	1
+533	South Knapdale, . . .	654	548	3	7	10	—	1	1	1	5	6	2
534	Stralachlan, etc.—												
	(1) Stralachlan, . . .	309	340	7	4	11	1	—	1	7	2	9	2
	(2) Strachur, . . .	563	527	4	5	9	2	1	3	4	7	11	4
*535	Tarbert, . . .	1661	1866	38	28	66	2	2	4	13	11	24	6
	Insular.												
*536	Bowmore (or Kilarrow),	2701	2088	23	25	48	3	5	8	16	18	34	4
537	Gigha, . . .	467	390	2	2	4	1	—	1	8	3	11	2
538	Iona (merged in 542), . .												
+539	Jura, etc.—(1) Jura, . .	858	775	9	7	16	2	—	2	2	11	13	3
	(2) Colonsay, . . .	598	456	5	5	10	—	—	—	1	3	4	3
+540	Kilchoman, . . .	2377	1882	30	22	52	3	2	5	17	10	27	3
541	Kildalton and Oa, . . .	2956	2283	28	28	56	5	4	9	12	12	24	4
*542	Kilfinichen & Kilviekeon,	2535	2461	24	26	50	3	4	7	15	8	23	3
*543	Kilmeny, . . .	1268	924	8	12	20	—	—	—	7	8	15	3
+544	Kilninian and Kilmore, .	1641	1189	13	8	21	1	—	1	9	13	22	6
*545	Kinlochspelve, . . .	428	388	1	5	6	—	—	—	—	1	1	1
*546	Oa (merged in 541), . . .												
*547	Portnahaven, . . .	1059	979	14	14	28	1	2	3	12	4	16	2
*548	Salen, . . .	604	605	4	4	8	—	1	1	8	3	11	—
*549	Tobermory, . . .	1566	1344	12	8	20	1	1	2	14	15	29	4
+550	Torosay, . . .	557	454	2	2	4	—	—	—	2	4	6	—
551	Tyree, etc.—(1) Tyree, .	3217	2837	41	24	65	2	2	4	18	35	53	9
	(2) Coll, . . .	781	723	8	7	15	—	—	—	4	4	8	1
	Total,	83859	79661	1084	943	2027	79	69	148	690	697	1387	303

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	20. BUTE.												
552	Cumbræ,	1236	1613	20	32	52	2	2	4	13	18	31	10
+553	Kilbride—(1) Brodick,	902	928	8	5	13	1	—	1	5	7	12	6
	(2) Kilbride,	1351	1276	10	8	18	1	—	1	14	13	27	4
554	Kilmory,	2515	2278	24	20	44	—	1	1	13	18	31	8
555	Kingarth,	905	901	15	8	23	3	—	3	7	4	11	8
*556	Lochranza,	824	777	4	4	8	—	—	—	6	4	10	3
*557	North Bute,	1351	1393	21	12	33	2	1	3	12	13	25	9
+558	ROTHESAY,	7227	7800	125	128	253	15	8	23	92	116	208	74
	Total,	16311	16966	227	217	444	24	12	36	162	193	355	122
	VI. SOUTH-WESTERN.												
	21. RENFREW.												
*559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	306	268	574	29	17	46	218	197	415	152
	(2) LANDWARD,	5670	5679	124	115	239	10	7	17	67	50	117	50
	(3) JOHNSTONE,	8142	8590	194	186	380	8	14	22	119	113	232	106
560	CATHCART,	3782	7231	170	173	343	3	5	8	75	77	152	56
561	Eaglesham,	2328	1714	22	20	42	6	1	7	18	12	30	13
562	EASTWOOD,	11314	13098	239	242	481	17	23	40	140	144	284	114
563	Ersline,	1457	1565	27	19	46	2	1	3	13	9	22	7
564	GREENOCK—												
	(1) New, or Middle,	9446	9592	157	160	317	17	11	28	112	131	243	4
	(2) East,	12135	17061	422	371	793	15	17	32	200	155	355	140
	(3) Old, or West,	22313	33141	793	723	1516	34	40	74	516	449	965	359
565	Houstoun and Killellan,	2490	2167	36	40	76	5	5	10	14	24	38	11
566	Inchinnan,	619	584	4	15	19	1	—	1	5	—	5	1
567	INVERKIP—												
	(1) Inverkip,	1188	1393	22	17	39	2	—	2	16	7	23	13
	(2) GOUROCK,	2307	3109	50	55	105	3	6	9	31	38	69	17
568	KILBARCHAN,	6348	6093	132	119	251	8	6	14	70	71	141	51
569	Kilmalcolm,	1455	1716	23	30	53	1	3	4	22	13	35	14
570	Lochwinnoch,	3821	3816	55	43	98	7	2	9	30	48	78	21
571	MEARNS,	3547	3543	66	52	118	3	6	9	31	34	65	22
572	NEILSTON—												
	(1) Neilston,	4577	4633	75	61	136	8	7	15	38	43	81	27
	(2) BARRHEAD,	6436	6503	100	112	212	3	7	10	74	69	143	35
*573	PAISLEY,	31538	31910	640	605	1245	44	47	91	449	461	910	322
574	PORT-GLASGOW,	7294	9912	234	226	460	11	8	19	104	143	247	97
+575	RENFREW,	4650	5908	132	122	254	10	5	15	63	59	122	36
	Total,	168746	195305	4023	3774	7797	247	238	485	2425	2347	4772	1668
	22 AYR.												
576	ARDROSSAN—												
	(1) OLD ARDROSSAN,	3530	3336	67	68	135	3	7	10	41	40	81	24
	(2) NEW ARDROSSAN,	3246	3929	87	75	162	3	1	4	55	36	91	21
577	AUCHINLECK,	4213	6174	181	154	335	6	12	18	75	60	135	50
*578	AYR,	19659	19172	338	362	700	35	37	72	237	260	497	135
579	Ballantrae,	1483	1277	25	22	47	2	3	5	13	5	18	9
580	Barr,	910	672	7	10	17	1	—	1	6	1	7	3
581	BEITH,	5775	6233	110	100	210	8	7	15	42	59	101	42
582	Colmonell—(1) Colmonell,	2588	1167	21	16	37	2	3	5	9	7	16	6
	(2) Barrhill,		1126	11	14	25	2	1	3	15	6	21	5
583	Coylton,	1604	1440	44	55	99	2	5	7	11	21	32	14
584	Craigie,	730	618	2	7	9	—	1	1	2	2	4	3
585	Dailly,	2050	1932	36	50	86	5	8	13	19	16	35	13
586	Dalmellington,	4194	6165	157	121	278	8	3	11	57	51	108	32
587	DALRY,	11156	10885	197	173	370	6	7	13	88	96	184	67

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
588	Dalrymple,	1325	1412	33	29	62	6	2	8	13	10	23	15
589	Dreghorn,	3283	3241	85	77	162	5	6	11	45	33	78	28
+590	DUNDONALD—												
	(1) Dundonald, . . .	2095	1507	28	16	44	3	—	3	9	12	21	17
	(2) TROON,	2599	2870	49	43	92	10	4	14	23	37	60	23
591	Dunlop,	1038	1160	24	10	34	1	—	1	8	13	21	9
592	Fenwick,	1532	1318	17	14	31	1	—	1	6	13	19	8
593	GALSTON,	5254	6331	128	130	258	5	11	16	53	64	117	57
594	GIRVAN,	7053	5685	104	95	199	17	17	34	67	69	136	35
*595	IRVINE,	8607	8462	225	230	455	13	8	21	144	148	292	72
596	KILBIRNIE,	5265	4953	88	99	187	5	5	10	50	56	106	31
597	KILMARNOCK, . . .	23556	24072	486	509	995	25	24	49	285	275	560	166
598	Kilmaurs,	3526	3449	74	81	155	7	7	14	39	40	79	24
599	KILWINNING, . . .	7717	7375	159	151	310	12	10	22	72	72	144	42
600	Kirkmichael, . . .	2823	2254	33	33	66	5	8	13	13	12	25	19
601	Kirkoswald,	2060	1846	23	20	43	4	1	5	14	16	30	7
602	LARGS,	3620	4087	61	64	125	5	2	7	44	53	97	42
603	LOUDOUN,	4840	5525	84	96	180	4	6	10	52	68	120	24
604	Mauchline,	2303	2435	42	40	82	2	1	3	21	23	44	7
605	MAYBOLE,	6713	5900	104	128	232	13	16	29	71	60	131	21
606	Monkton and Prestwick,	1937	1744	25	30	55	—	2	2	26	18	44	13
607	MUIRKIRK,	3270	3253	105	111	216	9	8	17	87	69	156	34
608	New Cumnock, . . .	2891	3434	106	112	218	8	5	13	48	40	88	32
609	Ochiltree,	1676	1656	23	24	47	2	2	4	11	10	21	8
610	OLD CUMNOCK, . . .	3721	4041	93	90	183	6	4	10	40	45	85	34
611	RICCARTON,	5629	5845	166	148	314	12	4	16	64	58	122	38
*612	St Quivox and Newton- upon-Ayr,	1870	1363	22	34	56	6	5	11	18	16	34	11
613	SORN,	4042	4032	81	71	152	6	3	9	47	50	97	33
614	Stair,	743	734	18	21	39	2	1	3	9	6	15	6
615	STEVENSTON,	5452	5019	116	110	226	14	6	20	61	47	108	24
616	STEWARTON,	4449	4478	82	70	152	4	6	10	45	46	91	28
617	Straiton,	1544	1443	25	13	38	2	2	4	9	9	18	10
618	Symington,	855	792	15	11	26	2	1	3	7	4	11	1
619	Tarbolton,	2669	3219	81	78	159	5	8	13	22	36	58	17
620	West Kilbride, . . .	1988	1847	22	21	43	1	2	3	15	23	38	15
	Total,	199083	200908	4110	4036	8146	305	282	587	2208	2211	4419	1375
	23 LANARK.												
621	AVONDALE,	6125	5460	71	76	147	4	8	12	55	51	106	40
+622	BARONY,—												
	(1) MARYHILL, . . .	4356	6659	391	393	784	19	14	33	177	143	320	119
	(2) SHETTLESTONE, .	6914	7517	174	155	329	5	5	10	86	91	177	47
623	Biggar,	1999	2013	23	45	68	2	5	7	13	17	30	13
624	Blantyre,	3092	3472	195	170	365	10	10	20	307	104	411	42
625	BOTHWELL—												
	(1) BOTHWELL, . . .	7059	9193	271	237	508	11	9	20	121	116	237	89
	(2) HOLYTOWN, . . .	10844	10099	250	235	485	8	16	24	132	84	216	54
626a	Cadder—(1) Western, .	3023	3261	66	79	145	2	3	5	34	35	69	23
	(2) Eastern,	2925	3203	68	65	133	4	4	8	31	27	58	24
*626b	Calderhead,	4034	4271	100	87	187	6	10	16	36	28	64	42
627	CAMBUSLANG,	3647	3740	189	167	356	5	5	10	58	75	133	25
+628	CAMBUSNETHAN, . . .	13118	18709	485	449	934	27	17	44	197	154	351	134
629	CARLUKE,	6176	7066	206	175	381	15	8	23	94	62	156	57
630	Carmichael,	836	708	5	11	16	1	2	3	5	4	9	1
631	Carmunnock,	734	702	10	9	19	2	—	2	6		13	3
632	Carnwath,	3584	5709	143	130	273	13	17	30	61	54	115	36
633	Carstairs,	1345	1718	32	38	70	3	1	4	13	23	36	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
634	Covington and Thankerton	532	454	8	6	14	2	2	4	2	1	3	5
635	Crawford,—(1) Crawford,	694	727	7	11	18	3	1	4	4	5	9	3
	(2) Leadhills,	896	1102	16	28	44	1	3	4	13	19	32	9
636	Crawfordjohn,	980	853	8	17	25	3	3	6	4	5	9	8
637	Culter,	665	593	10	4	14	1	—	1	3	7	10	4
638	DALSERF—(1) LARKHALL	3629	5332	151	137	288	6	7	13	63	70	133	59
	(2) Dalsersh,	1247	2009	67	55	122	4	1	5	24	15	39	21
639	DALZIEL,	5438	9175	280	270	550	19	11	30	153	77	230	87
640	Dolphinton,	260	231	4	2	6	—	—	—	2	1	3	—
641	Douglas,	2490	2624	43	22	65	2	6	8	33	19	52	27
642	Dunsyre,	312	302	8	2	10	2	1	3	3	—	3	2
643	EAST KILBRIDE, . . .	4064	3861	65	76	141	5	6	11	37	29	66	23
*644	GLASGOW—												
	(1) Bridgeton,	c.31154	866	870	1736	39	48	87	590	568	1158	355	
	(2) Camlachie,	c.32676	887	869	1756	70	61	131	511	519	1030	253	
	(3) Dennistoun,	c.31024	908	859	1767	50	44	94	853	610	1463	526	
	Do. (Landward), . . .	c. 3298	91	80	171	19	23	42	175	172	347	27	
	(4) Calton,	c.43654	657	687	1344	57	56	113	461	515	976	376	
	(5) Blackfriars,	c.54602	783	809	1592	191	180	371	553	510	1063	216	
	(6) St Rollox,	c.38383	955	937	1892	74	77	151	833	733	1566	400	
	Do. (Landward), . . .	c. 239	24	18	42	1	—	1	11	12	23	1	
	(7) Blythswood,	c.44310	514	499	1013	62	53	115	403	430	833	417	
	(8) Milton,	c.38223	861	870	1731	53	71	124	483	516	999	257	
	(9) Kelvin,	c.32516	973	875	1848	44	33	77	508	474	982	687	
	(10) Anderston,	c.40178	828	824	1652	71	47	118	523	558	1081	288	
	(11) Hutchesontown, . .	c.29717	1116	1019	2135	57	61	118	524	555	1079	286	
	Do. (Landward), . . .	c. 1008	146	97	243	6	2	8	63	44	107	22	
	(12) Gorbals,	c.43212	724	649	1373	51	49	100	469	413	882	698	
	Do. (Landward), . . .	c. 1565	93	111	204	3	2	5	33	40	73	16	
	(13) Tradeston,	c.22340	361	337	698	20	21	41	212	198	410	89	
	Do. (Landward), . . .	c. 1411	64	60	124	—	2	2	25	28	53	33	
	(14) Kinning Park, . .	c. 9857	299	288	587	25	18	43	145	156	301	93	
	Do. (Landward), . . .	c. 8953	312	322	634	23	16	39	163	148	311	145	
645	Glassford,	1938	1430	26	20	46	2	1	3	17	8	25	11
+646	GOVAN—												
	(1) GOVAN CHURCH, . .	c10646	19899	1167	1100	2267	57	56	113	645	637	1282	339
	(2) PARTICK,	c14809	c23837	768	664	1432	30	26	56	340	323	663	289
647	HAMILTON,	14047	16803	502	422	924	22	20	42	231	221	452	167
648	LANARK,	7891	7841	121	115	236	17	11	28	90	77	167	57
649	Lesmahagow,	9266	8709	241	217	458	24	16	40	115	85	200	74
650	Libberton,	836	691	11	10	21	2	5	7	2	7	9	9
651	NEW MONKLAND—												
	(1) AIRDRIE,	12922	13488	292	269	561	22	12	34	145	183	328	120
	(2) Landward,	7632	9264	301	314	615	12	17	29	188	170	358	76
652	OLD MONKLAND—												
	(1) WESTERN,	6932	7873	172	150	322	7	8	15	114	86	200	42
	(2) MIDDLE,	15303	18410	422	400	822	19	16	35	261	214	475	132
	(3) EASTERN,	7308	7790	186	169	355	8	4	12	108	85	193	49
653	Pettinain,	407	366	5	—	5	1	—	1	5	6	11	4
654	RUTHERGLEN,	9335	10766	252	221	473	11	13	24	114	135	249	126
+655	Shotts,—(1) Middle Dist.		754	47	63	110	4	4	8	20	19	39	21
	(2) Eastern do.	4792	2995	90	86	176	4	3	7	35	28	63	19
	(2) Western do.		1950	60	59	119	1	6	7	23	22	45	9
656	STONEHOUSE,	3267	3177	65	58	123	3	3	6	36	31	67	27
657	Symington,	528	442	6	7	13	2	1	3	1	6	7	4
658	Walston,	480	425	6	7	13	1	—	1	4	4	8	2
659	Wandell and Lamington,	380	332	5	1	6	—	—	—	5	3	8	4
660	Wiston and Roberton, .	786	680	8	7	15	2	1	3	3	5	8	2
Total,		640444	787005	19561	18590	38151	1352	1262	2614	11807	10877	22684	7774

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn,	965	933	12	12	24	1	—	1	7	11	18	10
662	BATHGATE—												
	(1) BATHGATE,	6572	6942	138	121	259	11	10	21	61	70	131	56
	(2) ARMADALE,	3562	3187	89	73	162	8	6	14	37	36	73	20
663	BORROWSTOUNNESS,	5698	4986	105	110	215	7	10	17	50	62	112	29
664	CARRIDEN,	1821	1799	44	44	88	4	1	5	15	25	40	11
†665	Dalmeny,	804	916	13	14	27	—	1	1	2	2	4	8
666	Ecclesmachan,	309	329	5	6	11	—	—	—	2	2	4	1
†667	Kirkliston,	1907	2172	39	44	83	4	1	5	23	19	42	8
668	LINLITHGOW,	5784	5554	99	112	211	10	15	25	55	68	123	37
669	Livingstone,	1366	1727	31	19	50	1	1	2	9	7	16	6
*670	QUEENSFERRY,	1391	1521	38	34	72	4	4	8	17	9	26	14
671	Torphichen,	1848	1630	26	22	48	4	3	7	15	14	29	12
672	Uphall,	1507	2772	66	58	124	4	4	8	25	27	52	23
673	WHITBURN,												
	(1) Whitburn,	5511	c2250	51	52	103	3	4	7	14	20	34	7
	(2) Fauldhouse,		c4661	96	104	200	11	7	18	31	31	62	31
	Total,	92871	41379	852	825	1677	72	67	139	363	403	766	273
	25. EDINBURGH.												
†674	Borthwick,	1569	1494	24	26	50	5	1	6	10	8	18	15
675	Carrington,	681	712	15	14	29	1	—	1	7	4	11	3
†676	Cockpen,	2113	2481	53	60	113	2	3	5	24	25	49	23
677	Colinton,	2656	3644	48	79	127	4	16	20	94	93	187	18
678	Corstorphine,	1579	1788	29	27	56	4	2	6	13	22	35	16
†679	Cramond,	2695	3020	38	39	77	2	2	4	27	27	54	22
680	Cranston,	1035	1036	20	13	33	1	3	4	3	7	10	6
681	Crichton,	1304	1223	22	23	45	4	1	5	12	5	17	2
682	Currie,	2248	2360	31	35	66	5	1	6	30	13	43	14
*683	DALKEITH,	7114	7667	150	122	272	10	8	18	84	84	168	50
684	DUDDINGSTON—												
	(1) PORTOBELLO,	4366	5481	123	109	232	7	13	20	49	74	123	56
	(2) Landward,	857	970	13	9	22	1	—	1	8	9	17	8
*685	EDINBURGH—												
	(1) St George,	39759	51590	999	964	1963	49	44	93	530	546	1076	417
	Do. (Landward),	2309	3459	60	54	114	10	8	18	109	122	231	20
	(2) St Andrew,	38731	39781	669	562	1231	43	32	75	373	404	777	425
	(3) Canongate,	30169	33183	716	734	1450	130	122	252	628	493	1121	300
	(4) St Giles,	29679	31960	566	497	1063	42	43	85	358	358	716	391
	(5) Newington,	29797	41079	816	734	1550	38	28	66	451	503	954	557
686	Fala and Soutra,	382	364	8	5	13	4	1	5	2	1	3	3
687	Glencorse,	1217	1153	21	16	37	—	2	2	14	8	22	10
688	Heriot,	407	414	5	7	12	1	—	1	2	—	2	—
689	INVERESK,	9518	10068	179	175	354	8	14	22	111	132	243	92
*690	Kirknewton and East-Calder,	1549	2213	52	57	109	1	3	4	18	20	38	17
691	LASSWADE,	5688	7098	182	128	310	14	10	24	67	61	128	55
*692	LEITH—												
	(1) North Leith,	11562	16582	403	319	722	10	17	27	195	190	385	163
	(2) South Leith,	24467	29852	709	718	1427	38	48	86	389	395	784	360
†693	Liberton,	3510	3791	102	95	197	2	2	4	44	56	100	26
694	Mid-Calder,	1389	3634	28	31	59	2	1	3	16	12	28	11
†695	Newbattle,	2138	2424	39	52	91	6	5	11	21	17	38	19
696	Newton,	1553	1181	29	12	41	2	1	3	7	11	18	8
697	PENICUIK,	3249	3765	72	75	147	3	4	7	31	43	74	33
698a	Ratho,	1659	1744	25	34	59	3	3	6	18	15	33	15

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Male	Fem.	Total.	Mal.	Fem	Total.	Mal.	Fem	Total.	
*698b †699 †700 701	Stobhill, Stow, Temple, WEST-CALDER,	2364 1870 682 1927	2447 1957 658 7865	48 33 5 167	61 32 6 187	109 65 11 354	2 3 — 9	4 4 — 11	6 7 — 20	34 14 4 60	26 13 5 61	60 27 9 121	21 10 3 41
	Total,	273792	328138	6499	6111	12610	466	457	923	3857	3863	7720	3230
	26. HADDINGTON.												
702	Aberlady,	1019	1022	17	9	26	1	1	2	7	7	14	1
703	Athelstaneford,	902	844	17	8	25	—	2	2	5	7	12	2
704	Bolton,	332	364	4	7	11	2	1	3	2	1	3	3
705	Dirleton,	1540	1419	21	11	32	2	—	2	13	11	24	5
706	DUNBAR,	4944	4982	85	80	165	3	4	7	49	47	96	35
707	Garvald,	891	832	8	6	14	—	1	1	7	5	12	4
708	Gladsmuir,	1945	1863	31	21	52	3	3	6	7	12	19	18
709	HADDINGTON,	5548	5735	75	81	156	6	4	10	51	41	92	39
710	Humbie,	997	967	13	16	29	1	—	1	5	3	8	3
711	Innerwick,	937	892	11	5	16	—	—	—	8	11	19	6
712	Morham,	281	204	—	4	4	—	—	—	1	1	2	—
713	NORTH BERWICK,	2071	2373	29	43	72	2	4	6	25	21	46	11
714	Oldhamstocks,	615	592	6	9	15	1	3	4	11	6	17	3
715	Ormiston,	915	911	12	13	25	1	—	1	8	5	13	5
716	Pencaitland,	1187	1320	22	18	40	3	—	3	12	11	23	7
717	Prestonkirk,	1960	1931	37	27	64	7	2	9	18	20	38	10
718	Prestonpans,	2080	2069	50	38	88	4	3	7	27	25	52	16
719	Salton,	712	647	10	8	18	—	—	—	7	4	11	1
720	Spott,	555	560	15	6	21	2	—	2	4	1	5	3
721	Stenton,	692	612	13	10	23	1	3	4	5	7	12	4
722	TRANENT,	4647	4852	108	107	215	8	6	14	34	39	73	44
723	Whitekirk and Tynning- hame,	1113	1073	15	13	28	3	2	5	6	6	12	2
724	Whittinghame	710	657	11	3	14	4	1	5	1	2	3	2
725	Yester,	1033	1034	14	17	31	2	1	3	5	10	15	7
	Total,	37626	37755	624	560	1184	56	41	97	318	303	621	231
	27. BERWICK.												
726	Abbey St Bathans,	179	195	3	5	8	—	—	—	4	1	5	5
727	AYTON,	2014	1983	31	42	73	4	2	6	13	16	29	11
728	Bunkle and Preston,	756	764	8	7	15	—	2	2	1	3	4	1
729	Channelkirk,	671	705	6	17	23	1	2	3	10	4	14	6
730	Chirnside,	1502	1413	25	14	39	—	—	—	13	16	29	8
731	Cockburnspath,	1194	1133	18	16	34	—	4	4	11	4	15	7
732	Coldingham,	3241	3093	58	47	105	9	4	13	31	26	57	14
733	Coldstream,	2823	2619	35	40	75	2	5	7	30	31	61	11
734	Cranshaws,	134	142	2	1	3	—	—	—	—	—	—	—
735	DUNSE,	3595	3602	49	39	88	5	6	11	28	34	62	13
736	Earlston,	1825	1977	21	29	50	1	2	3	22	21	43	11
737	Eccles,	1861	1780	24	8	32	2	—	2	14	14	28	7
738	Edrom,	1592	1513	20	24	44	5	2	7	12	13	25	7
739	EYEMOUTH,	1804	2372	49	50	99	2	1	3	32	25	57	15
740	Fogo,	559	502	3	4	7	—	—	—	1	1	2	2
741	Foulden,	431	425	9	4	13	5	—	5	4	1	5	2
742	Gordon,	931	876	13	15	28	1	1	2	8	19	27	4
743	Greenlaw,	1370	1381	25	15	40	2	2	4	7	14	21	12
744	Hume,	420	460	5	7	12	1	—	1	2	5	7	1
745	Hutton,	1067	1077	13	9	22	1	1	2	7	7	14	5
746	Ladykirk,	564	518	6	4	10	—	1	1	2	3	5	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
747	Langton,	502	548	6	9	15	—	2	2	3	4	7	6
748	LAUDER,	2198	2120	24	33	57	1	3	4	19	15	34	4
749	Legerwood,	599	525	8	9	17	2	1	3	4	3	7	3
750	Longformacus,	448	452	9	8	17	—	—	—	—	1	1	4
751	Merton,	729	734	8	10	18	2	1	3	7	3	10	4
752	Mordington,	377	402	3	5	8	—	—	—	3	4	7	2
753	Nenthorn,	461	434	9	7	16	1	1	2	5	4	9	3
754	Polwarth,	251	249	2	6	8	—	1	1	1	—	1	—
755	Swinton,	964	996	12	9	21	—	3	3	8	11	19	4
756	Westruther,	786	784	10	8	18	—	1	1	4	2	6	—
757	Whitsome,	640	608	8	6	14	2	—	2	3	4	7	4
Total,		36488	36382	522	507	1029	49	48	97	309	309	618	179
28. PEEBLES.													
758	Broughton (merged in 763),												
759	Drumelzier,	209	221	4	5	9	—	—	—	1	1	2	—
760	Eddlestone,	753	700	14	10	24	—	1	1	2	3	5	5
761	Glenholm (merged in 763),												
+762	Innerleithen,	1787	2776	44	56	100	6	6	12	23	34	57	20
763	Kilbucko, Broughton, and Glenholm,	723	729	13	12	25	4	—	4	5	1	6	5
764	Kirkurd,	362	294	5	3	8	—	—	—	4	1	5	3
765	Lyne, etc.—(1) Lyne,	81	104	1	3	4	—	—	—	—	1	1	—
	(2) Megget,	53	70	3	2	5	—	—	—	—	—	—	1
766	Manor,	247	271	7	5	12	1	—	1	1	1	2	1
767	Newlands,	987	851	12	13	25	2	1	3	5	6	11	7
768	PEEBLES,	2850	3172	66	45	111	4	3	7	27	33	60	22
769	Skirling,	317	325	4	3	7	1	—	1	2	—	2	1
770	Stobo,	478	459	12	6	18	1	—	1	2	2	4	3
771	Traquair,	687	669	13	12	25	—	2	2	8	7	15	5
772	Tweedsmuir,	196	190	2	1	3	—	—	—	—	1	1	1
773	West Linton,	1534	1387	22	6	28	2	1	3	7	8	15	11
Total,		11264	12218	222	182	404	21	14	35	87	99	186	85
29. SELKIRK.													
*774a	Caddonfoot,	610	699	8	8	16	—	1	1	6	5	11	3
774b	Ettrick,	454	434	5	4	9	—	—	—	1	3	4	1
+775	GALASHIELS,	3268	5921	130	128	258	9	13	22	72	70	142	50
776a	Kirkhope,	555	565	8	13	21	1	2	3	8	2	10	1
*776b	LADHOPE,	4154	5317	114	100	214	8	11	19	66	64	130	54
777	Roberton,	640	593	5	10	15	—	—	—	5	3	8	2
+778	SELKIRK,	4646	5555	139	108	247	14	11	25	64	57	121	57
+779	Yarrow,	574	567	10	11	21	—	1	1	5	2	7	1
Total,		14901	19651	419	382	801	32	39	71	227	206	433	169
VIII. SOUTHERN.													
30. ROXBURGH.													
780	Ancrum,	1511	1391	19	19	38	1	2	3	11	11	22	7
781	Ashkirk,	578	550	8	10	18	1	—	1	4	2	6	1
782	Bedrule,	222	292	4	5	9	1	1	2	2	—	2	3
783	Bowden,	864	842	13	7	20	1	1	2	8	10	18	5
784	Castleton,	3688	2202	30	35	65	2	5	7	16	19	35	3
785	Cavers,	1824	1443	21	23	44	1	2	3	13	11	24	6
786	Crailing,	673	657	15	8	23	1	—	1	5	3	8	6
787a	Eckford,	957	931	9	14	23	1	2	3	4	8	12	4
*787b	Edgerston,	359	365	8	8	16	—	1	1	5	2	7	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861	1871	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
788	Ednam,	599	613	9	8	17	2	1	3	5	8	13	4
789	HAWICK,	8726	8733	189	195	384	22	12	34	97	122	219	85
790	Hobkirk,	771	718	10	8	18	2	—	2	5	4	9	4
791	Hownam,	289	238	4	4	8	—	—	—	2	1	3	2
+792	JEDBURGH,	5011	4971	81	82	163	14	10	24	43	46	89	34
793	KELSO,	5192	5124	86	71	157	7	6	13	58	76	134	26
794	Kirkton,	421	320	5	—	5	—	—	—	6	4	10	—
795	Lilliesleaf,	772	788	6	12	18	—	—	—	3	8	11	1
796	Linton,	608	570	8	6	14	2	2	4	2	2	4	5
797	Makerston,	380	361	6	1	7	1	—	1	3	5	8	3
798	Maxton,	497	481	8	6	14	—	1	1	1	8	9	2
799	Melrose,	3500	4115	50	44	94	2	3	5	40	39	79	17
800	Minto,	430	431	4	8	12	—	2	2	2	2	4	1
801	Morebattle,	1031	986	13	14	27	4	5	9	5	10	15	5
+802	Oxnam,	592	652	10	8	18	—	—	—	5	5	10	4
803	Roxburgh,	1178	1053	10	12	22	1	1	2	8	4	12	4
804	St Boswells,	922	973	14	12	26	—	2	2	13	13	26	8
805	Smailholm,	554	534	13	2	15	2	1	3	3	4	7	5
+806	Southdean,	687	674	11	4	15	3	—	3	2	6	8	4
807	Sprouston,	1305	1294	13	18	31	1	1	2	4	8	12	10
808	Stitchel,	425	388	5	3	8	—	—	—	3	2	5	2
809	Teviothead,	438	515	10	6	16	1	1	2	2	—	2	5
810	WILTON,	3357	3936	106	88	194	10	10	20	51	46	97	24
811	Yetholm,	1207	1100	14	17	31	—	1	1	9	7	16	6
Total,		49568	48241	812	758	1570	83	73	156	440	496	936	299
31. DUMFRIES.													
812	ANNAN,	5113	4631	72	71	143	16	9	25	41	49	90	29
813a	Applegarth,	935	902	11	19	30	2	1	3	2	6	8	4
*813b	BRYDEKIRK,	779	731	12	8	20	4	3	7	9	4	13	6
814	Canonbie,	3219	3055	50	45	95	10	6	16	23	37	60	17
815	Carlaverock,	1248	1151	15	11	26	4	2	6	7	10	17	10
816	Closeburn,	1651	1612	22	23	45	4	3	7	11	11	22	8
+817	Cummertrees,	1184	1072	11	14	25	—	3	3	13	8	21	3
818	Dalton,	679	577	3	6	9	—	1	1	6	7	13	—
819	Dornock,	856	826	8	12	20	—	3	3	6	8	14	4
820	Dryfesdale,	2509	2825	44	47	91	3	4	7	29	28	57	15
821	DUMFRIES,	13523	14841	273	263	536	36	47	83	190	198	388	124
822	Dunscore,	1554	1504	20	19	39	2	4	6	6	15	21	8
823	Durrisdeer,	1320	1189	18	17	35	1	2	3	17	7	24	6
824	Eskdalemuir,	590	551	6	5	11	1	—	1	6	5	11	1
825	Ewes,	356	338	2	1	3	—	—	—	1	2	3	3
826	Glencairn,	1867	1749	32	35	67	5	4	9	18	18	36	14
827	Graitney (or Gretna),	1620	1395	15	24	39	3	2	5	14	13	27	6
828	Halfmorton,	713	611	7	2	9	1	—	1	3	4	7	4
+829	Hoddum,	1568	1520	20	22	42	3	5	8	12	12	24	4
830	Holywood,	1115	1069	21	16	37	7	1	8	7	13	20	10
831	Hutton,	876	842	14	5	19	3	1	4	6	3	9	7
832	Johnstone,	1149	1089	18	15	33	3	3	6	9	7	16	8
833	Keir,	849	828	11	15	26	1	2	3	7	11	18	1
834	Kirkconnel,	996	952	23	14	37	3	1	4	8	2	10	8
835	Kirkmahoe,	1462	1332	10	25	35	2	7	9	11	18	29	5
836	Kirkmichael,	1026	903	15	14	29	4	3	7	1	6	7	4
837	Kirkpatrick-Fleming— (1) Northern District, (2) Southern District,	493 1432	393 1136	7 15	8 22	15 37	— 5	2 3	2 8	2 12	3 16	5 28	2 8
838	Kirkpatrick-Juxta,	1025	1091	19	8	27	—	1	1	11	6	17	7
839	LANGHOLM,	2979	3735	77	76	153	3	7	10	45	45	90	16

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
840	LOCHMABEN,	3087	3085	37	49	86	15	11	26	28	33	61	32
841	Middlebie,	2004	2000	31	30	61	5	9	14	12	12	24	10
842	Moffat,	2232	2543	42	25	67	8	1	9	22	28	50	13
843	Morton,	2253	2099	23	31	54	2	5	7	29	21	50	12
844	Mouswald,	633	647	11	7	18	2	1	3	4	5	9	2
845	Penpont,	1326	1323	18	12	30	2	1	3	9	13	22	8
846	Ruthwell,	1046	974	12	9	21	1	1	2	8	2	10	8
847	St Mungo,	686	658	5	3	8	3	2	5	7	4	11	5
+848	SANQUHAR,	2758	2201	31	44	75	5	4	9	17	16	33	26
849	Tinwald,	1079	993	13	19	32	4	6	10	10	8	18	8
850	Torthorwald,	1254	1098	18	17	35	5	6	11	11	14	25	6
851	Tundergarth,	507	510	3	9	12	—	—	—	4	2	6	2
852	Tynron,	446	381	8	4	12	—	—	—	2	3	5	1
853a	Wamphray,	559	505	11	7	18	1	2	3	3	2	5	1
*853b	Wanlockhead,	811	837	11	19	30	1	2	3	7	10	17	6
854	Westerkirk,	537	540	3	4	7	1	1	2	3	1	4	2
Total,		75904	74842	1148	1151	2299	181	182	363	709	746	1455	484
32. KIRKCUDBRIGHT.													
855	Anwoth,	899	827	8	13	21	2	—	2	13	6	19	11
+856	Balmaclellan,	890	861	14	7	21	1	—	1	4	6	10	6
857a	Balmaghie,	1225	1085	10	12	22	1	3	4	8	13	21	5
*857b	Bargrennan,	471	428	5	8	13	1	—	1	3	1	4	2
858	Borgue,	1162	1087	21	16	37	1	3	4	6	8	14	10
859	Buittle,	1165	1026	20	17	37	—	1	1	7	4	11	10
860	Carsphairn,	553	545	8	7	15	2	1	3	3	3	6	1
861	Colvend,	1366	1318	17	22	39	2	4	6	7	5	12	8
862	Corsock-Bridge,	544	563	5	9	14	1	2	3	1	8	9	3
863	CROSSMICHAEL,	1536	1492	15	20	35	2	5	7	10	15	25	8
864	DALBEATTIE,	2054	3163	68	82	150	11	12	23	44	38	82	19
865	Dalry,	1149	1074	5	13	18	—	4	4	7	6	13	6
866	Girthon,	1702	1586	19	23	42	5	3	8	17	22	39	7
867	Irongray,	913	815	8	11	19	1	1	2	2	4	6	2
868	KELLS,	1170	1007	17	15	32	3	—	3	8	10	18	7
869	KELTON,	3436	3222	60	45	105	8	7	15	25	25	50	21
870	Kirkbean,	942	825	12	5	17	—	1	1	7	9	16	6
871	KIRKCUDBRIGHT,	3407	3346	42	45	87	7	3	10	31	25	56	14
+872	Kirkgunzeon,	793	661	10	10	20	—	2	2	7	2	9	3
873	Kirkmabreck,	1851	1568	30	27	57	6	3	9	10	10	20	14
+874	Kirkpatrick-Durham,	1323	1218	25	25	50	9	5	14	19	8	27	5
+875	Lochrutton,	677	656	15	10	25	2	3	5	5	—	5	4
876	MINNIGAFF,	1518	1329	21	16	37	5	1	6	12	8	20	4
+877	New Abbey,	1063	931	9	15	24	1	1	2	11	6	17	3
878	Parton,	572	526	6	6	12	1	1	2	3	5	8	3
879	Rerrick,	1738	1911	30	23	53	5	4	9	16	18	34	13
880	TERREGLES,	580	547	4	4	8	—	—	—	2	5	7	4
881	Tongland,	892	908	13	14	27	2	3	5	7	6	13	1
882	TROQUEER,	4743	5402	82	78	160	9	10	19	58	66	124	37
883	Twynholm,	815	717	9	5	14	—	1	1	4	5	9	3
+884	Urr,	1531	1443	21	11	32	3	2	5	7	15	22	5
Total,		42680	42087	629	614	1243	91	86	177	364	362	726	245
33. WIGTOWN.													
885	Glasserton,	1472	1196	21	25	46	3	4	7	7	9	16	9
+886	Inch,	2460	2189	28	34	62	3	6	9	17	14	31	13
887	Kirkcolm,	1860	1948	29	34	63	5	8	13	14	15	29	10

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
888	Kirkcowan, . . .	1434	1352	19	21	40	8	4	12	7	20	27	7
889	Kirkinner, . . .	1716	1548	28	21	49	2	4	6	11	11	22	9
890	Kirkmaiden, . . .	2333	2507	51	40	91	8	2	10	11	31	42	13
+891	Leswalt, . . .	1417	1249	23	20	43	2	2	4	3	11	14	6
892	Mochrum, . . .	2694	2450	48	40	88	8	9	17	28	16	44	16
893	New Luce, . . .	731	661	13	19	32	2	3	5	11	8	19	11
894	Old Luce (or Glenluce), .	2800	2449	48	34	82	5	4	9	17	17	34	13
+895	PENNINGHAME, . . .	3876	3712	59	58	117	4	10	14	33	55	88	20
896	Portpatrick, . . .	2189	1492	12	11	23	2	1	3	12	13	25	11
897	Sorbie, . . .	1814	1667	27	27	54	4	4	8	18	12	30	4
898	Stoneykirk, . . .	3228	2993	49	50	99	13	7	20	24	20	44	15
*899	STRANRAER, . . .	6315	5977	88	97	185	11	6	17	71	72	143	42
900	WHITHORN, . . .	2934	2906	46	49	95	13	9	22	20	30	50	19
901	WIGTOWN, . . .	2637	2306	33	27	60	4	2	6	23	30	53	7
Total,		41910	38602	622	607	1229	97	85	182	327	384	711	225

MARRIAGES registered in SCOTLAND in 1877, according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
			Established Church.	Free Church.	United Presby- terian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND		25817	11773	5833	3313	651	2368	1477	47	355	21945	795	2285	778	14	1952	3977
GROUPS OF DISTRICTS.																	
PRINCIPAL TOWNS		10706	4007	2304	1436	398	1365	858	4	334	8902	421	968	413	2	909	1933
LARGE TOWNS		2938	1265	625	394	88	356	202	-	8	2469	104	261	104	-	260	522
SMALL TOWNS		5434	2621	1052	882	103	465	280	20	11	4623	160	489	159	3	412	855
MAINLAND-RURAL		6207	3631	1643	567	62	153	126	23	2	5491	102	512	93	9	260	468
INSULAR-RURAL		532	249	209	34	-	29	11	-	-	460	8	55	9	-	111	202
DIVISIONS.																	
I. NORTHERN		591	205	306	50	2	-	27	-	1	512	11	59	9	-	23	88
II. NORTH-WESTERN		809	231	509	9	5	46	9	-	-	692	10	92	13	2	178	311
III. NORTH-EASTERN		2702	1530	657	184	102	41	160	16	12	2346	62	252	42	-	47	155
IV. EAST MIDLAND		3906	1924	783	605	127	191	189	16	71	3345	83	370	108	-	135	399
V. WEST MIDLAND		1572	820	348	198	13	139	50	-	4	1343	48	136	43	2	130	283
VI. SOUTH-WESTERN		10817	4531	1972	1452	234	1678	807	5	138	9042	446	900	423	6	1246	2411
VII. SOUTH-EASTERN		4167	1808	1013	633	158	232	188	9	126	3558	119	367	119	4	162	322
VIII. SOUTHERN		1253	724	245	182	10	41	47	1	3	1107	16	109	21	-	31	66
COUNTIES.																	
1	Shetland	142	99	28	8	1	-	6	-	-	121	2	19	-	-	8	38
2	Orkney	144	50	42	40	1	-	10	-	1	127	1	12	4	-	-	-
3	Caithness	195	42	140	2	-	-	11	-	-	168	4	18	5	-	4	22
4	Sutherland	110	14	96	-	-	-	-	-	-	96	4	10	-	-	11	22
5	Ross and Cromarty	362	66	283	5	2	-	6	-	-	301	3	54	2	2	99	166
6	Inverness	447	165	226	4	3	46	3	-	-	391	7	38	11	-	79	156
7	Nairn	49	20	14	9	-	2	4	-	-	36	3	9	1	-	5	11
8	Elgin	272	123	106	24	3	1	12	2	1	228	6	34	4	-	9	2
9	Banff	372	220	68	29	7	20	16	12	-	345	2	22	3	-	9	3
10	Aberdeen	1784	1001	434	115	79	17	125	2	11	1549	46	159	30	-	20	8
11	Kincardine	225	166	35	7	13	1	3	-	-	188	5	28	4	-	4	-
12	Forfar	1881	776	378	291	104	147	121	-	64	1584	43	190	64	-	107	29
13	Perth	851	467	212	87	15	32	22	9	7	731	18	84	18	-	16	3
14	Fife	1009	606	156	193	5	9	39	1	-	883	18	85	23	-	11	5
15	Kinross	35	17	11	7	-	-	-	-	-	32	1	2	-	-	-	-
16	Clackmannan	130	58	26	27	3	3	7	6	-	115	3	9	3	-	1	-
17	Stirling	722	366	149	119	1	47	37	-	3	621	24	60	16	1	51	9
18	Dumbarton	425	226	67	47	5	71	9	-	-	356	9	47	13	-	53	8
19	Argyll	303	167	96	20	6	10	4	-	-	261	10	22	9	1	18	3
20	Bute	122	61	36	12	1	11	-	-	1	105	5	7	5	-	8	2
21	Renfrew	1668	618	364	191	69	309	112	-	5	1403	51	150	62	2	193	37
22	Ayr	1375	773	247	174	15	102	64	-	-	1168	53	109	45	-	127	22
23	Lanark	7774	3140	1361	1087	150	1267	631	5	133	6471	342	641	316	4	926	181
24	Linlithgow	273	148	46	32	4	27	14	-	2	228	9	25	10	1	28	4
25	Edinburgh	3230	1295	868	463	151	175	148	9	121	2729	104	292	102	3	105	23
26	Haddington	231	137	41	30	3	16	3	-	1	212	6	11	2	-	18	2
27	Berwick	179	90	32	47	-	1	8	-	1	158	-	18	3	-	3	1
28	Peebles	85	56	7	20	-	-	1	-	1	76	-	8	1	-	-	-
29	Selkirk	169	82	19	41	-	13	14	-	-	155	-	13	1	-	8	1
30	Roxburgh	299	157	51	65	4	9	12	-	1	273	4	20	2	-	3	1
31	Dumfries	484	266	96	79	1	17	22	1	2	421	2	52	9	-	7	2
32	Kirkcudbright	245	162	47	19	3	7	7	-	-	218	7	17	3	-	4	1
33	Wigtown	225	139	51	19	2	8	6	-	-	195	3	20	7	-	17	2

CONDITION and AGE of PERSONS married in SCOTLAND in 1877.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1877.

CONDITION.	TOTAL MARRIAGES.	AGES AT MARRIAGE.																	Age not stated.			
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70		75	80	85
BACHELORS with SPINSTERS.	21945	-	-	-	18	137	639	1247	8855	7022	2414	966	366	150	62	41	13	6	1	-	-	8
	21945	2	3	59	361	1046	1855	2314	9115	5181	1323	482	137	43	11	3	2	-	1	-	-	7
BACHELORS with WIDOWS.	795	-	-	-	-	-	6	13	145	214	188	128	57	21	15	6	1	1	-	-	-	-
	795	-	-	-	-	-	4	1	75	196	234	170	75	29	5	5	-	-	-	-	-	1
WIDOWERS with SPINSTERS.	2285	-	-	-	-	-	-	-	54	304	461	455	361	243	204	96	64	30	8	3	1	1
	2285	-	-	1	4	27	29	56	378	520	482	359	244	126	39	13	6	-	-	-	-	1
WIDOWERS with WIDOWS.	778	-	-	-	-	-	-	-	-	40	93	132	133	126	106	66	45	21	11	3	2	-
	778	-	-	-	-	-	-	-	9	73	147	167	160	114	61	36	4	6	-	-	-	1
{ MEN. WOMEN.	14	-	-	-	-	-	-	-	4	6	1	-	2	1	-	-	-	-	-	-	-	-
	14	-	-	-	-	2	1	2	5	-	2	-	2	-	-	-	-	-	-	-	-	-
TOTAL MEN.....	25817	-	-	-	18	137	645	1260	9058	7586	3157	1681	919	541	387	209	123	58	20	6	3	9
TOTAL WOMEN...	25817	2	3	60	365	1075	1889	2373	9582	5970	2188	1178	618	312	116	57	12	6	1	-	-	10

Abstract of Marriages, 1877.

AGES of MALES married in Scotland in 1877.

[illegible]

AGES of FEMALES married in Scotland in 1877.

AGES OF FEMALES MARRIED IN SCOTLAND IN 1877.																							
	TOTAL FEMALES	Under 15														Age not stated.							
		15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
Scotland.	25817	2	3	60	365	1075	1889	2373	9582	5970	2188	1178	618	312	116	57	12	6	1	-	-	10	
GROUPS OF DISTRICTS.																							
PRINCIPAL TOWNS	10706	2	2	23	164	485	809	985	4010	2317	926	492	251	137	60	34	5	1	1	-	-	2	
LARGE TOWNS	2938	-	-	6	44	126	251	267	1107	660	238	110	73	36	12	4	2	1	-	-	-	1	
SMALL TOWNS	5434	-	1	17	84	243	411	539	2074	1191	386	234	146	71	22	7	3	3	-	-	-	2	
MAINLAND-RURAL	6207	-	-	13	66	214	403	557	2207	1639	569	309	136	57	21	10	1	1	-	-	-	4	
INSULAR-RURAL	532	-	-	1	7	7	15	25	184	163	69	33	12	11	1	2	1	-	-	-	-	1	
DIVISIONS.																							
1. NORTHERN	591	-	-	1	5	22	25	30	197	180	61	33	19	9	5	3	-	1	-	-	-	-	
2. NORTH-WESTERN	809	-	-	-	6	15	25	51	281	254	93	45	22	9	3	1	1	-	-	-	-	3	
3. NORTH-EASTERN	2702	-	-	6	42	96	181	237	955	673	241	144	67	37	14	6	1	-	1	-	-	1	
4. EAST MIDLAND	3906	-	2	5	24	84	263	331	1465	970	373	197	102	57	19	9	4	-	-	-	-	1	
5. WEST MIDLAND	1572	-	-	3	21	67	118	147	557	377	134	77	41	19	8	1	-	-	-	-	-	2	
6. SOUTH-WESTERN	10817	1	-	38	205	612	960	1100	4091	2136	814	437	231	113	44	28	3	4	-	-	-	-	
7. SOUTH-EASTERN	4167	1	1	6	50	146	242	369	1580	1040	351	184	110	54	19	8	3	1	-	-	-	2	
8. SOUTHERN	1253	-	-	1	12	33	75	108	456	340	121	61	26	14	4	1	-	-	-	-	-	1	
COUNTIES.																							
Shetland	142	-	-	1	1	-	5	2	41	58	18	8	4	3	-	1	-	-	-	-	-	-	
Orkney	144	-	-	-	1	2	10	10	54	35	17	7	2	3	1	1	-	1	-	-	-	-	
Caithness	195	-	-	-	2	12	8	11	68	54	15	9	10	2	3	1	-	-	-	-	-	-	
Sutherland	110	-	-	-	1	8	2	7	34	33	11	9	3	1	1	-	-	-	-	-	-	-	
Ross and Cromarty	362	-	-	-	3	7	7	16	135	117	41	17	11	4	2	-	-	-	-	-	-	2	
Inverness	447	-	-	-	3	8	18	35	146	137	52	28	11	5	1	1	1	-	-	-	-	1	

DEATHS at Different Ages in SCOTLAND during the YEAR 1877.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER .											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	3062294	3360018	73937	7193	2548	4830	5809	2634	1587	1203	3042	1901	2503	2749	2463
Principal Towns	884955	1068556	28227	2869	1100	2252	2860	1217	711	508	1169	647	906	1026	967
Large Towns .	274381	334257	9057	941	367	681	831	398	226	164	427	232	283	303	305
Small Towns .	704380	776087	16060	1569	542	1005	1175	576	354	261	689	456	567	624	527
Mainland-Rural	1061793	1049114	18475	1637	511	836	877	425	283	250	717	516	676	708	591
Insular-Rural .	136785	132004	2118	177	28	56	66	18	13	20	40	50	71	88	73
Shetland .	31670	31608	466	29	6	9	11	3	—	5	9	14	16	22	18
Orkney .	32395	31274	520	22	7	14	8	3	4	2	14	8	25	26	13
Caithness .	42200	41011	671	54	16	33	32	18	14	7	35	16	14	20	20
Sutherland .	24157	23298	396	18	7	18	12	3	3	3	8	10	13	16	14
Ross & Cromarty	82427	82093	1335	86	21	52	54	26	19	16	32	26	35	40	43
Inverness .	84815	84258	1418	131	25	36	49	20	17	15	45	36	30	56	50
Nairn .	8347	8372	149	12	5	5	11	2	1	2	3	3	5	7	2
Elgin .	44305	44549	785	62	26	28	39	25	17	17	40	20	18	27	34
Banff .	56020	58883	896	87	40	46	27	22	11	10	33	25	27	41	34
Aberdeen .	223417	246298	4368	419	145	217	200	98	75	68	179	143	150	151	167
Kincardine .	34781	35097	537	30	16	31	15	18	14	8	21	11	24	20	17
Forfar .	206750	240049	5232	594	232	315	358	158	109	81	212	113	142	169	165
Perth .	133198	128550	2438	206	61	96	102	46	27	27	80	62	71	78	82
Fife .	155021	160924	2892	286	85	178	150	67	32	23	96	53	103	102	79
Kinross .	8731	7918	159	18	3	6	2	2	3	4	5	3	7	1	8
Clackmannan .	20122	22235	443	50	11	33	34	10	8	6	14	16	24	15	14
Stirling .	88138	93345	2133	168	86	152	174	98	59	48	103	76	49	85	65
Dumbarton .	54179	61116	1310	122	41	87	106	53	28	22	48	33	73	38	38
Argyll .	83859	79661	1387	80	24	46	62	36	15	23	50	29	50	57	54
Bute .	16311	16966	355	26	7	20	11	6	7	3	9	9	10	21	13
Renfrew .	168746	195305	4772	421	167	372	427	185	118	80	188	146	169	208	166
Ayr .	199083	200908	4419	433	157	265	329	178	110	77	240	145	179	171	155
Lanark .	640444	787005	22684	2387	895	1917	2703	1167	624	477	1073	609	826	878	787
Linlithgow .	39045	41379	766	90	31	63	73	28	20	12	26	15	25	26	12
Edinburgh .	273792	328138	7720	819	289	543	561	245	169	105	270	148	219	253	229
Haddington .	37626	37755	621	50	12	28	27	17	5	6	22	17	25	15	17
Berwick .	36488	36382	618	52	12	29	23	10	9	9	25	15	27	18	16
Peebles .	11264	12218	186	28	6	13	3	2	2	—	8	6	12	9	6
Selkirk .	14901	19651	433	41	15	26	35	14	16	10	24	12	17	17	17
Roxburgh .	49568	48241	936	113	22	46	47	22	8	13	25	22	30	36	31
Dumfries .	75904	74842	1455	123	45	62	70	28	24	17	46	27	45	61	52
Kirkcudbright	42680	42087	726	75	16	23	28	15	10	4	29	11	29	33	24
Wigtown .	41910	38602	711	61	17	21	26	9	9	3	30	22	14	32	21

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1877.—BOTH SEXES.

Glasgow .	395503	477732	13823	1369	532	1205	1713	715	387	293	628	317	476	526	487
Edinburgh .	170444	201052	4644	480	175	338	365	160	115	65	167	86	136	154	145
Dundee .	91664	120724	3026	394	152	224	273	101	65	43	99	58	85	96	87
Aberdeen .	73900	88181	2060	185	73	110	113	60	44	37	89	66	70	75	94
Greenock .	43894	59794	1563	148	69	143	149	70	34	29	63	45	42	59	59
Paisley .	47427	48257	1325	102	82	89	121	49	30	15	53	36	54	60	45
Leith .	36029	46434	1169	137	53	104	89	43	25	15	46	18	28	39	36
Perth .	26094	26382	617	54	14	39	37	19	11	11	24	21	15	17	14

DEATHS at Different Ages in SCOTLAND during the YEAR 1877.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND, . . .	2267	2496	2433	2458	2800	3023	3500	3755	3911	3914	2670	1493	497	163	33	62
Principal Towns . . .	1005	1105	1096	1141	1178	1218	1276	1216	1034	899	486	243	67	29	1	1
Large Towns . . .	279	311	326	281	356	352	423	420	424	364	218	102	26	11	1	5
Small Towns . . .	453	489	475	470	570	672	758	889	913	907	627	327	116	34	3	12
Mainland-Rural . . .	473	530	481	518	631	697	937	1094	1374	1526	1119	693	246	67	20	42
Insular-Rural . . .	57	61	55	48	65	84	106	136	166	218	220	128	42	22	8	2
Shetland	10	12	14	14	17	18	13	26	35	61	52	29	13	8	2	—
Orkney	13	16	12	11	15	20	25	30	38	78	62	36	14	2	1	1
Caithness	19	17	16	12	16	21	31	31	53	54	57	36	21	6	2	—
Sutherland	5	14	13	8	7	14	22	21	30	54	37	27	11	7	—	1
Ross and Cromarty . . .	34	44	38	42	54	40	71	87	112	117	119	75	35	10	6	1
Inverness	46	50	38	39	46	48	84	90	130	118	129	60	19	8	2	1
Nairn	1	3	3	4	3	6	6	10	9	18	17	8	3	—	—	—
Elgin	21	17	20	19	25	33	36	55	46	62	51	31	12	—	2	2
Banff	25	26	21	23	22	28	32	49	62	84	61	38	12	8	2	—
Aberdeen	134	138	130	125	122	161	200	254	308	340	223	147	37	17	6	14
Kincardine	19	10	17	18	17	18	21	25	31	43	41	25	13	2	—	12
Forfar	159	187	183	199	234	232	284	276	276	276	153	90	22	10	—	3
Perth	73	65	82	71	101	122	145	176	198	204	146	73	35	8	1	—
Fife	71	79	73	74	90	136	148	211	235	256	159	72	20	13	—	1
Kinross	—	4	5	7	2	5	11	7	17	23	10	4	2	—	—	—
Clackmannan	18	5	16	18	21	20	28	20	21	20	13	6	1	—	—	1
Stirling	55	67	77	84	67	79	112	116	98	105	67	33	6	3	—	1
Dumbarton	28	41	59	45	58	52	61	73	67	80	39	16	2	—	—	—
Argyll	47	31	31	38	58	47	76	74	125	119	99	63	37	10	6	—
Bute	5	6	15	13	9	18	19	26	35	34	16	12	5	—	—	—
Renfrew	145	194	186	166	223	212	206	225	213	177	102	59	14	3	—	—
Ayr	118	138	144	130	157	169	200	212	241	206	147	83	31	3	—	1
Lanark	771	805	783	818	846	886	929	815	642	549	297	146	38	14	1	1
Linlithgow	19	20	21	23	31	30	43	38	40	37	25	13	3	1	—	1
Edinburgh	274	334	296	299	353	348	390	431	416	346	235	113	27	8	—	—
Haddington	9	14	20	20	22	33	42	44	45	65	38	19	5	2	—	2
Berwick	18	19	10	16	16	22	33	42	58	53	42	23	7	2	—	12
Peebles	4	4	3	6	6	11	5	15	6	8	13	5	3	2	—	—
Selkirk	17	16	10	10	8	22	13	29	21	18	17	6	2	—	—	—
Roxburgh	29	34	27	26	28	37	47	60	73	73	46	29	10	2	—	—
Dumfries	39	47	34	41	66	83	86	86	117	107	75	42	19	6	2	5
Kirkcudbright	22	21	17	19	37	30	38	44	52	57	37	39	9	6	—	1
Wigtown	19	18	19	20	23	22	43	57	61	72	45	35	9	2	—	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1877.—BOTH SEXES.

Glasgow	500	524	520	571	541	567	560	494	359	297	143	69	20	8	1	1
Edinburgh	178	206	165	197	205	210	229	238	228	180	126	72	17	7	—	—
Dundee	100	113	122	137	152	145	166	136	113	101	40	14	6	4	—	—
Aberdeen	72	69	75	67	62	90	110	110	114	135	75	46	13	6	—	—
Greenock	57	75	69	57	67	65	62	60	55	43	23	14	4	2	—	—
Paisley	36	51	54	53	69	67	59	80	75	54	25	14	2	—	—	—
Leith	38	47	59	41	59	43	53	53	50	53	28	9	2	1	—	—
Perth	24	20	32	18	23	31	37	45	40	36	26	5	3	1	—	—

DEATHS at Different Ages in SCOTLAND during the YEAR 1877.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1449848	1603143	37173	4078	1436	2614	3083	1362	826	586	1510	1015	1249	1429	1188
Principal Towns	407839	502021	14190	1602	638	1225	1521	619	362	247	593	337	405	522	447
Large Towns .	129933	160176	4521	544	202	340	427	208	123	82	207	128	137	153	133
Small Towns .	335356	371118	8052	899	296	554	841	297	183	127	341	239	274	300	262
Mainland-Rural	513554	508787	9383	932	284	461	464	228	150	125	350	281	387	402	309
Insular-Rural .	63166	61041	1027	101	16	34	30	10	8	5	19	30	46	52	37
Shetland .	13053	13103	213	18	2	8	6	—	—	1	5	9	7	12	7
Orkney .	14924	14355	231	8	3	5	4	1	2	—	5	3	18	14	8
Caithness .	19846	19403	334	33	8	17	20	10	5	4	22	7	9	7	15
Sutherland .	11058	10942	187	14	4	7	3	2	1	2	1	4	8	13	8
Ross & Cromarty	38462	38558	646	54	11	25	29	11	9	7	22	18	21	24	21
Inverness .	39500	39360	714	76	17	20	26	15	11	7	23	22	19	34	25
Nairn .	3976	3925	83	9	4	3	5	—	1	1	2	1	3	3	1
Elgin .	20716	20738	408	34	19	16	26	6	10	7	24	9	8	17	17
Banff .	26401	27826	460	58	21	30	13	12	6	4	11	14	16	22	16
Aberdeen .	105355	116768	2169	244	98	124	107	52	39	37	81	64	70	89	73
Kincardine .	16906	17002	262	17	8	21	6	10	8	2	6	5	13	11	6
Forfar .	93280	107416	2438	319	133	156	176	74	53	40	107	57	70	67	69
Perth .	63169	60812	1206	107	34	48	57	28	18	10	37	33	40	41	39
Fife .	72714	75206	1408	157	38	100	87	40	14	16	44	21	56	51	42
Kinross .	4150	3748	75	14	—	6	2	2	2	1	1	2	2	1	2
Clackmannan .	9742	10819	231	30	7	17	19	6	4	4	6	14	8	8	3
Stirling .	43487	46193	1118	99	50	89	88	52	22	22	47	41	29	47	36
Dumbarton .	26455	29957	697	65	27	54	57	34	21	9	24	21	38	16	19
Argyll .	40914	38796	690	53	14	23	25	17	7	11	18	13	29	31	34
Bute .	7201	7616	162	18	5	8	6	3	4	—	5	5	2	10	6
Renfrew .	79380	93167	2425	247	88	205	224	83	63	46	95	85	75	91	75
Ayr .	97042	98244	2208	243	72	145	170	89	59	42	121	78	74	84	81
Lanark .	308263	388392	11807	1356	513	1036	1424	622	332	241	537	334	415	464	383
Linlithgow .	20069	21049	363	50	12	29	38	14	10	3	9	7	14	12	8
Edinburgh .	126276	153784	3857	438	173	287	322	124	82	43	148	84	105	144	100
Haddington .	17866	18069	318	30	6	16	15	9	4	2	11	9	13	10	7
Berwick .	17354	17361	309	26	6	18	20	6	4	3	12	7	15	10	6
Peebles .	5588	5902	87	11	2	6	1	—	—	—	5	2	4	4	4
Selkirk .	7275	9476	227	30	4	17	20	6	11	6	10	6	8	8	11
Roxburgh .	24555	22049	440	66	13	20	23	12	4	5	12	12	14	17	12
Dumfries .	35687	34831	709	77	21	36	33	11	9	10	25	14	20	36	27
Kirkcudbright	19885	19607	364	41	11	13	17	7	6	—	16	5	17	16	14
Wigtown .	19299	17769	327	36	12	9	14	4	5	—	18	9	9	15	13

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1877.—MALES.

Glasgow .	185556	230995	7063	769	302	665	905	378	199	148	317	158	208	267	237
Edinburgh .	76013	91090	2340	268	104	185	210	80	54	27	90	51	60	91	62
Dundee .	40395	52605	1404	214	87	108	132	50	32	18	49	31	37	31	37
Aberdeen .	32554	39786	994	107	48	62	67	32	22	22	40	30	30	48	37
Greenock .	21567	30298	828	91	40	85	79	27	20	15	30	21	21	30	34
Paisley .	21913	22269	667	58	17	48	61	23	16	9	29	24	19	29	18
Leith .	17894	22976	584	65	33	53	48	19	12	5	28	9	18	18	15
Perth .	14971	12002	305	30	7	19	19	10	7	3	10	13	12	8	7

DEATHS at Different Ages in SCOTLAND during the YEAR 1877.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1107	1243	1201	1269	1430	1523	1778	1817	1772	1693	1101	575	178	44	8	58
Principal Towns	514	567	565	584	591	599	625	542	451	361	167	78	20	8	—	—
Large Towns	129	151	153	150	180	178	212	217	172	155	86	41	9	—	—	4
Small Towns	209	231	237	247	289	344	408	424	421	390	264	118	38	6	2	11
Mainland-Rural	228	260	224	270	332	360	489	566	657	689	490	283	94	22	5	41
Insular-Rural	27	34	22	18	38	42	44	68	71	98	94	55	17	8	1	2
Shetland	4	8	3	5	9	6	7	9	14	36	22	9	2	3	1	—
Orkney	6	9	4	3	9	11	6	15	13	34	29	15	4	—	1	1
Caithness	10	7	7	5	12	10	16	12	20	29	20	16	11	2	—	—
Sutherland	4	6	6	3	5	8	9	10	14	30	12	8	4	—	—	1
Ross and Cromarty	18	26	16	23	25	23	32	44	48	45	51	27	12	3	—	1
Inverness	20	27	18	20	23	27	43	41	61	44	55	25	11	2	1	1
Nairn	1	1	2	2	2	4	3	8	5	9	10	2	1	—	—	—
Elgin	12	12	8	8	14	22	19	29	23	30	20	10	6	—	—	2
Banff	15	13	8	11	9	14	15	32	37	36	24	17	5	1	—	—
Aberdeen	54	60	60	73	59	87	96	121	152	148	93	62	4	6	2	14
Kincardine	7	3	9	11	8	7	11	13	15	19	23	8	3	1	—	11
Forfar	65	75	77	98	106	110	138	119	111	110	62	31	8	4	—	3
Perth	36	32	39	34	47	58	70	77	101	103	67	34	14	2	—	—
Fife	31	30	31	38	44	57	70	104	105	117	73	28	9	4	—	1
Kinross	—	1	3	4	—	2	5	3	7	8	2	4	1	—	—	—
Clackmannan	8	1	8	9	13	11	18	9	12	6	7	1	1	—	—	1
Stirling	29	35	32	44	41	42	73	64	50	46	28	8	3	—	—	1
Dumbarton	13	18	32	28	29	27	34	37	34	33	20	6	1	—	—	—
Argyll	28	13	16	16	36	24	39	37	52	57	41	33	17	4	2	—
Bute	2	3	10	5	6	7	11	10	15	14	3	4	—	—	—	—
Renfrew	65	98	93	93	119	122	106	108	97	66	49	26	5	1	—	—
Ayr	54	66	74	61	82	86	111	96	114	95	68	34	8	1	—	—
Lanark	391	417	415	431	465	436	485	424	278	247	93	53	14	1	—	—
Linlithgow	8	11	10	10	10	14	20	15	22	19	12	4	1	—	—	1
Edinburgh	160	196	157	152	155	171	183	189	181	137	74	39	11	2	—	—
Haddington	5	6	11	12	10	14	21	26	21	28	21	7	1	1	—	2
Berwick	5	10	3	6	7	13	16	16	32	22	23	8	3	—	—	12
Peebles	1	1	2	3	2	8	4	7	3	5	8	2	1	1	—	—
Selkirk	7	5	7	2	4	14	8	15	8	8	8	4	—	—	—	—
Roxburgh	18	13	10	18	12	19	18	28	33	25	23	8	5	—	—	—
Dumfries &	16	23	15	22	39	38	51	43	51	42	27	14	4	—	1	4
Kirkcudbright	7	12	8	9	18	17	19	24	28	20	16	13	5	4	—	1
Wigtown	7	5	7	10	10	14	21	32	15	25	17	15	3	1	—	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1877.—MALES.

Glasgow	261	269	274	289	286	264	284	242	151	126	37	25	7	—	—	—
Edinburgh	108	130	86	103	92	97	106	97	97	68	43	23	6	2	—	—
Dundee	38	45	53	64	67	68	82	54	45	42	10	5	2	3	—	—
Aberdeen	33	28	39	39	29	44	50	45	49	53	25	12	1	2	—	—
Greenock	27	41	37	31	40	39	28	27	28	17	14	3	2	1	—	—
Paisley	14	22	25	30	37	44	33	39	34	19	14	4	1	—	—	—
Leith	19	23	32	22	30	24	28	25	24	21	9	3	1	—	—	—
Perth	14	9	19	6	10	19	14	13	23	15	15	3	—	—	—	—

DEATHS at Different Ages in SCOTLAND during the YEAR 1877.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30
SCOTLAND .	1612446	1756875	36764	3115	1112	2216	2726	1272	761	617	1532	886	1254	1320	1275
Principal Towns	477116	566535	14037	1267	462	1027	1339	598	349	261	576	310	501	504	520
Large Towns .	144448	174081	4536	397	165	341	404	190	103	82	220	104	146	150	172
Small Towns .	369024	404969	8008	670	246	451	534	279	171	134	348	217	293	324	265
Mainland-Rural	548239	540327	9092	705	227	375	413	197	133	125	367	235	289	306	282
Insular-Rural .	73619	70963	1091	76	12	22	36	8	5	15	21	20	25	36	36
Shetland .	18617	18505	253	11	4	1	5	3	—	4	4	5	9	10	11
Orkney .	17471	16919	289	14	4	9	4	2	2	2	9	5	7	12	5
Caithness .	22354	21608	337	21	8	16	12	8	9	3	13	9	5	13	5
Sutherland .	13099	12356	209	4	3	11	9	1	2	1	7	6	5	3	6
Ross & Cromarty	43965	43535	689	32	10	27	25	15	10	9	10	8	14	16	22
Inverness .	45315	44898	704	55	8	16	23	5	6	8	22	14	11	22	25
Nairn .	4371	4447	66	3	1	2	6	2	—	1	1	2	2	4	1
Elgin .	23589	23811	377	28	7	12	13	19	7	10	16	11	10	10	17
Banff .	29619	31057	436	29	19	16	14	10	5	6	22	11	11	19	18
Aberdeen .	118062	129530	2199	175	47	93	93	46	36	31	98	79	80	62	94
Kincardine .	17875	18095	275	13	8	10	9	8	6	6	15	6	11	9	11
Forfar .	113470	132633	2794	275	99	159	182	84	56	41	105	56	72	102	96
Perth .	70029	67738	1232	99	27	48	45	18	9	17	43	29	31	37	43
Fife .	82307	85718	1484	129	47	78	63	27	18	7	52	32	47	51	37
Kinross .	4581	4170	84	4	3	—	—	—	1	3	4	1	5	—	6
Clackmannan .	10380	11416	212	20	4	16	15	4	4	2	8	2	16	7	11
Stirling .	44651	47152	1015	69	36	63	86	46	37	26	56	35	20	38	29
Dumbarton .	27724	31159	613	57	14	33	49	19	7	13	24	12	35	22	19
Argyll .	42945	40865	697	27	10	23	37	19	8	12	32	16	21	26	20
Bute .	9110	9350	193	8	2	12	5	3	3	3	4	4	8	11	7
Renfrew .	89366	102138	2347	174	79	167	203	102	55	34	93	61	94	117	91
Ayr .	102041	102664	2211	190	85	120	159	89	51	35	119	67	105	87	74
Lanark .	332181	398613	10877	1031	382	881	1279	545	292	236	536	275	411	414	404
Linlithgow .	18976	20330	403	40	19	34	35	14	10	9	17	8	11	14	4
Edinburgh .	147516	174354	3863	381	116	256	239	121	87	62	122	64	114	109	129
Haddington .	19760	19686	303	20	6	12	12	8	1	4	11	8	12	5	10
Berwick .	19134	19021	309	26	6	11	3	4	5	6	13	8	12	8	10
Peebles .	5676	6316	99	17	4	7	2	2	2	—	3	4	8	5	2
Selkirk .	7626	10175	206	11	11	9	15	8	5	4	14	6	9	9	6
Roxburgh .	25013	25292	496	47	9	26	24	10	4	8	13	10	16	19	19
Dumfries .	40217	40011	746	46	24	26	37	17	15	7	21	13	25	25	25
Kirkcudbright	22795	22480	362	34	5	10	11	8	4	4	13	6	12	17	10
Wigtown .	22611	20833	384	25	5	12	12	5	4	3	12	13	5	17	8

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1877.—FEMALES.

Glasgow .	209947	246737	6755	600	230	540	808	337	188	145	311	159	268	259	250
Edinburgh .	94431	109962	2304	212	71	153	155	80	61	38	77	35	76	63	83
Dundee .	51269	68119	1622	180	65	116	141	51	33	25	50	27	48	65	50
Aberdeen .	41346	48395	1066	78	25	48	46	28	22	15	49	36	40	27	57
Greenock .	22327	29496	735	57	29	58	70	43	14	14	33	24	21	29	25
Paisley .	25514	25988	658	44	15	41	60	26	14	6	24	12	35	31	27
Leith .	18135	23458	585	72	20	51	41	24	13	10	18	9	10	21	21
Perth .	14147	14380	312	24	7	20	18	9	4	8	14	8	3	9	7

DEATHS at Different Ages in SCOTLAND during the YEAR 1877.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1160	1253	1232	1189	1370	1500	1722	1938	2139	2221	1569	918	319	119	25	4
Principal Towns . .	491	538	531	557	587	619	651	674	583	538	319	165	47	21	1	1
Large Towns . . .	150	160	173	131	176	174	211	203	252	209	132	61	17	11	1	1
Small Towns . . .	244	258	238	223	281	328	350	465	492	517	363	209	78	28	1	1
Mainland-Rural . .	245	270	257	248	299	337	448	528	717	837	629	410	152	45	15	1
Insular-Rural . . .	30	27	33	30	27	42	62	68	95	120	126	73	25	14	7	—
Shetland	6	4	11	9	8	12	6	17	21	25	30	20	11	5	1	—
Orkney	7	7	8	8	6	9	19	15	25	44	33	21	10	2	—	—
Caithness	9	10	9	7	4	11	15	19	33	25	37	20	10	4	2	—
Sutherland	1	8	7	5	2	6	13	11	16	24	25	19	7	7	—	—
Ross and Cromarty .	16	18	22	19	29	17	39	43	64	72	68	48	23	7	6	—
Inverness	26	23	20	19	23	21	41	49	69	74	74	35	8	6	1	—
Nairn	—	2	1	2	1	2	3	2	4	9	7	6	2	—	—	—
Elgin	9	5	12	11	11	11	17	26	23	32	31	21	6	—	2	—
Banff	10	13	13	12	13	14	17	17	25	48	37	21	7	7	2	—
Aberdeen	80	78	70	52	63	74	104	133	156	192	130	85	33	11	4	—
Kincardine	12	7	8	7	9	11	10	12	16	24	18	17	10	1	—	1
Forfar	94	112	106	101	128	122	146	157	165	166	91	59	14	6	—	—
Perth	37	33	43	37	54	64	75	99	97	101	79	39	21	6	1	—
Fife	40	49	42	36	46	79	78	107	130	139	86	44	11	9	—	—
Kinross	—	3	2	3	2	3	6	4	10	15	8	—	1	—	—	—
Clackmannan	10	4	8	9	8	9	10	11	9	14	6	5	—	—	—	—
Stirling	26	32	45	40	26	37	39	52	48	59	39	25	3	3	—	—
Dumbarton	15	23	27	17	29	25	27	36	33	47	19	10	1	—	—	—
Argyll	19	18	15	22	22	23	37	37	73	62	58	30	20	6	4	—
Bute	3	3	5	8	3	11	8	16	20	20	13	8	5	—	—	—
Renfrew	80	96	93	73	104	90	100	117	116	111	53	33	9	2	—	—
Air	64	72	70	69	75	83	89	116	127	111	79	49	23	2	—	1
Lanark	380	388	368	387	381	450	444	391	364	302	204	93	24	13	1	1
Linlithgow	11	9	11	13	21	16	23	23	18	18	13	9	2	1	—	—
Edinburgh	114	138	139	147	198	177	207	242	235	209	161	74	16	6	—	—
Haddington	4	8	9	8	12	19	21	18	24	37	17	12	4	1	—	—
Berwick	13	9	7	10	9	9	17	26	26	31	19	15	4	2	—	—
Peebles	3	3	1	3	4	3	1	8	3	3	5	3	2	1	—	—
Selkirk	10	11	3	8	4	8	5	14	13	10	9	2	2	—	—	—
Roxburgh	11	21	17	8	16	18	29	32	40	48	23	21	5	2	—	—
Dumfries	23	24	19	19	27	45	35	43	66	65	48	28	15	6	1	1
Kirkcudbright	15	9	9	10	19	13	19	20	24	37	21	26	4	2	—	—
Wigtown	12	13	12	10	13	8	22	25	46	47	28	20	6	1	—	—

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1877.—FEMALES.

Glasgow	239	255	246	282	255	303	276	252	208	171	106	44	13	8	1	1
Edinburgh	70	76	79	94	113	113	123	141	131	112	83	49	11	5	—	—
Dundee	62	68	69	73	85	77	84	82	68	59	30	9	4	1	—	—
Aberdeen	39	41	36	28	33	46	60	65	65	82	50	34	12	4	—	—
Greenock	30	34	32	26	27	26	34	33	27	26	9	11	2	1	—	—
Paisley	22	29	29	23	32	23	26	41	41	35	11	10	1	—	—	—
Leith	19	24	27	19	29	19	25	28	26	32	19	6	1	1	—	—
Perth	10	11	13	12	13	12	23	32	17	21	11	2	3	1	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1877.—BOTH SEXES.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	339	25	8	11	13	8	7	4	17	7	4	10	17
Arbroath	468	49	19	29	26	9	11	11	30	12	8	9	14
Forfar	228	24	12	11	5	4	5	1	9	5	6	10	8
Montrose	347	21	13	14	14	11	6	3	10	6	10	11	19
Dunfermline	343	34	7	29	19	13	5	7	13	3	13	9	10
Kirkcaldy	240	29	9	17	11	4	2	5	5	6	10	4	8
Stirling	319	28	10	22	28	17	7	6	17	7	6	17	4
Dumbarton	277	25	13	29	31	16	9	7	13	4	10	5	8
Ayr	497	44	22	28	23	16	9	7	22	15	19	13	17
Kilmarnock	560	63	25	44	36	21	15	11	19	15	18	22	23
Barony	497	64	22	44	61	24	12	9	28	16	17	21	15
Glasgow (Landward)	914	81	49	75	112	51	26	19	37	22	29	27	29
Govan	1945	234	95	173	241	121	64	50	109	51	50	61	66
Hamilton	452	50	14	33	47	16	11	3	20	17	13	14	13
Airdrie	328	37	12	34	34	20	11	7	24	9	11	11	11
Coatbridge	475	39	13	42	66	25	14	7	25	18	27	25	20
Hawick	316	45	8	16	21	6	3	4	6	9	13	11	13
Dumfries	512	49	16	30	43	16	9	3	23	10	19	23	10

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1877.—BOTH SEXES.

Shetland	76	2	1	3	2	1	—	2	1	4	4	6	—
Orkney	97	4	2	2	2	2	1	1	6	—	6	7	1
Caithness	328	33	7	27	20	12	9	3	14	8	5	9	12
Ross and Cromarty	184	11	4	13	10	3	—	1	8	3	4	5	9
Nairn	92	6	3	4	10	2	1	1	1	1	5	4	1
Elgin	354	22	13	18	23	14	9	9	20	12	7	15	18
Banff	402	47	10	29	15	14	5	7	19	14	13	23	17
Aberdeen	557	63	37	31	32	16	9	10	25	16	18	14	16
Kincardine	128	9	2	6	2	5	3	—	3	3	8	2	5
Forfar	595	58	19	17	23	20	15	14	40	14	11	20	15
Perth	453	36	22	11	18	7	4	5	9	11	19	19	23
Fife	1037	99	29	54	62	19	13	5	38	19	39	43	34
Clackmannan	360	44	8	28	22	9	6	4	12	11	22	13	13
Stirling	968	65	47	71	73	41	19	19	37	25	19	38	38
Dumbarton	768	73	22	43	59	27	15	14	23	17	45	26	19
Argyll	421	25	9	23	30	18	8	9	12	6	11	17	16
Bute	208	19	5	16	7	3	6	2	7	5	7	11	6
Renfrew	1390	133	53	108	119	55	45	30	46	50	44	69	48
Ayr	2319	222	68	129	200	102	61	38	146	83	97	93	82
Lanark	2438	303	100	194	247	117	63	46	120	89	94	92	73
Linlithgow	501	58	19	44	58	20	14	7	13	10	14	16	7
Edinburgh	729	82	25	48	49	22	16	15	26	16	23	21	15
Haddington	261	18	5	12	14	8	2	1	8	5	11	6	10
Berwick	119	15	2	14	5	5	1	1	3	1	3	—	3
Peebles	60	5	1	6	1	1	1	—	5	—	6	5	2
Selkirk	393	39	14	24	34	14	14	9	23	12	15	15	15
Roxburgh	223	23	1	11	10	9	3	3	6	6	6	8	6
Dumfries	180	15	6	8	11	5	1	4	5	5	4	6	7
Kirkcudbright	188	22	2	5	9	3	5	1	5	2	5	5	7
Wigtown	231	18	6	6	8	2	5	—	8	8	2	16	9

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1877.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	10	16	15	10	21	13	19	15	30	27	19	9	4	—	—	—
Arbroath . . .	13	13	15	12	22	22	31	32	29	27	14	8	2	1	—	—
Forfar . . .	17	7	11	5	8	8	10	9	15	22	11	4	1	—	—	—
Montrose . . .	5	14	14	8	19	17	20	23	31	28	22	5	1	2	—	—
Dunfermline . . .	9	11	7	11	16	16	17	23	32	17	14	7	1	—	—	—
Kirkcaldy . . .	7	8	10	7	8	14	7	18	11	22	15	3	—	—	—	—
Stirling . . .	4	13	15	13	13	10	21	16	19	14	4	8	—	—	—	—
Dumbarton . . .	6	5	13	12	9	8	14	10	15	9	4	1	1	—	—	—
Ayr . . .	21	16	24	22	22	22	21	37	34	17	14	9	2	1	—	—
Kilmarnock . . .	22	19	20	19	15	25	32	25	21	22	15	9	4	—	—	—
Barony . . .	16	17	16	16	20	10	18	18	7	16	4	6	—	—	—	—
Glasgow (Landward) . . .	28	34	37	28	31	34	45	33	39	27	14	6	1	—	—	—
Govan . . .	66	57	70	54	64	56	72	62	59	36	23	8	2	1	—	—
Hamilton . . .	13	20	11	17	23	21	25	21	16	12	15	5	1	1	—	—
Airdrie . . .	9	7	8	10	9	8	18	10	12	10	4	1	—	1	—	—
Coatbridge . . .	9	20	10	7	18	21	16	22	9	18	3	1	—	—	—	—
Hawick . . .	12	16	10	12	10	16	15	18	16	19	10	4	2	1	—	—
Dumfries . . .	12	18	20	18	28	31	22	28	29	21	13	8	4	3	1	5

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1877.—BOTH SEXES.

Shetland . . .	3	4	1	4	3	1	1	6	6	6	5	3	4	2	1	—
Orkney . . .	3	3	1	5	3	—	3	3	7	14	14	3	4	—	—	—
Caithness . . .	7	8	8	5	6	11	15	15	28	22	21	9	11	3	—	—
Ross and Cromarty . . .	5	10	10	5	4	5	9	11	19	11	13	9	1	1	—	—
Nairn . . .	1	3	2	2	1	4	5	6	4	9	7	7	2	—	—	—
Elgin . . .	12	10	14	8	12	16	16	19	15	22	14	10	4	—	—	2
Banff . . .	11	11	3	10	10	5	10	21	26	40	20	12	6	3	1	—
Aberdeen . . .	17	21	8	14	9	17	12	41	40	38	28	15	6	2	—	2
Kincardine . . .	4	1	4	5	5	4	6	4	8	9	13	11	1	—	—	5
Forfar . . .	10	24	11	23	14	25	30	37	37	50	34	28	5	1	—	—
Perth . . .	12	15	15	16	23	19	36	40	36	25	21	3	6	2	—	—
Fife . . .	23	28	37	22	31	54	57	73	86	79	55	29	3	6	—	—
Clackmannan . . .	15	4	13	14	18	19	24	16	13	17	8	5	1	—	—	1
Stirling . . .	34	32	31	42	37	43	47	63	46	43	39	11	5	3	—	—
Dumbarton . . .	16	25	34	28	36	35	36	49	38	52	25	10	1	—	—	—
Argyll . . .	16	14	8	10	22	14	27	21	32	37	18	9	8	—	1	—
Bute . . .	4	1	10	8	5	12	10	13	15	20	8	4	—	—	—	—
Renfrew . . .	41	52	43	39	61	56	58	64	66	54	34	19	2	1	—	—
Ayr . . .	52	67	69	57	84	92	101	102	121	120	72	43	15	2	—	1
Lanark . . .	76	61	72	66	91	108	104	84	93	72	42	21	8	2	—	—
Linlithgow . . .	15	13	15	17	17	21	26	27	26	18	14	9	1	1	—	1
Edinburgh . . .	25	30	22	23	29	40	33	51	40	29	34	12	3	—	—	—
Haddington . . .	6	8	12	10	7	10	20	23	14	22	18	8	2	1	—	—
Berwick . . .	7	5	1	3	1	4	4	9	8	11	8	1	4	—	—	—
Peebles . . .	—	2	—	4	2	2	1	4	2	4	3	2	1	—	—	—
Selkirk . . .	16	15	8	8	8	18	12	27	19	15	14	4	1	—	—	—
Roxburgh . . .	6	7	3	2	8	13	10	18	25	21	10	7	1	—	—	—
Dumfries . . .	6	6	3	7	7	9	10	9	14	13	9	5	3	2	—	—
Kirkcudbright . . .	4	5	9	4	9	10	14	9	14	15	9	12	2	1	—	—
Wigtown . . .	6	4	8	9	7	5	21	24	15	19	17	6	1	1	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1877.—MALES.

	MALES.													
	ALL AGES	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Inverness	175	13	5	4	7	7	4	3	10	5	2	8	9	
Arbroath	228	28	12	21	14	4	6	7	14	7	4	6	4	
Forfar	111	12	8	4	2	3	3	1	5	1	1	4	3	
Montrose	155	11	7	4	5	1	4	2	3	2	8	6	9	
Dunfermline	167	20	3	12	11	10	2	6	5	1	4	5	3	
Kirkcaldy	104	18	4	10	5	—	1	3	2	3	4	2	1	
Stirling	151	16	2	12	9	7	3	2	10	4	5	9	4	
Dumbarton	157	14	8	14	18	11	8	4	6	1	6	3	6	
Ayr	237	24	8	13	7	6	4	3	10	8	6	10	8	
Kilmarnock	285	35	12	22	24	10	5	8	11	8	8	10	11	
Barony	263	42	14	26	38	14	6	5	17	8	6	8	8	
Glasgow (Landward)	470	42	33	38	58	30	15	6	16	10	17	15	9	
Govan	985	146	54	86	128	66	35	24	54	27	26	26	29	
Hamilton	231	24	9	10	21	12	7	1	11	10	6	7	7	
Airdrie	145	23	5	15	16	10	5	2	7	7	3	2	4	
Coatbridge	261	20	5	27	31	10	10	2	13	14	17	13	10	
Hawick	148	23	6	7	12	3	1	2	1	5	8	4	3	
Dumfries	248	33	7	15	21	4	4	1	12	7	6	15	5	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1877.—MALES.

Shetland	27	2	—	3	1	—	—	—	—	2	1	3	—
Orkney	38	—	—	1	1	—	1	—	2	—	3	4	1
Caithness	169	18	3	12	12	5	4	2	7	3	4	4	11
Ross and Cromarty	94	4	1	7	6	2	—	—	5	2	2	1	2
Nairn	47	5	2	3	4	—	1	—	—	—	3	2	1
Elgin	188	14	10	10	15	2	6	5	14	5	3	9	9
Banff	214	33	4	22	10	8	3	3	8	7	6	12	8
Aberdeen	259	40	24	19	12	7	5	4	11	6	10	4	3
Kincardine	70	4	1	5	1	2	1	—	—	2	6	2	2
Forfar	276	31	8	11	14	10	4	7	22	6	8	9	8
Perth	231	24	13	4	11	6	3	2	5	6	7	7	13
Fife	505	55	14	31	37	11	6	3	22	6	24	19	19
Clackmannan	181	25	4	12	14	6	4	2	5	9	8	6	3
Stirling	532	40	30	43	40	26	8	8	19	13	11	23	20
Dumbarton	383	37	15	33	27	16	11	5	9	11	22	9	5
Argyll	206	17	5	12	9	7	3	4	6	3	5	12	12
Bute	92	13	5	6	4	1	4	—	4	3	1	4	3
Renfrew	676	77	24	57	64	27	21	18	20	28	17	27	21
Ayr	1146	115	34	73	106	58	33	20	74	43	38	42	46
Lanark	1335	172	62	100	142	54	31	27	55	52	54	50	32
Linlithgow	234	32	5	16	33	10	7	3	5	4	10	7	5
Edinburgh	335	44	15	26	28	15	9	6	16	8	5	10	7
Haddington	134	11	2	5	8	5	1	1	5	3	5	3	3
Berwick	60	9	2	9	5	4	1	—	1	1	2	—	1
Peebles	27	2	—	1	1	—	—	—	4	—	3	2	1
Selkirk	202	29	3	16	19	6	9	5	9	6	8	7	9
Roxburgh	101	18	1	6	4	4	1	—	3	3	1	4	3
Dumfries	86	8	4	4	4	2	—	2	4	2	2	3	4
Kirkcudbright	100	10	1	4	4	2	4	—	4	1	4	4	5
Wigtown	104	10	4	3	5	1	2	—	2	4	1	11	5

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1877.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Inverness . . .	5	12	7	7	11	5	14	5	12	12	6	1	1	—	—	—	
Arbroath . . .	6	4	6	7	6	11	11	18	10	12	6	4	—	—	—	—	
Forfar . . .	7	5	4	4	5	4	5	6	6	8	6	4	—	—	—	—	
Montrose . . .	3	5	8	6	11	4	6	11	11	15	10	2	1	—	—	—	
Dunfermline . . .	3	3	4	6	7	10	8	12	15	5	8	4	—	—	—	—	
Kirkcaldy . . .	2	4	3	5	2	6	3	7	3	9	7	—	—	—	—	—	
Stirling . . .	2	8	5	6	7	3	13	5	8	7	—	4	—	—	—	—	
Dumbarton . . .	1	1	5	8	7	5	9	7	9	4	1	—	1	—	—	—	
Ayr . . .	14	7	16	11	9	9	13	18	16	6	9	1	1	—	—	—	
Kilmarnock . . .	10	10	13	6	8	16	18	12	5	12	5	6	—	—	—	—	
Barony . . .	5	11	5	6	8	3	12	6	5	6	1	3	—	—	—	—	
Glasgow (Landward) .	16	18	17	15	15	24	20	20	17	15	3	—	1	—	—	—	
Govan . . .	25	25	34	26	33	24	38	33	18	17	5	5	1	—	—	—	
Hamilton . . .	7	10	3	10	17	10	13	11	9	5	10	1	—	—	—	—	
Airdrie . . .	5	3	2	8	6	3	7	6	4	2	—	—	—	—	—	—	
Coatbridge . . .	5	9	7	2	14	13	10	13	5	8	2	1	—	—	—	—	
Hawick . . .	7	6	4	8	2	11	5	10	7	4	5	3	1	—	—	—	
Dumfries . . .	6	10	10	9	12	17	7	17	12	8	2	2	2	—	—	4	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1877.—MALES.

Shetland	—	2	—	2	—	—	—	2	2	2	3	1	—	—	1	—
Orkney	1	2	—	1	1	—	1	2	2	5	9	—	1	—	—	—
Caithness	5	3	5	2	5	7	10	7	10	12	7	3	7	1	—	—
Ross and Cromarty .	3	8	6	3	3	3	6	7	10	5	4	3	1	—	—	—
Nairn	1	1	1	1	1	2	3	4	2	5	4	1	—	—	—	—
Elgin	7	8	6	5	6	12	8	8	5	10	4	3	2	—	—	2
Banff	6	7	—	6	5	2	5	11	13	20	8	5	2	—	—	—
Aberdeen	6	9	2	8	6	10	5	16	20	14	9	7	—	—	—	2
Kincardine	2	1	2	3	2	2	3	3	6	3	6	6	—	—	—	5
Forfar	5	10	2	11	7	12	16	13	18	17	18	7	2	—	—	—
Perth	6	7	5	7	10	11	19	22	17	13	8	2	2	1	—	—
Fife	11	9	16	12	16	18	22	34	41	38	28	12	—	1	—	—
Clackmannan	6	1	6	7	11	11	16	6	7	5	4	1	1	—	—	1
Stirling	17	17	15	23	20	25	34	36	24	19	16	2	3	—	—	—
Dumbarton	9	13	17	17	15	16	19	23	18	20	12	4	—	—	—	—
Argyll	11	6	4	2	12	6	16	9	13	17	6	5	3	—	1	—
Bute	2	—	7	3	3	4	6	4	5	9	—	1	—	—	—	—
Renfrew	19	26	19	20	26	29	32	31	28	18	15	11	1	—	—	—
Ayr	21	31	35	27	43	45	54	45	55	55	34	14	4	1	—	—
Lanark	37	34	43	43	57	63	60	53	48	38	17	9	2	—	—	—
Linlithgow	6	6	8	7	5	11	10	7	15	11	6	3	1	—	—	1
Edinburgh	10	13	13	11	7	20	14	19	14	11	7	4	3	—	—	—
Haddington	4	5	8	4	3	3	11	12	7	11	11	3	—	—	—	—
Berwick	1	2	—	2	1	2	2	1	5	4	4	—	1	—	—	—
Peebles	—	—	—	3	—	2	1	2	1	2	1	1	—	—	—	—
Selkirk	6	4	7	2	4	10	8	14	7	6	6	2	—	—	—	—
Roxburgh	3	1	1	1	5	6	3	8	12	7	3	2	1	—	—	—
Dumfries	2	—	2	5	5	4	10	5	5	4	3	2	—	—	—	—
Kirkcudbright . . .	1	3	5	3	7	4	6	5	8	5	5	3	1	1	—	—
Wigtown	1	2	2	6	3	4	8	15	3	4	6	1	—	1	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1877.—FEMALES.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	164	12	3	7	6	1	3	1	7	2	2	2	8
Arbroath	240	21	7	8	12	5	5	4	16	5	4	3	10
Forfar	117	12	4	7	3	1	2	—	4	4	5	6	5
Montrose	192	10	6	10	9	10	2	1	7	4	2	5	10
Dunfermline	176	14	4	17	8	3	3	1	8	2	9	4	7
Kirkcaldy	136	11	5	7	6	4	1	2	3	3	6	2	7
Stirling	168	12	8	10	19	10	4	4	7	3	1	8	—
Dumbarton	120	11	5	15	13	5	1	3	7	3	4	2	2
Ayr	260	20	14	15	16	10	5	4	12	7	13	3	9
Kilmarnock	275	28	13	22	12	11	10	3	8	7	10	12	12
Barony	234	22	8	18	23	10	6	4	11	8	11	13	7
Glasgow (Landward)	444	39	16	37	54	21	11	13	21	12	12	12	20
Govan	960	88	41	87	113	55	29	26	55	24	24	35	37
Hamilton	221	26	5	23	26	4	4	2	9	7	7	7	6
Airdrie	183	14	7	19	18	10	6	5	17	2	8	9	7
Coatbridge	214	19	8	15	35	15	4	5	12	4	10	12	10
Hawick	168	22	2	9	9	3	2	2	5	4	5	7	10
Dumfries	264	16	9	15	22	12	5	2	11	3	13	8	5

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1877.—FEMALES.

Shetland	49	—	1	—	1	1	—	2	1	2	3	3	—
Orkney	59	4	2	1	1	2	—	1	4	—	3	3	—
Caithness	159	15	4	15	8	7	5	1	7	5	1	5	1
Ross and Cromarty	90	7	3	6	4	1	—	1	3	1	2	4	7
Nairn	45	1	1	1	6	2	—	1	1	1	2	2	—
Elgin	166	8	3	8	8	12	3	4	6	7	4	6	9
Banff	188	14	6	7	5	6	2	4	11	7	7	11	9
Aberdeen	298	23	13	12	20	9	4	6	14	10	8	10	13
Kincardine	58	5	1	1	1	3	2	—	3	1	2	—	3
Forfar	319	27	11	6	9	10	11	7	18	8	3	11	7
Perth	222	12	9	7	7	1	1	3	4	5	12	12	10
Fife	532	44	15	23	25	8	7	2	16	13	15	24	15
Clackmannan	179	19	4	16	8	3	2	2	7	2	14	7	10
Stirling	436	25	17	28	33	15	11	11	18	12	8	15	18
Dumbarton	385	36	7	10	32	11	4	9	14	6	23	17	14
Argyll	215	8	4	11	21	11	5	5	6	3	6	5	4
Bute	116	6	—	10	3	2	2	2	3	2	6	7	3
Renfrew	714	56	29	51	55	28	24	12	26	22	27	42	27
Ayr	1173	107	34	56	94	44	28	18	72	40	50	51	36
Lanark	1103	131	38	94	105	63	32	19	65	37	40	42	41
Linlithgow	267	26	14	28	25	10	7	4	8	6	4	9	2
Edinburgh	394	38	10	22	21	7	7	9	10	8	18	11	8
Haddington	127	7	3	7	6	3	1	—	3	2	6	3	7
Berwick	59	6	—	5	—	1	—	1	2	—	1	—	2
Peebles	33	3	1	5	—	1	1	—	1	—	3	3	1
Selkirk	191	10	11	8	15	8	5	4	14	6	7	8	6
Roxburgh	122	5	—	5	6	5	2	3	3	3	5	4	3
Dumfries	94	7	2	4	7	3	1	2	1	3	2	3	3
Kirkcudbright	88	12	1	1	5	1	1	1	1	1	1	1	2
Wigtown	127	8	2	3	3	1	3	—	6	4	1	5	4

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1877.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	5	4	8	3	10	8	5	10	18	15	13	8	3	—	—	—
Arbroath . . .	7	9	9	5	16	11	20	14	19	15	8	4	2	1	—	—
Forfar . . .	10	2	7	1	3	4	5	3	9	14	5	—	1	—	—	—
Montrose . . .	2	9	6	2	8	13	14	12	20	13	12	3	—	2	—	—
Dunfermline . . .	6	8	3	5	9	6	9	11	17	12	6	3	1	—	—	—
Kirkcaldy . . .	5	4	7	2	6	8	4	11	8	13	8	3	—	—	—	—
Stirling . . .	2	5	10	7	6	7	8	11	11	7	4	4	—	—	—	—
Dumbarton . . .	5	4	8	4	2	3	5	3	6	5	3	1	—	—	—	—
Ayr . . .	7	9	8	11	13	13	8	19	18	11	5	8	1	1	—	—
Kilmarnock . . .	12	9	7	13	7	9	14	13	16	10	10	3	4	—	—	—
Barony . . .	11	6	11	10	12	7	6	12	2	10	3	3	—	—	—	—
Glasgow (Landward) . . .	12	16	20	13	16	10	25	13	22	12	11	6	—	—	—	—
Govan . . .	41	32	36	28	31	32	34	29	41	19	18	3	1	1	—	—
Hamilton . . .	6	10	8	7	6	11	12	10	7	7	5	4	1	1	—	—
Airdrie . . .	4	4	6	2	3	5	11	4	8	8	4	1	—	1	—	—
Coatbridge . . .	4	11	3	5	4	8	6	9	4	10	1	—	—	—	—	—
Hawick . . .	5	10	6	4	8	5	10	8	9	15	5	1	1	1	—	—
Dumfries . . .	6	8	10	9	16	14	15	11	17	13	11	6	2	3	1	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1877.—FEMALES.

Shetland . . .	3	2	1	2	3	1	1	4	4	4	2	2	4	2	—	—
Orkney . . .	2	1	1	4	2	—	2	1	5	9	5	3	3	—	—	—
Caithness . . .	2	5	3	3	1	4	5	8	18	10	14	6	4	2	—	—
Ross and Cromarty . . .	2	2	4	2	1	2	3	4	9	6	9	6	—	1	—	—
Nairn . . .	—	2	1	1	—	2	2	2	2	4	3	6	2	—	—	—
Elgin . . .	5	2	8	3	6	4	8	11	10	12	10	7	2	—	—	—
Banff . . .	5	4	3	4	5	3	5	10	13	20	12	7	4	3	1	—
Aberdeen . . .	11	12	6	6	3	7	7	25	20	24	19	8	6	2	—	—
Kincardine . . .	2	—	2	2	3	2	3	1	2	6	7	5	1	—	—	—
Forfar . . .	5	14	9	12	7	13	14	24	19	33	16	21	3	1	—	—
Perth . . .	6	8	10	9	13	8	17	18	19	12	13	1	4	1	—	—
Fife . . .	12	19	21	10	15	36	35	39	45	41	27	17	3	5	—	—
Clackmannan . . .	9	3	7	7	7	8	8	10	6	12	4	4	—	—	—	—
Stirling . . .	17	15	16	19	17	18	13	27	22	24	23	9	2	3	—	—
Dumbarton . . .	7	12	17	11	21	19	17	26	20	32	13	6	1	—	—	—
Argyll . . .	5	8	4	8	10	8	11	12	19	20	12	4	5	—	—	—
Bute . . .	2	1	3	5	2	8	4	9	10	11	8	3	4	—	—	—
Renfrew . . .	22	26	24	19	35	27	26	33	38	36	19	8	1	1	—	—
Ayr . . .	31	36	34	30	41	47	47	57	66	65	38	29	11	1	—	1
Lanark . . .	39	27	29	23	34	45	44	31	45	34	25	12	6	2	—	—
Linlithgow . . .	9	7	7	10	12	10	16	20	11	7	8	6	—	1	—	—
Edinburgh . . .	15	17	9	12	22	20	19	32	26	18	27	8	—	—	—	—
Haddington . . .	2	3	4	6	4	7	9	11	7	11	7	5	2	1	—	—
Berwick . . .	6	3	1	1	—	2	2	8	3	7	4	1	3	—	—	—
Peebles . . .	—	2	—	1	2	—	—	2	1	2	2	1	1	—	—	—
Selkirk . . .	10	11	1	6	4	8	4	13	12	9	8	2	1	—	—	—
Roxburgh . . .	3	6	2	1	3	7	7	10	13	14	7	5	—	—	—	—
Dumfries . . .	4	6	1	2	2	5	—	4	9	9	6	3	3	2	—	—
Kirkcudbright . . .	3	2	4	1	2	6	8	4	6	10	4	9	1	—	—	—
Wigtown . . .	5	2	6	3	4	1	13	9	12	15	11	5	1	—	—	—

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1877.—BOTH SEXES.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	343	21	9	6	12	6	5	4	21	8	9	11	8
Sutherland	396	18	7	18	12	3	3	3	8	10	13	16	14
Ross and Cromarty	886	40	13	27	31	18	16	11	22	21	22	33	25
Inverness	483	34	9	10	10	9	6	6	19	13	13	21	17
Nairn	57	6	2	1	1	—	—	1	2	2	—	3	1
Elgin	431	40	13	10	16	11	8	8	20	8	11	12	16
Banff	494	40	30	17	12	8	6	3	14	11	14	18	17
Aberdeen	1751	171	35	76	55	22	22	21	65	61	62	62	57
Kincardine	409	21	14	25	13	13	11	8	18	8	16	18	12
Forfar	568	48	17	20	17	13	7	9	24	18	22	23	22
Perth	1368	116	25	46	47	20	12	11	47	30	37	42	45
Fife	1272	124	40	78	58	31	12	6	40	25	41	46	27
Kinross	159	18	3	6	2	2	3	4	5	3	7	1	8
Clackmannan	83	6	3	5	12	1	2	2	2	5	2	2	1
Stirling	846	75	29	59	73	40	33	23	49	44	24	30	23
Dumbarton	265	24	6	15	16	10	4	1	12	12	18	7	11
Argyll	669	37	11	16	24	14	5	8	27	13	24	24	27
Renfrew	494	38	13	32	38	11	9	6	26	15	29	20	14
Ayr	1043	104	42	64	70	39	25	21	53	32	45	43	33
Lanark	1812	210	58	117	182	78	36	43	82	70	109	101	73
Linlithgow	265	32	12	19	15	8	6	5	13	5	11	10	5
Edinburgh	1178	120	36	53	58	20	13	10	31	28	32	39	33
Haddington	360	32	7	16	13	9	3	5	14	12	14	9	7
Berwick	499	37	10	15	18	5	8	8	22	14	24	18	13
Peebles	126	23	5	7	2	1	1	—	3	6	6	4	4
Selkirk	40	2	1	2	1	—	2	1	1	—	2	2	2
Roxburgh	397	45	13	19	16	7	2	6	13	7	11	17	12
Dumfries	887	76	24	33	26	14	15	10	25	14	31	38	36
Kirkcudbright	414	36	13	9	9	5	4	3	17	7	15	22	16
Wigtown	480	43	11	15	18	7	4	3	22	14	12	16	12

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1877.—BOTH SEXES.

Shetland	390	27	5	6	9	2	—	3	8	10	12	16	18
Orkney	423	18	5	12	6	1	3	1	8	8	19	19	12
Ross and Cromarty	265	35	4	12	13	5	3	4	2	2	9	2	9
Inverness	596	72	8	15	26	3	4	5	9	16	13	25	16
Argyll	297	18	4	7	8	4	2	6	11	10	15	16	11
Bute	147	7	2	4	4	3	1	1	2	4	3	10	7

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1877.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	12	9	8	7	10	10	16	16	25	32	36	27	10	3	2	-	-
Sutherland . . .	5	14	13	8	7	14	22	21	30	54	37	27	11	7	-	-	1
Ross and Cromarty .	20	21	22	29	36	27	52	57	81	90	83	51	30	4	3	1	-
Inverness . . .	14	17	9	16	11	16	29	32	52	46	44	22	4	2	2	-	-
Nairn . . .	-	-	1	2	2	2	1	4	5	9	10	1	1	-	-	-	-
Elgin . . .	9	7	6	11	13	17	20	36	31	40	37	21	8	-	2	-	-
Banff . . .	14	15	18	13	12	23	22	28	36	44	41	26	6	5	1	-	-
Aberdeen . . .	45	48	47	44	51	54	78	103	154	167	120	86	18	9	6	12	-
Kincardine . . .	15	9	13	13	12	14	15	21	23	34	28	14	12	2	-	7	-
Forfar . . .	14	16	10	14	19	15	27	39	51	48	32	31	7	2	-	3	-
Perth . . .	37	30	35	37	55	72	72	91	122	143	99	65	26	5	1	-	-
Fife . . .	32	32	19	34	35	52	67	97	106	138	75	33	16	7	-	1	-
Kinross . . .	-	4	5	7	2	5	11	7	17	23	10	4	2	-	-	-	-
Clackmannan . . .	3	1	3	4	3	1	4	4	8	3	5	1	-	-	-	-	-
Stirling . . .	17	22	31	29	17	26	44	37	33	48	24	14	1	-	-	1	-
Dumbarton . . .	6	11	12	5	13	9	11	14	14	19	10	5	-	-	-	-	-
Argyll . . .	23	12	17	22	29	19	32	39	67	58	53	37	22	7	2	-	-
Renfrew . . .	11	16	20	17	26	24	27	21	17	26	20	12	6	-	-	-	-
Ayr . . .	23	36	31	32	36	30	46	48	65	47	46	22	10	-	-	-	-
Lanark . . .	54	65	39	49	49	61	71	71	48	61	49	29	6	1	-	-	-
Linlithgow . . .	4	7	6	6	14	9	17	11	14	19	11	4	2	-	-	-	-
Edinburgh . . .	33	51	50	38	60	55	75	89	98	84	47	20	5	-	-	-	-
Haddington . . .	3	6	8	10	15	23	22	21	31	43	20	11	3	1	-	2	-
Berwick . . .	11	14	9	13	15	18	29	33	50	42	34	22	3	2	-	12	-
Peebles . . .	4	2	3	2	4	9	4	11	4	4	10	3	2	2	-	-	-
Selkirk . . .	1	1	2	2	-	4	1	2	2	3	3	2	1	-	-	-	-
Roxburgh . . .	11	11	14	12	10	8	22	24	32	33	26	18	7	1	-	-	-
Dumfries . . .	23	25	16	20	38	47	58	55	78	79	55	35	13	2	1	-	-
Kirkcudbright . . .	16	14	3	11	21	16	20	29	34	36	26	21	6	4	-	1	-
Wigtown . . .	13	14	11	11	16	17	22	33	46	53	28	29	8	1	-	1	-

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1877.—BOTH SEXES.

Shetland . . .	7	8	13	10	14	17	12	20	29	55	47	26	9	6	1	-	-
Orkney . . .	10	13	11	6	12	20	22	27	31	64	48	33	10	2	1	1	-
Ross and Cromarty .	9	13	6	8	14	8	10	19	12	16	23	15	4	5	3	-	-
Inverness . . .	22	17	14	13	14	19	36	43	48	45	66	29	11	6	-	1	-
Argyll . . .	8	5	6	6	7	14	17	14	26	24	28	17	7	3	3	-	-
Bute . . .	1	5	5	5	4	6	9	13	20	14	8	8	1	-	-	-	-

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1877.—MALES.

		MALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
Caithness	165	15	5	5	8	5	1	2	15	4	5	3	4	
Sutherland	187	14	4	7	3	2	1	2	1	4	8	13	8	
Ross and Cromarty	411	27	8	11	18	8	7	6	15	15	12	21	13	
Inverness	247	26	5	5	9	5	3	2	8	6	9	9	10	
Nairn	36	4	2	—	1	—	—	1	2	1	—	1	—	
Elgin	220	20	9	6	11	4	4	2	10	4	5	8	8	
Banff	246	25	17	8	3	4	3	1	3	7	10	10	8	
Aberdeen	916	97	26	43	28	13	12	11	30	28	30	37	33	
Kincardine	192	13	7	16	5	8	7	2	6	3	7	9	4	
Forfar	264	23	11	8	9	6	4	5	14	10	12	11	8	
Perth	670	53	14	25	27	12	8	5	22	14	21	26	19	
Fife	632	64	17	47	34	19	5	4	15	11	24	25	19	
Kinross	75	14	—	6	2	2	2	1	1	2	2	1	2	
Clackmannan	50	5	3	5	5	—	—	2	1	5	—	2	—	
Stirling	435	43	18	34	39	19	11	12	18	24	13	15	12	
Dumbarton	157	14	4	7	12	7	2	—	9	9	10	4	8	
Argyll	339	24	7	6	11	7	3	6	9	4	15	11	14	
Renfrew	254	21	7	15	20	6	6	4	16	12	18	5	2	
Ayr	540	69	18	37	33	15	17	11	26	19	22	22	16	
Lanark	1049	118	29	69	85	48	24	26	47	48	78	76	47	
Linlithgow	129	18	7	13	5	4	3	—	4	3	4	5	3	
Edinburgh	598	61	21	23	36	10	7	5	14	16	22	25	16	
Haddington	184	19	4	11	7	4	3	1	6	6	8	7	4	
Berwick	249	17	4	9	15	2	3	3	11	6	13	10	5	
Peebles	60	9	2	5	—	—	—	—	1	2	1	2	3	
Selkirk	25	1	1	1	1	—	2	1	1	—	—	1	2	
Roxburgh	191	25	6	7	7	5	2	3	8	4	5	9	6	
Dumfries	433	49	11	22	14	7	6	7	13	7	15	21	18	
Kirkcudbright	206	18	9	4	7	3	1	—	8	2	10	9	9	
Wigtown	223	26	8	6	9	3	3	—	16	5	8	4	8	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1877.—MALES.

Shetland,	186	16	2	5	5	—	—	1	5	7	6	9	7	
Orkney,	193	8	3	4	3	1	1	—	3	3	15	10	7	
Ross and Cromarty	141	23	2	7	5	1	2	1	2	1	7	2	6	
Inverness	292	37	7	11	10	3	4	2	5	11	8	17	6	
Argyll	145	12	2	5	5	3	1	1	3	6	9	8	8	
Bute	70	5	—	2	2	2	—	—	1	2	1	6	3	

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1877.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	5	4	2	3	7	3	6	5	10	17	13	13	4	1	—	—	
Sutherland . . .	4	6	6	3	5	8	9	10	14	30	12	8	4	—	—	1	
Ross and Cromarty . . .	10	10	7	16	14	14	20	26	34	34	36	19	8	1	—	1	
Inverness . . .	6	7	4	8	5	11	14	15	26	21	21	9	2	—	1	—	
Nairn . . .	—	—	1	1	1	2	—	4	3	4	6	1	1	—	—	—	
Elgin . . .	5	4	2	3	8	10	11	21	18	20	16	7	4	—	—	—	
Banff . . .	9	6	8	5	4	12	10	21	24	16	16	12	3	1	—	—	
Aberdeen . . .	15	23	19	26	24	33	41	60	83	81	59	43	3	4	2	12	
Kincardine . . .	5	2	7	8	6	5	8	10	9	16	17	2	3	1	—	6	
Forfar . . .	6	6	4	6	10	11	18	17	21	16	12	9	3	1	—	3	
Perth . . .	16	16	15	21	27	28	37	42	61	75	44	29	12	1	—	—	
Fife . . .	15	14	8	15	19	23	37	51	46	65	30	12	9	3	—	1	
Kinross . . .	—	1	3	4	—	2	5	3	7	8	2	4	1	—	—	—	
Clackmannan . . .	2	—	2	2	2	—	2	3	5	1	3	—	—	—	—	—	
Stirling . . .	10	10	12	15	14	14	26	23	18	20	12	2	—	—	—	1	
Dumbarton . . .	3	4	10	3	7	6	6	7	7	9	7	2	—	—	—	—	
Argyll . . .	13	5	10	12	21	13	17	18	28	27	22	19	13	3	1	—	
Renfrew . . .	5	9	12	12	16	10	13	11	7	12	6	8	1	—	—	—	
Ayr . . .	9	18	10	17	22	16	26	21	38	22	20	13	3	—	—	—	
Lanark . . .	30	38	30	32	29	32	41	40	21	30	18	9	3	1	—	—	
Linlithgow . . .	2	5	2	3	5	3	10	8	7	8	6	1	—	—	—	—	
Edinburgh . . .	23	30	26	16	26	30	35	48	46	37	15	9	1	—	—	—	
Haddington . . .	1	1	3	8	7	11	10	14	14	17	10	4	1	1	—	2	
Berwick . . .	4	8	3	4	6	11	14	15	27	18	19	8	2	—	—	12	
Peebles . . .	1	1	2	—	2	6	3	5	2	3	7	1	1	1	—	—	
Selkirk . . .	1	1	—	—	—	4	—	1	1	2	2	2	—	—	—	—	
Roxburgh . . .	8	6	5	9	5	2	10	10	14	14	15	3	3	—	—	—	
Dumfries . . .	8	14	5	11	24	18	34	25	35	31	22	12	3	—	1	—	
Kirkcudbright . . .	6	8	1	3	9	12	13	15	19	14	11	8	3	3	—	1	
Wigtown . . .	6	3	5	4	7	10	13	17	12	21	11	14	3	—	—	1	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1877.—MALES.

Shetland . . .	4	6	3	3	9	6	7	7	12	34	19	8	2	3	—	—	
Orkney . . .	5	7	4	2	8	11	5	13	11	29	20	15	3	—	1	1	
Ross and Cromarty . . .	5	8	3	4	8	6	6	11	4	6	11	5	3	2	—	—	
Inverness . . .	9	8	7	5	7	11	15	21	23	11	28	15	8	2	—	1	
Argyll . . .	4	2	2	2	3	5	6	10	11	13	13	9	1	1	—	—	
Bute . . .	—	3	3	2	3	3	5	6	10	5	3	3	—	—	—	—	

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1877.—FEMALES.

	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	178	6	4	1	4	1	4	2	6	4	4	8	4
Sutherland	209	4	3	11	9	1	2	1	7	6	5	3	6
Ross and Cromarty	475	13	5	16	13	10	9	5	7	6	10	12	12
Inverness	236	8	4	5	1	4	3	4	11	7	4	12	7
Nairn	21	2	—	1	—	—	—	—	—	1	—	2	1
Elgin	211	20	4	4	5	7	4	6	10	4	6	4	8
Banff	248	15	13	9	9	4	3	2	11	4	4	8	9
Aberdeen	835	74	9	33	27	9	10	10	35	33	32	25	24
Kincardine	217	8	7	9	8	5	4	6	12	5	9	9	8
Forfar	304	25	6	12	8	7	3	4	10	8	10	12	14
Perth	698	63	11	21	20	8	4	6	25	16	16	16	26
Fife	640	60	23	31	24	12	7	2	25	14	17	21	8
Kinross	84	4	3	—	—	—	1	3	4	1	5	—	6
Clackmannan	33	1	—	—	7	1	2	—	1	—	2	—	1
Stirling	411	32	11	25	34	21	22	11	31	20	11	15	11
Dumbarton	108	10	2	8	4	3	2	1	3	3	8	3	3
Argyll	330	13	4	10	13	7	2	2	18	9	9	13	13
Renfrew	240	17	6	17	18	5	3	2	10	3	11	15	12
Ayr	503	35	24	27	37	24	8	10	27	13	23	21	17
Lanark	763	92	29	48	97	30	12	17	35	22	31	25	26
Linlithgow	136	14	5	6	10	4	3	5	9	2	7	5	2
Edinburgh	580	59	15	30	22	10	6	5	17	12	10	14	17
Haddington	176	13	3	5	6	5	—	4	8	6	6	2	3
Berwick	250	20	6	6	3	3	5	5	11	8	11	8	8
Peebles	66	14	3	2	2	1	1	—	2	4	5	2	1
Selkirk	15	1	—	1	—	—	—	—	—	—	2	1	—
Roxburgh	206	20	7	12	9	2	—	3	5	3	6	8	6
Dumfries	454	27	13	11	12	7	9	3	12	7	16	17	18
Kirkcudbright	208	18	4	5	2	2	3	3	9	5	5	13	7
Wigtown	257	17	3	9	9	4	1	3	6	9	4	12	4

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1877.—FEMALES.

Shetland	204	11	3	1	4	2	—	2	3	3	6	7	11
Orkney	230	10	2	8	3	—	2	1	5	5	4	9	5
Ross and Cromarty	124	12	2	5	8	4	1	3	—	1	2	—	3
Inverness	304	35	1	4	16	—	—	3	4	5	5	8	10
Argyll	152	6	2	2	3	1	1	5	8	4	6	8	3
Bute	77	2	2	2	2	1	1	1	1	2	2	4	4

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1877.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness . . .	7	5	6	4	3	7	10	11	15	15	23	14	6	2	2	—
Sutherland . . .	1	8	7	5	2	6	13	11	16	24	25	19	7	7	—	—
Ross and Cromarty .	10	11	15	13	22	13	32	31	47	56	47	32	22	3	3	—
Inverness . . .	8	10	5	8	6	5	15	17	26	25	23	13	2	2	1	—
Nairn . . .	—	—	—	1	1	—	1	—	2	5	4	—	—	—	—	—
Elgin . . .	4	3	4	8	5	7	9	15	13	20	21	14	4	—	2	—
Banff . . .	5	9	10	8	8	11	12	7	12	28	25	14	3	4	1	—
Aberdeen . . .	30	25	28	18	27	21	37	43	71	86	61	43	15	5	4	—
Kincardine . . .	10	7	6	5	6	9	7	11	14	18	11	12	9	1	—	1
Forfar . . .	8	10	6	8	9	4	9	22	30	32	20	22	4	1	—	—
Perth . . .	21	14	20	16	28	44	35	49	61	68	55	36	14	4	1	—
Fife . . .	17	18	11	19	16	29	30	46	60	73	45	21	7	4	—	—
Kinross . . .	—	3	2	3	2	3	6	4	10	15	8	—	1	—	—	—
Clackmannan . . .	1	1	1	2	1	1	2	1	3	2	2	1	—	—	—	—
Stirling . . .	7	12	19	14	3	12	18	14	15	28	12	12	1	—	—	—
Dumbarton . . .	3	7	2	2	6	3	5	7	7	10	3	3	—	—	—	—
Argyll . . .	10	7	7	10	8	6	15	21	39	31	31	18	9	4	1	—
Renfrew . . .	6	7	8	5	10	14	14	10	10	14	14	4	5	—	—	—
Ayr . . .	14	18	21	15	14	14	20	27	27	25	26	9	7	—	—	—
Lanark . . .	24	27	9	17	20	29	30	31	27	31	31	20	3	—	—	—
Linlithgow . . .	2	2	4	3	9	6	7	3	7	11	5	3	2	—	—	—
Edinburgh . . .	10	21	24	22	34	25	40	41	52	47	32	11	4	—	—	—
Haddington . . .	2	5	5	2	8	12	12	7	17	26	10	7	2	—	—	—
Berwick . . .	7	6	6	9	9	7	15	18	23	24	15	14	1	2	—	—
Peebles . . .	3	1	1	2	2	3	1	6	2	1	3	2	1	1	—	—
Selkirk . . .	—	—	2	2	—	—	1	1	1	1	1	—	1	—	—	—
Roxburgh . . .	3	5	9	3	5	6	12	14	18	19	11	15	4	1	—	—
Dumfries . . .	15	11	11	9	14	29	24	30	43	48	33	23	10	2	—	—
Kirkcudbright . . .	10	6	2	8	12	4	7	14	15	22	15	13	3	1	—	—
Wigtown . . .	7	11	6	7	9	7	9	16	34	32	17	15	5	1	—	—

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1877.—FEMALES.

Shetland . . .	3	2	10	7	5	11	5	13	17	21	28	18	7	3	1	—
Orkney . . .	5	6	7	4	4	9	17	14	20	35	28	18	7	2	—	—
Ross and Cromarty .	4	5	3	4	6	2	4	8	8	10	12	10	1	3	3	—
Inverness . . .	13	9	7	8	7	8	21	22	25	34	38	14	3	4	—	—
Argyll . . .	4	3	4	4	4	9	11	4	15	11	15	8	6	2	3	—
Bute . . .	1	2	2	3	1	3	4	7	10	9	5	5	1	—	—	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—MALES.

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	All Causes	37173	213	231	334	187	646	714	83	408	460	2169	262	2438	1206	1408	75
	Specified Causes	36367	176	224	329	177	565	628	77	399	455	2111	258	2421	1164	1363	73
	(CLASSES.)																
I.	ZYMOTIC DISEASES	5420	6	21	55	21	84	85	9	62	77	350	40	346	133	151	3
II.	CONSTITUTIONAL „	6848	43	44	45	34	80	98	10	68	81	363	39	401	218	225	13
III.	LOCAL „	17263	48	74	149	67	233	269	34	187	223	1026	117	1234	569	670	42
IV.	DEVELOPMENTAL „	4602	65	61	60	43	126	137	19	55	43	252	33	301	194	244	11
V.	VIOLENT DEATHS	2234	14	24	20	12	42	39	5	27	31	120	29	139	50	73	4
	(ORDERS.)																
I.	1. MIASMATIC DISEASES	5034	6	20	53	20	81	83	9	59	76	320	39	318	121	136	3
	2. ENTHETIC „	124	—	—	—	—	1	—	—	1	—	9	—	13	2	1	—
	3. DIETIC „	235	—	1	2	1	2	1	—	2	1	14	1	12	9	12	—
	4. PARASITIC „	27	—	—	—	—	—	1	—	—	—	7	—	3	1	2	—
II.	1. DIATHETIC „	836	6	9	2	4	12	17	5	13	13	60	8	47	30	39	3
	2. TUBERCULAR „	6012	37	35	43	30	68	81	5	55	68	303	31	354	188	186	10
III.	1. DISEASES OF NERVOUS SYSTEM	3913	10	24	35	13	55	59	10	45	49	234	28	303	147	157	5
	2. „ OF ORGANS OF CIRCULATION	2424	6	6	19	5	28	36	6	41	32	159	19	182	120	124	6
	3. „ OF RESPIRATORY ORGANS	7483	19	21	48	32	85	106	9	62	79	380	42	530	196	266	17
	4. „ OF DIGESTIVE ORGANS	2248	8	17	21	8	42	47	7	27	40	150	17	145	66	80	11
	5. „ OF URINARY ORGANS	891	5	4	23	7	22	18	1	10	19	86	10	60	28	33	1
	6. „ OF ORGANS OF GENERATION	6	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
	7. „ OF ORGANS OF LOCOMOTION	199	—	1	3	—	1	1	—	2	2	11	—	11	6	4	2
	8. „ OF INTEGUMENTARY SYSTEM	99	—	1	—	2	—	2	1	—	2	5	1	3	5	6	—
IV.	1. DEV. DIS. OF CHILDREN	1393	8	2	9	1	15	14	2	13	9	79	9	112	30	56	3
	2. „ OF ADULTS	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	1882	55	55	40	35	97	101	15	30	24	112	20	101	131	128	4
	4. DISEASES OF NUTRITION	1327	2	4	11	7	14	22	2	12	10	61	4	88	33	60	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—FEMALES.

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	All Causes	36764	253	289	337	209	689	704	66	377	436	2199	275	2794	1232	1484	84
	Specified Causes	35995	213	274	335	188	608	617	66	371	427	2161	273	2778	1201	1433	82
	(CLASSES.)																
I.	ZYMOTIC DISEASES	5777	17	28	54	18	113	83	12	68	72	362	41	418	138	188	4
II.	CONSTITUTIONAL „	7664	45	43	51	35	91	108	8	59	77	451	55	546	228	264	25
III.	LOCAL „	15909	56	94	138	61	217	222	21	147	195	944	128	1318	542	682	39
IV.	DEVELOPMENTAL „	5973	89	107	85	74	175	194	23	90	72	356	44	423	269	276	13
V.	VIOLENT DEATHS . . .	672	6	2	7	—	12	10	2	7	11	48	5	73	24	23	1
	(ORDERS.)																
I.	1. MIASMATIC DISEASES .	5504	17	27	53	18	112	78	12	66	69	347	39	397	134	179	4
	2. ENTHETIC „ . . .	120	—	1	—	—	—	2	—	—	—	9	1	11	—	—	—
	3. DIETIC „	133	—	—	1	—	1	1	—	2	3	3	1	9	4	8	—
	4. PARASITIC „ . . .	20	—	—	—	—	—	2	—	—	—	3	—	1	—	1	—
II.	1. DIATHETIC „ . . .	1483	11	14	15	14	28	36	2	19	22	122	13	112	51	71	7
	2. TUBERCULAR „ . . .	6181	34	29	36	21	63	72	6	40	55	329	42	434	177	193	18
III.	1. DISEASES OF NERVOUS SYSTEM . . .	3526	9	22	24	13	40	45	10	39	47	236	40	273	136	168	10
	2. „ OF ORGANS OF CIRCULATION .	2524	6	9	25	8	35	29	1	29	24	189	26	234	128	127	7
	3. „ OF RESPIRATORY ORGANS . . .	6766	21	41	56	25	96	98	5	46	74	311	38	601	172	255	9
	4. „ OF DIGESTIVE ORGANS . . .	2230	19	20	23	9	34	35	3	26	25	132	14	138	73	101	9
	„ OF URINARY ORGANS . . .	465	—	1	6	4	5	9	2	1	18	36	7	38	11	19	3
	„ OF ORGANS OF GENERATION .	178	1	—	2	1	2	5	—	4	1	20	2	17	8	4	1
	7. „ OF ORGANS OF LOCOMOTION . . .	128	—	—	1	1	3	—	—	1	5	14	1	11	7	5	—
	8. „ OF INTEGUMENTARY SYSTEM . . .	92	—	1	1	—	2	1	—	1	1	6	—	6	7	3	—
IV.	1. DEV. DIS. OF CHILDREN .	1142	2	8	5	1	5	7	5	8	10	71	4	106	31	51	2
	2. „ OF ADULTS	425	3	7	7	2	2	12	—	7	5	34	2	28	18	20	1
	3. „ OF OLD PEOPLE . . .	3202	83	87	61	65	160	165	16	59	42	196	31	209	172	158	10
	4. DISEASES OF NUTRITION .	1204	1	5	12	6	8	10	2	16	15	55	7	80	48	47	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued).

Class.	CAUSES OF DEATH.	Clackmann.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	231	1118	697	690	162	2425	2208	11807	363	3857	318	309	87	227	440	709	364	327
	Specified Causes	229	1091	689	655	158	2397	2182	11643	357	3834	313	309	86	224	431	683	353	313
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	29	202	98	75	17	364	354	1872	67	583	33	54	9	48	44	60	29	39
II.	CONSTITUTIONAL „	44	193	119	165	41	480	457	2288	44	742	45	42	12	45	73	149	89	58
III.	LOCAL „	106	495	334	258	70	1120	982	5497	182	1919	163	139	47	101	235	351	176	146
IV.	DEVELOPMENTAL „	34	129	81	118	14	300	265	1222	42	370	48	45	16	25	62	92	44	51
V.	VIOLENT DEATHS .	16	72	57	39	16	133	124	764	22	220	24	29	2	5	17	31	15	19
	(ORDERS.)																		
I.	1. MIASMATIC DISEASES .	25	198	89	70	16	332	343	1739	62	522	29	52	9	47	41	56	27	33
	2. ENTHETIC „ .	—	—	4	2	—	14	3	51	2	14	2	—	—	1	—	2	—	2
	3. DIETIC „ .	4	4	5	3	1	18	7	73	3	45	1	2	—	—	3	2	2	4
	4. PARASITIC „ .	—	—	—	—	—	—	1	9	—	2	1	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	8	20	14	29	3	42	43	185	5	119	6	9	1	9	17	31	14	13
	2. TUBERCULAR „ .	36	173	105	136	38	438	414	2103	39	623	39	33	11	36	56	118	75	45
III.	1. DISEASES OF NERVOUS SYSTEM .	16	94	79	64	20	284	235	1115	42	448	42	32	12	22	59	88	43	44
	2. „ OF ORGANS OF CIRCULATION	20	78	41	47	6	134	147	537	27	309	42	42	9	22	56	65	29	24
	3. „ OF RESPIRATORY ORGANS . .	47	221	156	80	27	470	379	2905	80	773	53	41	13	39	79	118	60	50
	4. „ OF DIGESTIVE ORGANS .	15	76	37	45	13	157	123	673	20	224	19	14	9	13	27	51	27	19
	5. „ OF URINARY ORGANS . .	5	15	16	17	4	41	67	189	12	123	6	8	3	4	11	23	14	6
	6. „ OF ORGANS OF GENERATION .	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION .	2	9	2	3	—	21	25	53	1	28	—	—	1	1	1	4	2	2
	8. „ OF INTEGUMENTARY SYSTEM .	1	1	1	2	—	12	6	25	—	14	1	2	—	—	2	2	1	1
IV.	1. DEV. DIS. OF CHILDREN	11	35	28	13	3	102	93	501	16	148	8	15	2	11	18	10	12	5
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	14	52	30	93	6	99	91	251	7	112	27	23	10	3	20	41	22	33
	4. DISEASES OF NUTRITION	9	42	23	12	5	99	81	470	19	110	13	7	4	11	24	41	10	13

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright	Wigtown.
	All Causes	212	1015	613	697	193	2347	2211	10877	403	3863	303	309	99	206	496	746	362	384
	Specified Causes	212	988	604	647	187	2316	2191	10740	393	3843	300	306	98	202	490	725	351	375
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	31	209	87	96	16	373	427	1898	85	571	39	57	7	61	62	80	28	34
II.	CONSTITUTIONAL „	49	183	145	150	59	588	483	2433	68	790	52	56	27	41	107	165	90	92
III.	LOCAL „	74	401	276	236	78	960	880	4806	178	1906	129	141	44	76	243	347	159	171
IV.	DEVELOPMENTAL „	54	172	84	152	27	361	353	1435	55	497	66	50	20	22	68	122	71	74
V.	VIOLENT DEATHS	4	23	12	13	7	34	48	168	7	79	14	2	—	2	10	11	3	4
	(ORDERS.)																		
I.	1. MIASMATIC DISEASES	30	205	83	93	16	353	409	1800	79	530	37	56	7	59	59	77	27	32
	2. ENTHETIC „	—	1	1	—	—	11	5	54	4	17	—	—	—	—	2	1	—	—
	3. DIETIC „	—	2	3	2	—	8	10	41	2	22	2	1	—	2	1	1	1	2
	4. PARASITIC „	1	1	—	1	—	1	3	3	—	2	—	—	—	—	—	1	—	—
II.	1. DIATHETIC „	11	35	29	43	14	70	74	309	15	188	9	22	5	10	31	43	16	22
	2. TUBERCULAR „	38	148	116	107	45	518	409	2124	53	602	43	34	22	31	76	122	74	70
III.	1. DISEASES OF NERVOUS SYSTEM	14	92	68	60	25	247	218	889	34	455	33	26	9	21	61	86	33	43
	2. „ OF ORGANS OF CIRCULATION	19	60	43	33	11	125	152	518	27	356	32	40	5	17	61	66	43	39
	3. „ OF RESPIRATORY ORGANS	24	160	102	91	28	406	325	2552	61	730	46	48	22	24	75	119	50	55
	4. „ OF DIGESTIVE ORGANS	10	69	49	38	9	142	127	637	40	250	14	21	7	10	34	58	25	29
	5. „ OF URINARY ORGANS	5	11	6	9	4	9	34	111	10	70	2	6	1	1	8	10	6	2
	6. „ OF ORGANS OF GENERATION	1	5	4	4	1	10	11	39	3	21	—	—	—	1	2	5	2	1
	7. „ OF ORGANS OF LOCOMOTION	—	2	3	—	—	9	9	38	2	11	1	—	—	—	1	2	—	1
	8. „ OF INTEGUMENTARY SYSTEM	1	2	1	1	—	12	4	22	1	13	1	—	—	2	1	1	—	1
IV.	1. DEV. DIS. OF CHILDREN	10	32	16	4	1	77	79	380	11	157	6	6	3	3	10	16	7	8
	2. „ OF ADULTS	6	6	2	4	—	40	22	126	3	37	2	6	4	4	3	8	1	3
	3. „ OF OLD PEOPLE	21	91	51	133	26	150	170	493	26	216	42	24	3	10	35	84	56	57
	4. DISEASES OF NUTRITION	17	43	15	11	—	94	82	436	15	87	16	14	10	5	20	14	7	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
V.	1. ACCIDENT OR NEGLIGENCE .	2099	13	24	19	12	39	39	5	25	28	113	27	120	45	67	4
	*																
	3. HOMICIDE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	4. SUICIDE	130	1	-	1	-	3	-	-	2	3	7	2	19	4	6	-
	5. EXECUTION	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		47	1	-	-	-	1	-	-	-	-	1	-	2	-	7	-
CAUSES NOT SPECIFIED		759	36	7	5	10	80	86	6	9	5	57	4	15	42	38	2
I.	ORDER 1.																
	1. Small-pox	20	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-
	2. Measles	511	-	-	11	6	7	5	-	2	17	14	4	13	6	10	1
	3. Scarlatina	712	-	1	6	-	9	30	-	21	3	48	2	76	17	15	-
	4. Diphtheria	431	-	-	11	-	9	5	3	3	8	48	9	23	11	8	-
	5. Quinsy	16	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-
	6. Croup	465	-	-	9	2	16	4	2	7	3	24	2	22	9	13	-
	7. Hooping-cough	716	-	2	-	4	13	3	-	11	3	21	5	44	6	11	-
	8. { Typhus Fever	139	-	-	-	1	2	1	-	2	4	14	2	7	4	3	-
	8. { Enteric or Typhoid Fever	667	1	7	7	-	6	5	1	4	15	46	10	32	24	24	1
	8. { Relapsing Fever	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	8. { Simple Continued Fever	76	-	-	-	2	3	-	-	1	1	2	1	3	1	3	-
	9. Erysipelas	137	-	1	2	1	1	1	-	2	5	8	-	10	4	8	-
	10. Puerperal Fever (Metria).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	16	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
	12. Influenza	57	1	3	-	-	3	2	-	-	-	6	1	2	1	3	-
	13. Dysentery	68	2	-	-	-	-	-	-	1	2	9	-	1	1	1	1
	14. Diarrhoea	766	1	4	6	2	4	14	3	2	8	58	2	69	22	22	-
	15. Cholera	28	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-
	16. Ague	7	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-
	17. Remittent Fever	48	-	-	1	-	-	-	-	-	-	6	-	4	4	1	-
	18. Rheumatism	142	1	1	-	2	6	9	-	2	2	11	1	10	7	9	-
	19. Other Miasmatic Diseases	10	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-
	ORDER 2.																
	1. Syphilis	104	-	-	-	-	-	-	-	-	-	9	-	13	1	1	-
	2. Stricture of Urethra	19	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
	3. Hydrophobia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	26	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-
	3. Purpura and Scurvy	33	-	1	1	-	1	1	-	-	1	3	-	-	1	2	-
	4. Alco- { a Del. Tremens	53	-	-	-	-	-	-	-	1	-	1	-	7	1	6	-
	holism { b Intemperance	117	-	-	1	1	1	-	-	1	-	9	-	5	4	4	-
	ORDER 4.																
	1. Thrush	20	-	-	-	-	-	1	-	-	-	7	-	3	1	1	-
	2. Worms, etc.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
II.	ORDER 1.																
	1. Gout	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	2. Dropsy	166	3	3	-	1	2	5	-	1	1	5	-	8	2	5	1
	3. Cancer	604	3	5	2	3	10	11	3	11	11	51	8	34	28	28	2
	4. Cancrum Oris (Noma)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	58	-	1	-	-	-	1	2	1	1	4	-	3	-	6	-

* Order 2, comprising Violent Deaths in Battle, is omitted as inapplicable to the civil population.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877. FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
V.	1. ACCIDENT OR NEGLIGENCE	617	4	2	7	-	10	10	2	6	11	44	5	70	23	20	1
	*																
	3. HOMICIDE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	49	2	-	-	-	2	-	-	1	-	4	-	3	1	3	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	43	1	-	-	-	-	-	-	-	-	2	-	2	2	5	-
	CAUSES NOT SPECIFIED	726	39	15	2	21	81	87	-	6	9	36	2	14	29	46	2
I.	ORDER 1.																
	1. Small-pox	18	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	2. Measles	508	1	-	7	3	6	6	-	4	4	11	2	25	6	8	1
	3. Scarlatina	662	-	1	5	1	13	17	5	25	2	45	3	79	17	11	-
	4. Diphtheria	525	2	-	10	-	7	6	3	7	5	71	10	22	9	6	-
	5. Quinsy	21	-	-	-	-	1	1	-	2	1	-	-	-	-	1	1
	6. Croup	450	-	-	9	3	24	4	-	3	4	18	1	18	12	14	-
	7. Hooping-cough	855	-	5	-	4	14	3	-	4	1	13	5	58	11	21	-
	8. { Typhus Fever	126	2	1	-	1	1	1	-	-	2	16	-	7	4	4	-
	Enteric or Typhoid Fever	760	7	5	4	2	14	7	1	6	19	58	5	44	22	46	1
	Relapsing Fever	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	88	-	1	1	-	-	1	-	1	-	5	-	6	4	3	-
	9. Erysipelas	133	1	1	-	-	1	3	-	5	1	12	1	12	7	7	-
	10. Puerperal Fever (Metria)	163	1	1	2	-	2	3	-	1	4	7	2	23	4	7	-
	11. Carbuncle	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	12. Influenza	59	-	4	-	-	6	1	-	1	9	-	-	4	2	4	-
	13. Dysentery	82	-	-	2	2	2	-	-	1	1	12	2	3	5	4	1
	14. Diarrhoea	766	1	6	9	1	10	10	3	6	17	53	6	79	24	29	-
	15. Cholera	41	-	-	-	-	-	1	-	-	-	2	1	1	-	1	-
	16. Ague	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	17. Remittent Fever	27	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
	18. Rheumatism	197	2	2	4	1	11	12	-	-	6	10	1	16	7	10	-
	19. Other Miasmatic Diseases	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis	118	-	1	-	-	-	2	-	-	-	9	1	11	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
	2. Want of Breast Milk	23	-	-	-	-	-	1	-	-	-	1	-	3	1	1	-
	3. Purpura and Scurvy	20	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-
	4. Alcoholism { <i>a Del. Tremens</i>	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	{ <i>b Intemperance</i>	69	-	-	1	-	1	-	-	1	2	1	-	3	1	4	-
	ORDER 4.																
	1. Thrush	12	-	-	-	-	-	2	-	-	-	3	-	1	-	-	-
	2. Worms, etc.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
II.	ORDER 1.																
	1. Gout	9	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	2. Dropsy	256	7	6	1	3	6	13	1	4	1	14	-	19	4	13	-
	3. Cancer	1128	3	6	13	11	21	22	1	14	20	99	10	83	42	54	6
	4. Cancerum Oris (Noma)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	86	-	2	1	-	1	1	-	1	-	8	3	10	4	4	1

* See note on opposite page.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued).

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirk- cudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	14	70	55	39	16	124	117	734	21	200	20	26	2	5	15	28	15	18
	*																		
	3. HOMICIDE	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	4. SUICIDE	2	2	1	-	-	9	7	28	1	20	3	3	-	-	2	3	-	1
	5. EXECUTION	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	-	4	-	-	-	3	-	25	1	2	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	2	23	8	35	4	25	26	139	5	21	5	-	1	3	9	26	11	14
I.	ORDER 1.																		
	1. Small-pox	-	-	-	-	-	-	-	16	-	-	-	-	-	-	-	-	-	1
	2. Measles	7	12	6	3	-	26	9	305	10	25	-	1	-	1	-	10	-	-
	3. Scarlatina	-	67	13	6	-	38	81	207	2	25	1	7	-	18	11	3	4	1
	4. Diphtheria	2	8	11	7	3	25	34	127	6	53	2	7	1	1	3	3	-	-
	5. Quinsy	-	-	-	-	-	3	3	3	-	-	-	1	-	-	-	-	1	-
	6. Croup	1	12	16	11	4	33	28	159	6	56	4	6	1	2	4	3	2	4
	7. Hooping-cough	2	15	5	13	1	70	42	280	4	127	1	3	-	8	6	9	4	3
	8. { Typhus Fever	3	1	6	-	-	18	5	50	-	15	-	1	-	-	-	-	-	-
	{ Enteric or Typhoid Fever	2	26	4	9	2	37	51	206	8	78	8	7	4	9	12	7	5	9
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	1	4	2	1	-	5	11	16	4	7	1	1	1	2	-	-	3	-
	9. Erysipelas	1	5	3	-	2	8	6	43	2	12	5	2	1	1	-	1	1	1
	10. Puerperal Fever (Metria).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	3	-	6	-	1	-	-	-	-	-	1	-	1
	12. Influenza	-	3	-	2	1	2	4	9	1	5	-	2	-	-	1	-	2	-
	13. Dysentery	-	3	1	-	-	4	7	22	1	2	-	3	1	-	-	5	1	-
	14. Diarrhoea	6	29	14	16	1	47	48	241	15	93	3	8	-	4	3	9	3	9
	15. Cholera	-	2	3	-	1	1	4	7	-	3	-	-	-	-	1	1	-	-
	16. Ague	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	8	-	-	1	6	3	8	1	3	-	-	-	-	-	1	-	1
	18. Rheumatism	-	3	5	2	-	5	6	29	2	15	4	3	-	1	-	3	1	2
	19. Other Miasmatic Diseases	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	1
	ORDER 2.																		
	1. Syphilis	-	-	4	1	-	12	3	44	2	11	-	-	-	1	-	1	-	1
	2. Stricture of Urethra	-	-	-	1	-	2	-	7	-	3	2	-	-	-	-	-	-	1
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																		
	1. Privation	-	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1
	2. Want of Breast Milk	3	-	-	1	1	2	-	7	-	6	-	-	-	-	-	1	-	-
	3. Purpura and Scurvy	1	2	1	-	-	2	2	9	-	5	-	-	-	-	-	-	-	-
	4. Alcoholism { <i>a</i> Del. Tremens.	-	1	2	1	-	5	2	10	1	10	-	-	-	-	2	-	2	1
	{ <i>b</i> Intemperance	-	-	1	1	-	8	3	46	2	23	1	2	-	-	1	1	-	2
	ORDER 4.																		
	1. Thrush	-	-	-	-	-	-	-	5	-	1	1	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	-
II.	ORDER 1.																		
	1. Gout	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	2. Dropsy	3	4	5	11	-	16	8	54	1	9	-	2	-	1	2	9	1	3
	3. Cancer	4	13	8	16	3	25	32	116	3	96	6	7	1	8	12	21	13	10
	4. Cancrum Oris (Noma)	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
	5. Mortification	1	2	1	2	-	1	3	12	1	13	-	-	-	-	2	1	-	-

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—FEMALES. (Continued).

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE *	4	22	12	13	6	32	44	155	5	72	10	2	-	1	9	9	2	4
	3. HOMICIDE	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	1	-	-	-	2	3	9	2	7	4	-	-	1	1	2	1	-
	5 EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCR- TAINED	-	1	1	1	-	2	-	25	-	-	-	-	-	-	-	1	-	-
	CAUSES NOT SPECIFIED . . .	-	26	8	49	6	29	20	112	10	20	3	3	1	4	6	20	11	9
I.	ORDER 1.																		
	1. Small-pox	-	-	3	-	1	-	-	9	-	-	-	-	-	-	-	-	-	2
	2. Measles	2	11	3	5	1	28	16	310	17	19	-	1	1	-	-	8	2	2
	3. Scarlatina	-	62	13	7	-	28	70	177	6	13	2	9	-	23	16	7	1	1
	4. Diphtheria	4	10	9	15	1	35	33	155	6	67	7	9	2	3	1	4	3	3
	5. Quinsy	-	-	-	1	-	-	3	9	-	-	1	-	-	-	-	-	-	-
	6. Croup	3	14	4	18	5	39	23	164	3	49	2	4	-	1	4	5	1	1
	7. Hooping-cough	6	18	20	15	2	73	73	310	13	137	1	3	1	11	5	16	5	7
	8. { Typhus Fever	-	2	-	-	1	16	7	49	-	7	-	2	1	-	-	2	-	-
	{ Enteric or Typhoid Fever	3	42	8	8	2	28	73	200	13	67	13	7	-	16	15	14	4	6
	{ Relapsing Fever	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	1	8	2	1	1	4	13	15	3	14	-	1	1	-	-	1	-	1
	9. Erysipelas	1	2	2	2	-	11	6	41	2	14	1	-	-	1	2	2	-	-
	10. Puerperal Fever (Metria)	3	5	3	1	1	12	10	52	1	9	-	3	-	2	-	1	1	2
	11. Carbuncle	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-
	12. Influenza	-	-	1	1	-	1	7	7	-	3	-	2	-	-	4	2	-	-
	13. Dysentery	-	2	-	-	-	4	5	18	-	8	1	2	-	1	-	3	2	1
	14. Diarrhoea	4	17	12	13	1	52	54	226	14	82	6	8	1	1	7	7	4	3
	15. Cholera	-	-	1	-	-	3	3	12	1	9	1	3	-	-	-	1	-	1
	16. Ague	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	-
	17. Remittent Fever	-	5	-	1	-	3	4	6	-	-	-	-	-	-	1	1	-	-
	18. Rheumatism	3	7	2	5	-	15	7	35	-	26	2	1	-	-	4	3	3	2
	19. Other Miasmatic Diseases	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	ORDER 2.																		
	1. Syphilis	-	1	1	-	-	11	5	52	4	17	-	-	-	-	2	1	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																		
	1. Privation	-	1	1	-	-	1	2	4	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	1	-	-	-	1	1	6	-	5	-	-	-	-	2	-	-	-
	3. Purpura and Scurvy	-	-	-	1	-	1	3	5	-	1	-	1	-	-	-	-	-	1
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	1	2	1	1	-	-	-	-	1	-	1	-
	holism { b Intemperance	-	-	2	1	-	5	3	24	1	15	2	-	-	-	-	1	-	1
	ORDER 4.																		
	1. Thrush	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	1	-	-
	2. Worms, etc. . . .	1	1	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
II.	ORDER 1.																		
	1. Gout	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-
	2. Dropsy	2	11	5	13	-	19	8	72	1	12	2	3	-	-	2	3	6	1
	3. Cancer	9	19	23	27	14	47	62	216	14	163	7	17	4	8	25	36	11	21
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	5	1	2	-	4	4	16	-	10	-	2	1	-	3	1	1	-

* See page 52, note *.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
III.	ORDER 2.																
	1. Scrofula	385	1	4	5	3	8	5	—	4	9	30	2	23	10	13	2
	2. Tabes Mesenterica	632	1	—	1	1	—	6	—	—	4	10	2	22	15	17	2
	3. Phthisis	3889	30	26	29	23	55	61	5	46	49	207	25	246	145	117	5
	4. Hydrocephalus	1106	5	5	8	3	5	9	—	5	6	56	2	63	18	39	1
	ORDER 1.																
	1. Cephalitis	510	—	3	4	—	5	7	—	7	12	27	3	51	13	16	1
	2. Apoplexy	898	2	7	9	3	4	11	4	6	15	45	6	69	36	33	1
	3. Paralysis	956	5	10	14	6	22	19	3	12	11	67	7	90	47	57	1
	4. Insanity	32	—	—	—	—	1	2	—	—	1	4	—	—	1	1	—
	5. Chorea	4	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
	6. Epilepsy	156	2	1	1	2	4	4	—	4	1	6	1	10	7	10	—
	7. Convulsions	700	1	1	5	2	10	8	2	12	6	40	2	48	14	19	1
	8. Brain Disease, etc.	657	—	2	2	—	9	8	1	4	3	44	9	34	29	21	1
	ORDER 2.																
	1. Pericarditis	45	—	—	1	—	—	1	—	1	1	1	—	2	1	1	—
	2. Aneurism	92	1	1	1	—	—	1	—	1	1	6	3	5	1	2	—
	3. Heart Disease, etc.	2287	5	5	17	5	28	34	6	39	30	152	16	175	118	121	6
	ORDER 3.																
	1. Laryngitis	115	1	—	2	—	1	1	—	1	6	14	1	7	3	2	—
	2. Bronchitis	4544	12	16	32	11	36	62	7	41	55	249	28	334	118	163	7
	3. Pleurisy	191	—	1	2	1	8	8	1	1	1	11	—	6	6	5	1
	4. Pneumonia	1882	4	2	10	9	24	13	—	10	15	77	10	141	42	74	8
	5. Asthma	195	2	—	1	10	13	11	—	5	—	5	2	13	6	8	—
	6. Lung Disease, etc.	556	—	2	1	1	3	11	1	4	2	24	1	29	21	14	1
	ORDER 4.																
	1. Gastritis	117	—	3	—	1	1	1	—	1	4	8	1	7	2	3	2
	2. Enteritis	474	—	2	2	1	6	2	3	6	5	14	2	29	10	19	1
	3. Peritonitis	220	1	2	3	3	2	8	—	1	5	18	—	14	5	8	2
	4. Ascites	30	—	—	—	—	1	1	—	—	—	2	—	2	—	1	—
	5. Ulceration of Intestines	105	1	—	2	1	3	2	—	—	3	10	2	6	5	3	—
	6. Hernia	75	—	1	1	1	1	2	—	—	1	9	—	5	2	4	—
	7. Ileus	152	—	1	6	—	4	2	—	5	9	11	4	9	4	6	2
	8. Intussusception	42	1	—	—	1	1	1	—	—	1	6	—	6	—	2	—
	9. Stricture of Intestines	23	—	2	—	—	1	1	—	1	1	1	—	—	1	1	—
	10. Fistula	7	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	343	3	2	2	—	7	15	1	5	2	32	4	19	17	7	1
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	107	—	—	—	—	5	2	—	1	5	3	1	6	3	4	1
	14. Jaundice	105	2	—	—	—	—	2	—	1	2	9	—	4	5	3	—
	15. Liver Disease, etc.	431	—	3	5	—	7	8	3	5	2	25	3	37	12	19	2
	16. Spleen Disease, etc.	17	—	1	—	—	2	—	—	1	—	2	—	1	—	—	—
	ORDER 5.																
	1. Nephritis	80	—	1	2	—	3	1	—	1	1	8	—	6	5	2	—
	2. Ischuria	44	1	—	2	2	4	1	—	—	2	6	1	1	1	—	—
	3. Bright's Disease (Nephria)	246	1	1	3	2	3	6	—	1	7	11	—	20	3	10	1
	4. Diabetes	63	—	—	1	—	2	—	—	1	1	6	—	1	2	6	—
	5. Calculus (Stone)	40	1	—	5	2	—	2	—	1	—	10	1	1	—	—	—
	6. Cystitis	98	—	—	6	—	2	1	—	2	11	1	1	5	6	1	—
	7. Kidney Disease, etc.	320	2	2	4	1	8	7	—	6	6	34	7	26	11	14	—
	ORDER 6.																
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	6	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
	ORDER 7.																
	1. Synovitis (Arthritis)	12	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
	2. Joint Disease, etc.	187	—	1	3	—	1	1	—	2	2	10	—	11	6	4	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
III.	ORDER 2.																
	1. Scrofula	355	—	2	1	1	3	5	—	1	9	35	2	15	12	10	—
	2. Tabes Mesenterica	496	2	2	1	2	—	3	—	—	1	13	1	34	5	12	1
	3. Phthisis	4453	32	21	29	17	57	60	5	35	39	234	37	334	142	152	11
	4. Hydrocephalus	877	—	4	5	1	3	4	1	4	6	47	2	51	18	19	6
	ORDER 1.																
	1. Cephalitis	384	—	2	3	1	1	1	—	—	8	23	5	26	17	16	2
	2. Apoplexy	947	4	4	6	4	5	11	1	7	8	53	11	76	36	41	2
	3. Paralysis	1079	2	10	8	6	22	19	5	16	15	80	12	87	43	61	4
	4. Insanity	47	—	—	1	—	2	1	—	—	1	5	—	2	2	5	—
	5. Chorea	6	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	6. Epilepsy	109	—	2	1	—	1	2	—	3	1	12	2	10	1	7	—
	7. Convulsions	466	—	1	2	2	4	6	1	5	5	23	3	40	11	20	2
	8. Brain Disease, etc.	488	3	3	3	—	5	5	2	8	9	39	7	32	26	18	—
	ORDER 2.																
	1. Pericarditis	54	—	1	—	—	—	—	—	1	—	3	—	3	4	2	—
	2. Aneurism	34	—	—	—	—	2	1	—	2	3	4	1	3	4	2	—
	3. Heart Disease, etc.	2436	6	8	25	8	33	28	1	26	21	182	25	228	120	123	7
	ORDER 3.																
	1. Laryngitis	99	—	—	—	—	—	1	—	2	2	6	—	3	1	1	—
	2. Bronchitis	4638	13	33	42	10	65	61	5	31	52	227	30	440	115	161	1
	3. Pleurisy	110	—	1	—	1	2	9	—	1	3	4	—	5	5	9	2
	4. Pneumonia	1262	1	3	7	6	8	8	—	6	13	51	7	109	29	59	4
	5. Asthma	153	4	2	3	6	18	11	—	2	1	9	1	5	4	11	—
	6. Lung Disease, etc.	504	3	2	4	2	3	8	—	4	3	14	—	39	18	14	2
	ORDER 4.																
	1. Gastritis	157	1	4	—	—	1	3	—	2	1	5	—	8	12	9	2
	2. Enteritis	440	2	1	2	3	6	1	—	4	3	19	2	21	8	18	—
	3. Peritonitis	245	2	3	5	—	3	8	1	3	2	12	1	19	9	12	2
	4. Ascites	39	—	—	1	1	1	—	—	—	1	3	—	—	—	4	—
	5. Ulceration of Intestines	96	—	1	2	—	5	2	—	2	2	10	1	7	2	4	—
	6. Hernia	67	—	—	3	—	1	1	—	1	1	4	1	6	1	2	—
	7. Ileus	139	2	—	4	3	5	2	—	1	1	10	2	9	4	8	1
	8. Intussusception	39	1	1	—	—	—	—	—	—	1	4	—	1	2	2	—
	9. Stricture of Intestines	13	—	—	1	—	—	1	—	—	—	2	1	2	1	—	—
	10. Fistula	7	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	364	6	6	1	1	9	4	1	6	3	24	2	26	10	8	1
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	118	1	1	—	—	1	—	—	—	1	6	—	8	4	15	—
	14. Jaundice	105	—	1	—	—	1	2	—	1	1	10	1	6	5	2	—
	15. Liver Disease, etc.	382	4	2	4	1	1	10	1	6	8	20	3	24	15	17	2
	16. Spleen Disease, etc.	19	—	—	—	—	—	—	—	—	—	3	—	1	—	—	1
	ORDER 5.																
	1. Nephritis	58	—	—	—	—	1	—	—	—	4	1	1	6	1	3	—
	2. Ischuria	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	3. Bright's Disease (Nephria)	186	—	—	3	2	2	6	2	1	7	16	1	19	1	9	2
	4. Diabetes	46	—	—	—	—	1	2	—	—	—	1	—	2	4	2	1
	5. Calculus (Stone)	5	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—
	6. Cystitis	14	—	—	—	1	—	—	—	—	1	—	—	1	1	1	—
	7. Kidney Disease, etc.	153	—	1	3	1	1	1	—	—	4	16	4	9	4	4	—
	ORDER 6.																
	1. Ovarian Dropsy	68	—	—	—	1	—	1	—	2	1	8	2	5	4	2	—
	2. Uterus Disease, etc.	110	1	—	2	—	2	4	—	2	—	12	—	12	4	2	1
	ORDER 7.																
	1. Synovitis (Arthritis)	19	—	—	—	—	—	—	—	—	—	2	1	1	3	1	—
	2. Joint Disease, etc.	109	—	—	1	1	3	—	—	1	5	12	—	10	4	4	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued).

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
III.	ORDER																		
	1. Scrofula	1	7	7	7	5	27	19	119	5	42	3	2	2	3	4	7	1	5
	2. Tabes Mesenterica	3	17	9	5	2	34	55	335	10	56	3	3	-	3	7	6	1	2
	3. Phthisis	25	113	68	104	23	289	268	1220	17	398	27	19	5	22	37	88	64	33
	4. Hydrocephalus	7	36	21	20	8	88	72	429	7	127	6	9	4	8	8	17	9	5
	ORDER 1.																		
	1. Cephalitis	2	6	5	9	1	24	26	192	2	57	7	2	1	1	4	14	6	2
	2. Apoplexy	5	25	14	14	11	82	56	243	11	87	12	6	5	3	12	17	10	13
	3. Paralysis	2	26	31	19	5	60	49	195	10	105	15	12	1	4	15	30	13	14
	4. Insanity	1	-	1	1	-	-	2	5	-	6	1	1	-	-	1	3	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	6. Epilepsy	-	10	3	1	-	8	12	32	2	21	1	1	1	1	5	2	1	2
	7. Convulsions	-	9	10	12	-	45	39	271	9	98	4	3	1	5	6	8	6	3
	8. Brain Disease, etc.	6	18	15	8	3	65	51	177	8	72	2	7	3	8	16	14	7	10
	ORDER 2.																		
	1. Pericarditis	1	-	4	1	-	2	4	13	2	2	-	-	-	1	2	3	1	-
	2. Aneurism	-	-	-	4	-	2	9	25	-	18	3	2	-	2	1	3	-	-
	3. Heart Disease, etc.	19	78	37	42	6	130	134	499	25	289	39	40	9	19	53	59	28	24
	ORDER 3.																		
	1. Laryngitis	1	1	2	2	-	6	11	34	-	14	-	1	1	-	1	1	1	-
	2. Bronchitis	31	129	100	41	15	275	210	1826	48	459	28	18	7	22	47	65	28	24
	3. Pleurisy	-	7	4	1	1	12	7	48	2	29	-	2	2	3	4	11	5	1
	4. Pneumonia	14	59	32	19	9	142	90	714	18	214	19	15	3	9	22	31	19	14
	5. Asthma	-	7	1	9	-	14	28	43	2	4	1	1	-	2	3	2	2	-
	6. Lung Disease, etc.	1	18	17	8	2	21	33	240	10	53	5	4	-	3	2	8	5	11
	ORDER 4.																		
	1. Gastritis	-	4	-	3	-	5	13	47	-	8	-	-	-	-	-	2	1	-
	2. Enteritis	3	24	9	4	3	35	33	172	11	47	4	4	-	3	6	3	8	3
	3. Peritonitis	6	5	1	2	2	21	9	58	2	27	1	1	-	2	2	7	-	2
	4. Ascites	-	2	-	1	-	3	2	10	-	3	-	-	-	-	1	1	-	-
	5. Ulceration of Intestines	-	1	3	3	1	3	7	19	-	17	-	1	3	-	2	3	2	2
	6. Hernia	-	2	-	6	-	5	4	23	-	5	-	1	-	1	-	1	-	-
	7. Ileus	1	1	2	5	-	6	5	35	-	20	1	1	2	-	1	4	3	2
	8. Intussusception	-	2	-	1	-	1	3	6	-	3	1	-	1	1	3	1	-	-
	9. Stricture of Intestines	-	-	2	1	-	1	-	5	-	4	-	-	-	-	-	1	-	-
	10. Fistula	-	-	-	-	-	2	-	3	-	1	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	2	9	10	5	3	16	20	96	1	34	4	3	1	1	1	9	5	6
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	1	3	-	3	-	10	7	36	2	7	-	2	1	1	2	1	-	-
	14. Jaundice	-	6	1	5	-	8	6	28	-	10	3	-	-	1	3	2	2	2
	15. Liver Disease, etc.	2	16	9	6	4	40	13	132	4	37	4	1	1	3	5	15	6	2
	16. Spleen Disease, etc.	-	1	-	-	-	1	1	3	-	1	1	-	-	-	1	1	-	-
	ORDER 5.																		
	1. Nephritis	1	3	1	-	-	2	5	19	1	10	-	1	-	-	2	3	-	2
	2. Ischuria	-	-	3	1	-	-	3	6	2	6	-	-	-	-	-	1	1	-
	3. Bright's Disease (Nephria)	2	4	5	3	2	12	18	63	6	36	2	3	2	1	3	6	7	2
	4. Diabetes	2	1	1	1	-	3	4	12	-	15	-	-	-	1	-	2	-	1
	5. Calculus (Stone)	-	-	-	2	1	-	-	5	-	7	1	-	-	-	-	1	-	-
	6. Cystitis	-	3	4	1	-	4	7	21	2	8	1	2	-	-	2	4	2	1
	7. Kidney Disease, etc.	-	4	2	9	1	20	30	63	1	41	2	2	1	2	4	6	4	-
	ORDER 6.																		
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.																		
	1. Synovitis (Arthritis)	-	1	-	-	-	1	1	4	-	1	-	-	-	-	-	-	1	1
	2. Joint Disease, etc.	2	8	2	3	-	20	24	49	1	27	-	-	1	1	1	4	1	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—FEMALES. (Continued)

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
III.	ORDER 2.																		
	1. Scrofula	-	3	9	6	3	38	14	113	6	34	2	5	1	3	2	6	4	10
	2. Tabes Mesenterica	5	19	4	5	5	29	50	215	6	50	4	3	1	2	6	9	1	5
	3. Phthisis	30	107	79	88	33	377	292	1457	28	407	32	20	18	23	53	94	59	51
	4. Hydrocephalus	3	19	24	8	4	74	53	339	13	111	5	6	2	3	15	13	10	4
	ORDER 1.																		
	1. Cephalitis	3	10	4	3	1	30	19	126	6	50	4	-	-	3	3	11	5	-
	2. Apoplexy	3	29	20	13	11	73	66	227	16	127	8	10	4	10	22	20	6	13
	3. Paralysis	5	30	22	28	7	74	57	204	7	140	14	8	3	7	26	32	9	16
	4. Insanity	-	-	2	1	-	3	2	7	-	6	1	1	-	-	-	3	1	1
	5. Chorea	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	2	-	-
	6. Epilepsy	1	4	6	1	1	8	7	19	-	11	1	1	-	-	1	3	2	1
	7. Convulsions	1	8	5	7	3	21	29	177	2	62	1	1	1	1	4	6	7	5
	8. Brain Disease, etc.	1	11	9	7	2	37	37	128	3	59	4	5	1	-	5	9	3	7
	ORDER 2.																		
	1. Pericarditis	-	1	1	-	1	4	2	15	3	9	-	1	-	-	-	1	2	-
	2. Aneurism	-	-	-	2	-	-	-	4	-	6	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	19	59	42	31	10	121	150	499	24	341	32	39	5	17	61	65	41	39
	ORDER 3.																		
	1. Laryngitis	-	1	3	-	-	6	6	49	-	11	-	-	-	-	1	4	2	-
	2. Bronchitis	18	109	71	63	14	291	212	1730	40	495	29	32	16	17	56	82	35	42
	3. Pleurisy	-	2	-	2	-	4	4	35	1	13	-	2	1	-	1	1	2	-
	4. Pneumonia	6	32	17	12	14	83	60	476	16	150	12	7	4	6	15	26	8	7
	5. Asthma	-	2	3	5	-	10	11	26	-	9	4	1	-	1	1	2	-	1
	6. Lung Disease, etc.	-	14	8	9	-	12	32	236	4	52	1	6	1	-	1	4	3	5
	ORDER 4.																		
	1. Gastritis	-	4	4	3	2	8	8	49	2	16	-	1	-	-	1	7	1	3
	2. Enteritis	-	15	9	5	-	39	33	162	14	35	3	7	-	2	12	8	3	1
	3. Peritonitis	1	8	4	5	2	13	12	60	7	27	-	-	1	2	4	11	-	1
	4. Ascites	-	-	3	2	-	6	3	10	1	1	-	-	-	-	1	1	-	1
	5. Ulceration of Intestines	-	1	3	-	-	3	9	15	1	11	-	3	-	-	2	2	1	7
	6. Hernia	-	3	-	1	-	1	5	22	1	7	1	-	-	1	-	1	2	1
	7. Ileus	-	3	-	2	-	4	5	32	1	26	1	3	1	1	1	5	1	1
	8. Intussusception	-	1	1	1	-	3	-	15	1	4	-	-	-	-	-	-	1	-
	9. Stricture of Intestines	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	-	1
	10. Fistula	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	4	14	15	5	1	14	21	98	3	47	1	3	3	2	6	10	4	5
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	1	6	-	2	1	8	4	43	1	10	-	-	-	1	-	2	1	1
	14. Jaundice	2	3	2	1	-	8	1	25	2	21	2	1	1	1	1	3	-	1
	15. Liver Disease, etc.	2	11	8	10	2	34	20	97	6	42	5	2	1	-	7	8	5	4
	16. Spleen Disease, etc.	-	-	-	1	1	1	2	5	-	2	-	1	-	-	-	-	1	-
	ORDER 5.																		
	1. Nephritis	-	5	1	-	-	1	4	18	1	9	-	-	-	-	-	1	-	1
	2. Ischuria	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria) }	4	3	1	4	-	2	9	48	6	23	-	2	-	1	6	3	3	-
	4. Diabetes	1	-	3	1	1	4	4	6	-	4	1	1	1	-	1	4	1	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	6. Cystitis	-	1	-	1	-	-	-	3	-	1	-	1	-	-	-	2	-	-
	7. Kidney Disease, etc.	-	2	1	3	3	2	17	35	3	32	1	2	-	-	1	-	2	1
	ORDER 6.																		
	1. Ovarian Dropsy	1	2	2	1	1	6	5	10	1	6	-	-	-	1	1	3	2	-
	2. Uterus Disease, etc.	-	3	2	3	-	4	6	29	2	15	-	-	-	-	1	2	-	1
	ORDER 7.																		
	1. Synovitis (Arthritis)	-	-	-	-	-	3	1	4	1	-	-	-	-	-	-	1	-	-
	2. Joint Disease, etc.	-	2	3	-	-	6	8	34	1	11	1	-	-	-	1	1	-	-

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	ORDER 8.																
	1. Phlegmon	45	-	-	-	1	-	-	1	-	1	3	1	-	5	3	-
	2. Ulcer	20	-	-	-	1	-	-	-	-	1	1	-	3	-	-	-
	3. Skin Disease, etc.	34	-	1	-	-	-	2	-	-	-	1	-	-	-	3	-
	ORDER 1.																
	1. Premature Birth	862	3	-	7	1	4	8	1	7	6	59	5	82	23	30	3
	2. Cyanosis	33	-	1	-	-	-	-	-	-	-	2	-	2	1	1	-
	3. Spina Bifida	27	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-
	4. Other Malformations	92	2	-	1	-	3	-	-	-	3	7	-	11	-	5	-
	5. Teething	379	3	1	1	-	8	6	-	6	-	10	4	16	4	20	-
V.	ORDER 2.																
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Old Age	1882	55	55	40	35	97	101	15	30	24	112	20	101	131	128	4
	ORDER 4.																
	1. Atrophy and Debility	1327	2	4	11	7	14	22	2	12	10	61	4	88	33	60	4
	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	822	1	-	5	1	10	11	1	7	5	32	4	47	21	39	1
	2. Gunshot Wounds	11	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-
	3. Cut, Stab	13	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	4. Burns and Scalds	345	3	1	-	1	3	4	-	3	2	11	3	9	1	3	-
	5. Poison	38	-	-	1	-	1	1	-	-	-	1	-	1	3	-	-
	6. Drowning	542	8	20	11	10	20	21	4	10	12	44	18	33	14	18	1
	7. Suffocation	166	-	-	1	-	-	-	-	2	7	9	1	24	3	2	1
	8. Otherwise	162	1	3	1	-	3	1	-	2	2	14	1	5	3	5	1
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	6	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-
	2. Cut, Stab	31	-	-	-	-	1	-	-	-	1	3	1	3	1	1	-
	3. Poison	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
	4. Drowning	22	1	-	-	-	1	-	-	-	-	-	-	8	-	1	-
	5. Hanging	53	-	-	-	-	1	-	-	1	2	3	1	7	2	3	-
	6. Otherwise and undefined	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.																
	(Execution.)																
	1. Hanging	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)	47	1	-	-	-	1	-	-	-	-	1	-	2	-	7	-
Causes not specified or ill-defined	759	36	7	5	10	80	86	6	9	5	57	4	15	42	38	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	ORDER 8.																
	1. Phlegmon	43	-	-	-	-	1	1	-	-	1	3	-	5	5	2	-
	2. Ulcer	24	-	-	1	-	1	-	-	-	-	3	-	1	1	1	-
	3. Skin Disease, etc.	25	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-
	ORDER 1.																
	1. Premature Birth	683	1	4	2	-	-	4	2	1	5	37	3	82	18	32	2
	2. Cyanosis	28	-	1	-	-	1	-	-	-	-	1	-	-	1	1	-
	3. Spina Bifida	33	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-
	4. Other Malformations	75	-	-	-	-	-	-	-	1	1	10	-	9	2	3	-
	5. Teething	323	1	2	3	1	4	3	3	5	4	22	1	14	9	15	-
V.	ORDER 2.																
	1. Paramenia	31	2	2	-	-	-	-	-	-	2	3	-	1	1	1	-
	2. Childbirth (<i>see</i> Puerperal Fever)	394	1	5	7	2	2	12	-	7	3	31	2	27	17	19	1
	ORDER 3.																
	1. Old Age	3202	83	87	61	65	160	165	16	59	42	196	31	209	172	158	10
	ORDER 4.																
	1. Atrophy and Debility	1204	1	5	12	6	8	10	2	16	15	55	7	80	48	47	-
	ORDER 1.																
	(<i>Accident or Negligence.</i>)																
	1. Fractures and Contusions	189	1	1	4	-	3	-	-	1	7	13	-	17	8	5	1
	2. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	3. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	116	3	1	1	-	3	3	2	1	1	7	1	11	4	8	-
	5. Poison	24	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-
	6. Drowning	88	-	-	-	-	3	2	-	-	-	7	2	9	5	2	-
	7. Suffocation	124	-	-	2	-	1	3	-	1	3	9	1	29	3	1	-
	8. Otherwise	73	-	-	-	-	-	2	-	3	-	7	1	1	2	3	-
	ORDER 3.																
	(<i>Homicide.</i>)																
	1. Murder and Manslaughter	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																
	(<i>Suicide.</i>)																
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
	2. Cut, Stab	11	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
	3. Poison	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
	4. Drowning	14	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-
	5. Hanging	17	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	ORDER 5.																
	(<i>Execution.</i>)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		43	1	-	-	-	-	-	-	-	-	2	-	2	2	5	-
Causes not specified or ill-defined		726	39	15	2	21	81	87	-	6	9	36	2	14	29	46	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued).

Class.	CAUSES OF DEATH.	Clackman- nar.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
IV.	ORDER 8.																		
	1. Phlegmon	-	-	-	2	-	7	-	13	-	6	-	1	-	-	-	1	-	-
	2. Ulcer	1	-	-	-	-	2	2	6	-	1	-	-	-	-	1	-	1	-
	3. Skin Disease, etc. . .	-	1	1	-	-	3	4	6	-	7	1	1	-	-	1	1	-	1
	ORDER 1.																		
	1. Premature Birth . .	6	22	15	9	3	51	54	314	8	90	2	8	2	5	14	5	11	4
	2. Cyanosis	-	2	1	1	-	-	3	12	-	5	-	1	-	-	-	1	-	-
	3. Spina Bifida	-	1	-	1	-	-	1	8	-	5	1	2	-	-	3	-	-	-
	4. Other Malformations .	1	-	1	1	-	5	5	22	-	18	1	-	-	1	1	3	-	1
	5. Teething	4	10	11	1	-	46	30	145	8	30	4	4	-	5	-	1	1	-
	ORDER 2.																		
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																		
	1. Old Age	14	52	30	93	6	99	91	251	7	112	27	23	10	3	20	41	22	33
	ORDER 4.																		
	1. Atrophy and Debility .	9	42	23	12	5	99	81	470	19	110	13	7	4	11	24	41	10	13
V.	ORDER 1. (Accident or Negligence.)																		
	1. Fractures and Contusions	3	35	22	9	2	57	71	276	11	105	8	8	1	-	4	13	7	5
	2. Gunshot Wounds . . .	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	1	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	4	-	5	-	-	-	-	1	-	-	1
	4. Burns and Scalds . . .	2	6	7	2	-	9	4	246	2	15	2	1	-	1	-	1	-	3
	5. Poison	-	1	1	-	2	2	3	13	-	4	1	-	1	1	1	-	-	-
	6. Drowning	5	12	22	19	10	39	25	100	3	21	8	14	-	2	4	6	4	4
	7. Suffocation	1	5	3	3	-	10	6	40	3	32	-	2	-	1	2	3	2	3
	8. Otherwise	3	11	-	5	2	7	7	53	2	18	1	1	-	-	2	4	2	2
	ORDER 3. (Homicide.)																		
	1. Murder and Manslaughter	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)																		
	1. Gunshot Wounds . . .	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	1	-	-	-	2	2	8	-	3	1	1	-	-	1	1	-	-
	3. Poison	1	-	-	-	-	-	2	2	-	3	-	1	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	1	1	4	-	3	-	1	-	-	-	1	-	-
	5. Hanging	1	1	-	-	-	4	2	11	1	8	2	-	-	-	1	1	-	1
	6. Otherwise and undefined .	-	-	-	-	-	2	-	2	-	3	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)																		
	1. Hanging	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	4	-	-	-	3	-	25	1	2	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		2	23	8	35	4	25	26	139	5	21	5	-	1	3	9	26	11	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1877.—FEMALES. (Continued).

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
IV.	ORDER 8.																		
	1. Phlegmon	1	1	1	-	-	7	1	8	-	2	-	-	-	2	1	1	-	-
	2. Ulcer	-	-	-	-	-	1	2	5	-	6	1	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	1	-	1	-	4	1	9	1	5	-	-	-	-	-	-	-	-
	ORDER 1.																		
	1. Premature Birth	5	14	10	3	1	34	48	221	4	111	3	4	3	-	8	10	5	6
	2. Cyanosis	-	2	1	-	-	4	3	9	-	1	-	-	-	-	1	-	1	1
	3. Spina Bifida	-	4	-	-	-	1	1	10	-	8	1	1	-	1	-	1	-	-
	4. Other Malformations	2	1	1	1	-	3	5	21	1	11	1	-	-	-	-	1	1	1
	5. Teething	3	11	4	-	-	35	22	119	6	26	1	1	-	2	1	5	-	-
	ORDER 2.																		
	1. Paramenia	1	1	-	-	-	2	3	5	1	1	-	-	-	1	-	3	-	1
	2. Childbirth (see Puerperal Fever)	5	5	2	4	-	38	19	121	2	36	2	6	4	3	3	5	1	2
	ORDER 3.																		
	1. Old Age	21	91	51	133	26	150	170	493	26	216	42	24	3	10	35	84	56	57
	ORDER 4.																		
	1. Atrophy and Debility	17	43	15	11	-	94	82	436	15	87	16	14	10	5	20	14	7	6
V.	ORDER 1. (Accident or Negligence.)																		
	1. Fractures and Contusions	-	8	3	4	1	16	12	52	-	26	2	-	-	1	1	1	1	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	4	1	-	1	4	5	28	2	14	4	-	-	-	2	4	-	1
	5. Poison	-	-	2	-	-	2	2	7	-	3	1	-	-	-	1	1	-	-
	6. Drowning	1	6	4	5	-	5	12	16	-	4	1	-	-	-	-	1	1	2
	7. Suffocation	1	1	2	3	-	4	8	35	1	14	-	-	-	-	-	1	-	1
	8. Otherwise	2	3	-	1	4	1	4	17	2	11	2	1	-	-	5	1	-	-
	ORDER 3. (Homicide.)																		
	1. Murder and Manslaughter	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)																		
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	1	2	1	1	1	-	-	-	1	-	-	-
	3. Poison	-	-	-	-	-	1	-	1	3	1	1	-	-	-	-	1	-	-
	4. Drowning	-	1	-	-	-	1	2	3	-	3	1	-	-	1	-	1	1	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)																		
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	1	1	1	-	2	-	25	-	-	-	-	-	-	-	1	-	-
	Causes not specified or ill-defined	-	26	8	49	6	29	20	112	10	20	3	3	1	4	6	20	11	9

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1877.—MALES.

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	All Causes	14190	7068	2340	1404	994	828	667	584	305
	Specified Causes	14072	6994	2328	1400	984	817	664	581	304
	(CLASSES.)									
I.	ZYMOTIC DISEASES	2148	1058	374	185	180	120	113	86	32
II.	CONSTITUTIONAL „	2785	1425	469	243	173	174	125	116	60
III.	LOCAL „	7019	3527	1171	716	490	368	305	287	155
IV.	DEVELOPMENTAL „	1438	665	193	187	99	104	92	51	47
V.	VIOLENT DEATHS	682	319	121	69	42	51	29	41	10
	(ORDERS.)									
I.	1. MIASMATIC DISEASES	1937	963	328	165	163	107	100	84	27
	2. ENTHETIC „	82	37	13	12	6	7	5	1	1
	3. DIETIC „	113	53	31	7	4	6	8	1	3
	4. PARASITIC „	16	5	2	1	7	—	—	—	1
II.	1. DIATHETIC „	264	97	79	23	23	17	9	13	3
	2. TUBERCULAR „	2521	1328	390	220	150	157	116	103	57
III.	1. DISEASES of NERVOUS SYSTEM	1524	687	258	183	115	86	83	69	43
	2. „ OF ORGANS OF CIRCULATION	832	336	189	92	56	54	36	40	29
	3. „ OF RESPIRATORY ORGANS	3460	1971	482	345	194	147	128	126	67
	4. „ OF DIGESTIVE ORGANS	778	371	131	69	80	50	34	33	10
	5. „ OF URINARY ORGANS .	295	111	80	20	38	12	16	15	3
	6. „ OF ORGANS OF GENERATION	1	—	—	—	—	1	—	—	—
	7. „ OF ORGANS OF LOCOMOTION	84	33	23	5	5	11	3	1	3
	8. „ OF INTEGUMENTARY SYSTEM	45	18	8	2	2	7	5	3	—
IV.	1. DEV. DIS. OF CHILDREN . .	637	325	90	82	39	40	29	22	10
	2. „ OF ADULTS	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE .	345	109	47	49	36	29	36	14	25
	4. DISEASES OF NUTRITION . .	456	231	56	56	24	35	27	15	12

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1877.—FEMALES.

Class.	CAUSES OF DEATH.	Total Principal Towns,	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	All Causes	14037	6755	2304	1622	1066	735	658	585	312
	Specified Causes	13917	6684	2297	1613	1056	725	651	583	308
	(CLASSES.)									
I.	ZYMOTIC DISEASES	2165	1082	358	219	160	122	107	85	32
II.	CONSTITUTIONAL „	3178	1568	505	344	222	192	162	118	67
III.	LOCAL „	6524	3160	1117	784	486	292	259	283	143
IV.	DEVELOPMENTAL „	1803	771	270	224	169	106	117	87	59
V.	VIOLENT DEATHS	247	103	47	42	19	13	6	10	7
	(ORDERS.)									
I.	1. MIASMATIC DISEASES	2025	1013	328	205	154	109	105	80	31
	2. ENTHETIC „	73	38	9	8	4	9	—	5	—
	3. DIETIC „	63	31	19	6	—	4	2	—	1
	4. PARASITIC „	4	—	2	—	2	—	—	—	—
II.	1. DIATHETIC „	512	195	124	64	47	21	23	24	14
	2. TUBERCULAR „	2666	1373	381	280	175	171	139	94	53
III.	1. DISEASES OF NERVOUS SYSTEM .	1331	564	256	139	127	75	75	70	25
	2. „ OF ORGANS OF CIRCULATION	898	318	215	127	83	38	26	54	37
	3. „ OF RESPIRATORY ORGANS	3246	1793	454	418	170	131	112	113	55
	4. „ OF DIGESTIVE ORGANS	720	348	125	61	64	39	32	35	16
	5. „ OF URINARY ORGANS .	180	76	38	23	25	1	4	8	5
	6. „ OF ORGANS OF GENERATION	61	22	16	9	4	2	3	2	3
	7. „ OF ORGANS OF LOCOMOTION	56	29	7	3	10	2	5	—	—
	8. „ OF INTEGUMENTARY SYSTEM	32	10	6	4	3	4	2	1	2
IV.	1. DEV. DIS. OF CHILDREN	518	235	92	70	38	27	20	32	4
	2. „ OF ADULTS	172	74	23	22	17	12	14	7	3
	3. „ OF OLD PEOPLE .	667	238	105	84	90	32	58	30	30
	4. DISEASES OF NUTRITION	446	224	50	48	24	35	25	18	22

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1877.—MALES (Contd.)

Class	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley	Leith.	Perth.
V.	1. ACCIDENT OR NEGLIGENCE .	633	298	110	61	40	49	27	40	8
	*									
	3. HOMICIDE	2	2	-	-	-	-	-	-	-
	4. SUICIDE	47	19	11	8	2	2	2	1	2
	5. EXECUTION	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		27	21	1	1	-	2	1	1	-
CAUSES NOT SPECIFIED.		91	53	11	3	10	9	2	2	1
I.	ORDER I.									
	1. Small-pox	9	9	-	-	-	-	-	-	-
	2. Measles	246	186	14	13	6	8	12	4	3
	3. Scarlatina	144	66	11	10	32	7	8	7	3
	4. Diphtheria	157	71	39	5	18	16	3	4	1
	5. Quinsy	3	1	-	-	-	-	2	-	-
	6. Croop	191	91	37	14	13	16	8	8	4
	7. Hooping-cough	418	214	95	38	14	14	29	14	-
	8. { Typhus Fever	76	35	7	6	11	1	9	6	1
	8. { Enteric or Typhoid Fever	194	83	39	14	20	15	4	15	4
	8. { Relapsing Fever	1	-	-	-	-	-	-	1	-
	8. { Simple Continued Fever	14	6	3	1	1	-	1	1	1
	9. Erysipelas	49	24	6	6	1	3	4	3	2
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-
	11. Carbuncle	11	5	-	-	1	2	1	-	2
	12. Influenza	12	4	4	-	2	2	-	-	-
	13. Dysentery	20	8	-	1	8	-	3	-	-
	14. Diarrhoea	311	132	61	47	22	20	10	16	3
	15. Cholera	7	3	2	2	-	-	-	-	-
	16. Ague	2	2	-	-	-	-	-	-	-
	17. Remittent Fever	24	6	2	3	6	1	4	-	2
	18. Rheumatism	45	16	7	5	7	2	2	5	1
	19. Other Miasmatic Diseases	3	1	1	-	1	-	-	-	-
	ORDER 2.									
	1. Syphilis	74	33	10	12	6	6	5	1	1
	2. Stricture of Urethra	8	4	3	-	-	1	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-
	ORDER 3.									
	1. Privation	1	1	-	-	-	-	-	-	-
	2. Want of Breast Milk	12	4	5	-	-	1	1	-	1
	3. Purpura and Scurvy	12	6	3	-	2	-	1	-	-
	4. Alco- { a Del. Tremens	25	8	8	4	-	2	3	-	-
	4. holism { b Intemperance	63	34	15	3	2	3	3	1	2
	ORDER 4.									
	1. Thrush	12	2	1	1	7	-	-	-	1
	2. Worms, etc.	4	3	1	-	-	-	-	-	-
II.	ORDER 1.									
	1. Goat	3	1	-	1	-	-	-	1	-
	2. Dropsy	49	26	6	4	-	4	5	2	2
	3. Cancer	191	62	65	16	21	13	4	9	1
	4. Cancrum Oris (Noma)	1	1	-	-	-	-	-	-	-
	5. Mortification	20	7	8	2	2	-	-	1	-

* See page 52, note. *

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1877.—FEMALES. (Contd.)

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
V.	1. ACCIDENT OR NEGLIGENCE *	233	97	46	42	16	12	5	8	7
	3. HOMICIDE	3	3	—	—	—	—	—	—	—
	4. SUICIDE	11	3	1	—	3	1	1	2	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	25	20	—	—	2	—	2	—	1
	CAUSES NOT SPECIFIED	95	51	7	9	8	10	5	2	3
I.	ORDER 1.									
	1. Small-pox	5	4	—	—	1	—	—	—	—
	2. Measles	231	169	13	22	5	6	11	1	4
	3. Scarlatina	127	71	7	8	27	3	4	1	6
	4. Diphtheria	183	82	42	9	15	17	4	10	4
	5. Quinsy	6	6	—	—	—	—	—	—	—
	6. Croup	182	87	31	11	11	19	11	8	4
	7. Hooping-cough	463	233	103	50	8	23	25	20	1
	8. { Typhus Fever	65	35	1	2	11	—	11	5	—
	8. { Enteric or Typhoid Fever	209	101	35	18	26	9	5	13	2
	8. { Relapsing Fever	1	—	1	—	—	—	—	—	—
	8. { Simple Continued Fever	26	8	12	—	3	—	1	1	1
	9. Erysipelas	54	25	7	6	5	4	4	2	1
	10. Puerperal Fever (Metria)	61	31	3	12	4	5	3	3	—
	11. Carbuncle	3	1	2	—	—	—	—	—	—
	12. Influenza	7	3	1	1	1	1	—	—	—
	13. Dysentery	16	6	4	1	3	—	1	1	—
	14. Diarrhoea	287	114	40	55	26	15	17	13	7
	15. Cholera	15	4	7	—	1	2	1	—	—
	16. Ague	2	2	—	—	—	—	—	—	—
	17. Remittent Fever	10	6	—	—	2	—	2	—	—
	18. Rheumatism	71	25	18	10	5	5	5	2	1
	19. Other Miasmatic Diseases	1	—	1	—	—	—	—	—	—
	ORDER 2.									
	1. Syphilis	71	36	9	8	4	9	—	5	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	2	2	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—
	ORDER 3.									
	1. Privation	5	4	—	1	—	—	—	—	—
	2. Want of Breast Milk	9	2	5	1	—	—	1	—	—
	3. Purpura and Scurvy	7	5	1	1	—	—	—	—	—
	4. Alco- { a Del. Tremens	2	1	1	—	—	—	—	—	—
	holism { b Intemperance	40	19	12	3	—	4	1	—	1
	ORDER 4.									
	1. Thrush	3	—	1	—	2	—	—	—	—
	2. Worms, etc.	1	—	1	—	—	—	—	—	—
II.	ORDER 1.									
	1. Gout	5	1	2	—	—	—	—	1	1
	2. Dropsy	82	37	5	13	8	5	7	5	2
	3. Cancer	391	143	108	44	36	16	15	18	11
	4. Cancerum Oris (Noma)	3	3	—	—	—	—	—	—	—
	5. Mortification	31	11	9	7	3	—	1	—	—

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
III.	ORDER 2.									
	1. Scrofula	165	82	19	18	13	12	9	10	2
	2. Tabes Mesenterica	280	206	28	13	6	9	7	6	5
	3. Phthisis	1595	793	261	154	100	113	74	59	41
	4. Hydrocephalus	481	247	82	35	31	23	26	28	9
	ORDER 1.									
	1. Cephalitis	229	115	38	31	15	12	2	10	6
	2. Apoplexy	343	152	51	58	15	19	29	11	8
	3. Paralysis	298	107	45	38	31	18	21	24	14
	4. Insanity	3	1	—	—	2	—	—	—	—
	5. Chorea	1	—	1	—	—	—	—	—	—
	6. Epilepsy	42	15	11	4	4	1	5	2	—
	7. Convulsions	347	175	63	34	26	16	13	17	3
	8. Brain Disease, etc.	261	122	49	18	22	20	13	5	12
	ORDER 2.									
	1. Pericarditis	9	6	2	—	—	—	—	—	1
	2. Aneurism	34	15	12	—	3	2	—	2	—
	3. Heart Disease, etc.	789	315	175	92	53	52	36	38	28
	ORDER 3.									
	1. Laryngitis	54	29	10	4	7	2	—	1	1
	2. Bronchitis	2193	1261	287	230	131	74	83	84	43
	3. Pleurisy	72	31	19	1	6	8	3	2	2
	4. Pneumonia	877	487	128	92	35	51	37	33	14
	5. Asthma	39	17	3	5	2	5	4	1	2
	6. Lung Disease, etc.	225	146	35	13	13	7	1	5	5
	ORDER 4.									
	1. Gastritis	41	26	2	3	5	3	—	2	—
	2. Enteritis	161	87	32	14	4	14	5	5	—
	3. Peritonitis	88	35	16	10	11	4	9	2	1
	4. Ascites	10	8	1	—	—	—	1	—	—
	5. Ulceration of Intestines	32	8	12	2	4	—	—	2	4
	6. Hernia	27	11	3	4	4	3	1	1	—
	7. Ileus	48	19	13	4	5	1	1	4	1
	8. Intussusception	12	2	3	5	1	1	—	—	—
	9. Stricture of Intestines	3	2	—	—	—	1	—	—	—
	10. Fistula	4	2	1	—	—	1	—	—	—
	11. Stomach Disease, etc.	118	53	15	8	25	4	2	10	1
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—
	13. Hepatitis	36	19	3	3	1	3	5	2	—
	14. Jaundice	32	10	7	2	7	3	1	1	1
	15. Liver Disease, etc.	162	88	22	14	11	12	9	4	2
	16. Spleen Disease, etc.	4	1	1	—	2	—	—	—	—
	ORDER 5.									
	1. Nephritis	28	9	7	2	5	1	1	2	1
	2. Ischuria	7	2	1	—	3	—	—	1	—
	3. Bright's Disease (Nephria)	94	40	26	10	7	2	7	2	—
	4. Diabetes	27	8	10	—	3	1	2	3	—
	5. Calculus (Stone)	11	2	6	—	2	—	—	1	—
	6. Cystitis	26	10	3	3	4	1	2	3	—
	7. Kidney Disease, etc.	102	40	27	5	14	7	4	3	2
	ORDER 6.									
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	1	—	—	—	—	1	—	—	—
	ORDER 7.									
	1. Synovitis (Arthritis)	3	2	—	—	—	1	—	—	—
	2. Joint Disease, etc.	81	31	23	5	5	10	3	1	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1877.—FEMALES. (Contd.)

Class.	CAUSES OF DEATH.	Total Principal Towns	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
III.	ORDER 2.									
	1. Scrofula	150	73	15	7	17	15	11	8	4
	2. Tabes Mesenterica	214	132	34	24	6	4	10	1	3
	3. Phthisis	1886	957	247	222	120	133	100	67	40
	4. Hydrocephalus	416	211	85	27	32	19	18	18	6
	ORDER 1.									
	1. Cephalitis	179	89	26	15	16	17	2	12	2
	2. Apoplexy	351	144	78	37	29	18	23	14	8
	3. Paralysis	354	125	71	37	38	18	32	27	6
	4. Insanity	10	—	1	1	4	1	2	1	—
	5. Chorea	1	—	—	—	1	—	—	—	—
	6. Epilepsy	35	11	3	5	10	2	3	1	—
	7. Convulsions	216	104	44	29	15	9	4	10	1
	8. Brain Disease, etc.	185	91	33	15	14	10	9	5	8
	ORDER 2.									
	1. Pericarditis	21	8	3	2	2	1	—	3	2
	2. Aneurism	11	3	3	2	1	—	—	1	1
	3. Heart Disease, etc.	866	307	209	123	80	37	26	50	34
	ORDER 3.									
	1. Laryngitis	47	33	7	1	3	3	—	—	—
	2. Bronchitis	2299	1272	298	306	125	88	89	83	38
	3. Pleurisy	35	21	9	2	1	—	1	1	—
	4. Pneumonia	621	321	103	92	26	30	20	19	10
	5. Asthma	33	12	5	2	7	3	1	2	1
	6. Lung Disease, etc.	211	134	32	15	8	7	1	8	6
	ORDER 4.									
	1. Gastritis	48	25	3	5	4	4	—	4	3
	2. Enteritis	154	89	17	9	10	12	13	4	—
	3. Peritonitis	77	31	16	12	5	6	1	4	2
	4. Ascites	10	5	—	—	1	3	1	—	—
	5. Ulceration of Intestines	19	4	7	3	5	—	—	—	—
	6. Hernia	23	15	2	3	4	—	—	3	1
	7. Ileus	46	17	15	4	4	1	—	4	1
	8. Intussusception	15	9	2	1	1	—	2	—	—
	9. Stricture of Intestines	5	—	1	2	2	—	—	—	—
	10. Fistula	2	2	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	115	53	27	6	19	1	3	4	2
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—
	13. Hepatitis	40	26	4	2	—	1	2	3	2
	14. Jaundice	31	9	9	1	2	1	4	5	—
	15. Liver Disease, etc.	120	59	21	12	5	10	5	3	5
	16. Spleen Disease, etc.	10	4	1	1	2	—	1	1	—
	ORDER 5.									
	1. Nephritis	19	10	4	5	—	—	—	—	—
	2. Ischuria	1	1	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	75	32	14	14	10	1	1	3	—
	4. Diabetes	10	4	1	—	—	—	2	1	2
	5. Calculus (Stone)	2	—	1	—	1	—	—	—	—
	6. Cystitis	4	1	1	1	—	—	—	—	1
	7. Kidney Disease, etc.	69	28	17	3	14	—	1	4	2
	ORDER 6.									
	1. Ovarian Dropsy	22	8	5	3	1	1	2	—	2
	2. Uterus Disease, etc.	39	14	11	6	3	1	1	2	1
	ORDER 7.									
	1. Synovitis (Arthritis)	9	4	—	1	2	1	1	—	—
	2. Joint Disease, etc.	47	25	7	2	8	1	4	—	—

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1877.—MALES. (Contd.)

Class.	CAUSES OF DEATH.	Total Principal Towns	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV.	ORDER 8.									
	1. Phlegmon	20	8	3	-	1	6	1	1	-
	2. Ulcer	10	4	1	2	1	-	2	-	-
	3. Skin Disease etc	15	6	4	-	-	1	2	2	-
	ORDER 1.									
	1. Premature Birth	393	196	54	59	31	21	13	14	5
	2. Cyanosis	6	2	2	1	-	-	-	1	-
	3. Spina Bifida	15	7	4	1	-	-	-	1	2
	4. Other Malformations	39	10	11	9	2	3	1	3	-
	5. Teething	184	110	19	12	6	16	15	3	3
V.	ORDER 2.									
	1. Paramenia	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-
	ORDER 3.									
	1. Old Age	345	109	47	49	36	29	36	14	25
	ORDER 4.									
	1. Atrophy and Debility	456	231	56	56	24	35	27	15	12
	ORDER 1.									
	(Accident or Negligence.)									
	1. Fractures and Contusions	297	141	62	26	13	25	12	15	3
	2. Gunshot Wounds	1	1	-	-	-	-	-	-	-
	3. Cut, Stab	8	4	4	-	-	-	-	-	-
	4. Burns and Scalds	54	25	8	4	7	3	5	2	-
	5. Poison	13	8	3	-	-	1	-	1	-
	6. Drowning	122	58	4	14	11	13	8	11	3
	7. Suffocation	76	23	21	13	4	4	2	9	-
	8. Otherwise	62	38	8	4	5	3	-	2	2
	ORDER 3.									
	(Homicide.)									
	1. Murder and Manslaughter	2	2	-	-	-	-	-	-	-
	ORDER 4.									
	(Suicide.)									
	1. Gunshot Wounds	1	1	-	-	-	-	-	-	-
	2. Cut, Stab	12	6	1	1	1	1	-	1	1
	3. Poison	5	1	3	1	-	-	-	-	-
	4. Drowning	5	2	-	2	-	-	1	-	-
	5. Hanging	18	7	4	4	1	1	-	-	1
	6. Otherwise and undefined	6	2	3	-	-	-	1	-	-
	ORDER 5.									
	(Execution.)									
	1. Hanging	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		27	21	1	1	-	2	1	1	-
Causes not specified or ill-defined		91	53	11	3	10	9	2	2	1

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1877.—FEMALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV.	ORDER 8.									
	1. Phlegmon	16	4	—	4	1	4	—	1	2
	2. Ulcer	6	2	2	—	2	—	—	—	—
	3. <i>Skin Disease, etc.</i>	10	4	4	—	—	—	2	—	—
	ORDER 1.									
	1. Premature Birth	303	125	67	51	21	9	9	20	1
	2. Cyanosis	7	4	—	—	1	1	1	—	—
	3. Spina Bifida	13	5	5	1	—	—	—	2	—
	4. Other Malformations	33	11	5	8	5	1	1	2	—
	5. Teething	162	90	15	10	11	16	9	8	3
	ORDER 2.									
	1. Paramenia	5	1	1	1	—	1	1	—	—
	2. Childbirth (<i>see</i> Puerperal Fever)	167	73	22	21	17	11	13	7	3
	ORDER 3.									
	1. Old Age	667	238	105	84	90	32	58	30	30
	ORDER 4.									
	1. Atrophy and Debility	446	224	50	48	24	35	25	18	22
V.	ORDER 1. (<i>Accident or Negligence.</i>)									
	1. Fractures and Contusions . .	83	39	17	8	6	7	2	3	1
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	1	—	—	1	—	—	—	—	—
	4. Burns and Scalds	40	17	8	7	2	1	—	2	3
	5. Poison	11	4	2	2	1	—	2	—	—
	6. Drowning	21	8	2	4	3	2	1	1	—
	7. Suffocation	58	24	11	19	1	2	—	—	1
	8. Otherwise	19	5	6	1	3	—	—	2	2
	ORDER 3. (<i>Homicide.</i>)									
	1. Murder and Manslaughter . .	3	3	—	—	—	—	—	—	—
	ORDER 4. (<i>Suicide.</i>)									
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	2	1	—	—	1	—	—	—	—
	3. Poison	3	1	—	—	—	—	1	1	—
	4. Drowning	2	—	—	—	1	—	—	1	—
	5. Hanging	3	1	1	—	—	1	—	—	—
	6. Otherwise and undefined . . .	1	—	—	—	1	—	—	—	—
	ORDER 5. (<i>Execution.</i>)									
	1. Hanging	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	25	20	—	—	2	—	2	—	1
	Causes not specified or ill-defined	95	51	7	9	8	10	5	2	3

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1877.—MALES.

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dunbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward)	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	All Causes	4521	175	228	111	155	167	104	151	157	237	285	263	470	985	231	145	261	148	248
	Specified Causes	4462	173	226	110	155	164	96	151	156	236	285	260	466	973	229	139	260	147	236
	(CLASSES.)																			
I.	ZYMOTIC DISEASES	662	37	41	12	14	14	8	20	28	33	35	45	67	165	37	32	45	10	19
II.	CONSTITUTIONAL „	903	27	38	21	33	27	23	39	25	52	69	50	110	194	39	13	65	31	47
III.	LOCAL „	2110	77	117	55	82	79	39	72	84	104	133	114	210	472	102	62	99	76	133
IV.	DEVELOPMENTAL „	583	26	20	15	17	36	22	14	9	34	32	40	65	107	32	28	32	27	27
V.	VIOLENT DEATHS	204	6	10	7	9	8	4	6	10	13	16	11	14	35	19	4	19	3	10
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES.	628	37	41	10	13	11	7	20	25	33	33	45	61	154	35	32	45	8	18
	2. ENTHETIC „	14	—	—	—	1	—	—	—	2	—	—	—	2	7	1	—	—	—	1
	3. DIETIC „	18	—	—	2	—	3	1	—	1	—	2	—	3	3	1	—	—	2	—
	4. PARASITIC „	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
II.	1. DIATHETIC „	94	3	8	3	3	3	4	4	1	4	6	6	10	10	7	2	9	3	8
	2. TUBERCULAR „	809	24	30	18	30	24	19	35	24	48	63	44	100	184	32	11	56	28	39
III.	1. DISEASES OF NERVOUS SYSTEM	470	19	38	12	21	13	7	11	10	28	22	17	43	134	19	11	18	18	29
	2. „ OF ORGANS OF CIRCULATION.	275	16	14	7	21	13	10	18	11	16	24	9	23	37	16	2	11	12	15
	3. „ OF RESPIRATORY ORGANS.	945	21	42	21	23	44	14	28	46	31	63	66	112	230	47	24	51	32	50
	4. „ OF DIGESTIVE ORGANS,	267	11	15	11	6	8	6	13	10	13	11	17	22	45	9	23	13	9	25
	5. „ OF URINARY ORGANS.	106	8	7	3	9	—	1	1	5	12	5	2	7	20	10	1	3	4	8
	6. „ OF ORGANS OF GENERATION.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION.	30	—	1	—	2	1	—	1	1	2	8	2	1	5	—	—	2	1	3
	8. „ OF INTEGUMENTARY SYSTEM	17	2	—	1	—	—	1	—	1	2	—	1	2	1	1	1	1	—	3
IV.	1. DEV. DIS. OF CHILDREN	169	7	6	4	3	9	5	4	2	7	15	11	9	50	6	13	10	5	3
	2. „ OF ADULTS	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	179	13	3	10	10	14	7	4	3	15	6	7	22	22	14	3	13	7	6
	4. DISEASES OF NUTRITION	235	6	11	1	4	13	10	6	4	12	11	22	34	35	12	12	9	15	18

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1877.—FEMALES.

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow. (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	All Causes	4536	164	240	117	192	176	136	168	120	260	275	234	444	960	221	183	214	168	264
	Specified Causes . .	4489	163	239	117	192	173	133	168	118	259	275	228	441	956	219	178	210	166	254
	(CLASSES.)																			
I.	ZYMOTIC DISEASES	777	15	34	17	34	20	19	29	27	52	39	39	74	199	28	46	45	19	41
II.	CONSTITUTIONAL „	974	31	53	27	30	42	21	29	30	53	58	50	92	210	58	28	54	47	61
III.	LOCAL „	1921	74	109	49	94	78	63	79	49	105	127	91	180	404	90	73	73	71	112
IV.	DEVELOPMENTAL „	746	40	37	20	32	32	28	28	12	45	42	40	90	136	39	31	34	24	36
V.	VIOLENT DEATHS .	71	3	6	4	2	1	2	3	—	4	9	8	5	7	4	—	4	5	4
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES	745	15	33	17	34	17	19	29	25	49	38	37	66	195	26	45	43	18	39
	2. ENTHETIC „ .	19	—	1	—	—	—	—	—	1	1	1	1	5	3	1	1	2	1	1
	3. DIETIC „ .	11	—	—	—	—	3	—	—	1	2	—	—	3	1	1	—	—	—	—
	4. PARASITIC „ .	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
II.	1. DIATHETIC „ .	153	8	10	8	5	5	5	4	4	8	8	8	7	29	6	6	5	10	17
	2. TUBERCULAR „ .	821	23	43	19	25	37	16	25	26	45	50	42	85	181	52	22	49	37	44
III.	1. DISEASES OF NERVOUS SYSTEM .	421	14	24	15	23	16	13	16	12	29	20	22	25	90	21	16	13	17	35
	2. „ OF ORGANS OF CIRCULATION	291	17	24	6	20	10	11	20	4	17	27	15	25	41	12	2	7	17	16
	3. „ OF RESPIRATORY ORGANS .	835	21	41	17	31	35	28	26	25	44	57	38	101	201	37	29	38	20	46
	4. „ OF DIGESTIVE ORGANS .	282	14	14	9	14	14	9	15	6	13	20	8	23	55	10	23	12	12	11
	5. „ OF URINARY ORGANS .	48	6	2	—	4	2	1	2	—	—	1	5	4	9	5	—	1	4	2
	6. „ OF ORGANS OF GENERATION	16	2	—	—	2	—	—	—	1	1	—	—	1	3	1	1	2	1	1
	7. „ OF ORGANS OF LOCOMOTION	15	—	4	2	—	—	1	—	—	1	2	2	—	1	2	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM	13	—	—	—	—	1	—	—	1	—	—	1	1	4	2	2	—	—	1
IV.	1. DEV. DIS. OF CHILDREN	142	4	15	2	3	10	5	8	2	5	9	7	10	34	9	9	8	1	1
	2. „ OF ADULTS .	43	2	2	—	3	2	1	—	—	—	1	4	5	11	—	—	8	3	1
	3. „ OF OLD PEOPLE	340	26	16	15	19	13	16	13	6	25	19	16	45	44	13	13	5	9	27
	4. DISEASES OF NUTRITION	221	8	4	3	7	7	6	7	4	15	13	13	30	47	17	9	13	11	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
V.	1. ACCIDENT OR NEGLIGENCE. . . .	193	6	10	6	7	8	4	6	9	12	14	11	11	35	19	4	19	3	9
	*																			
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	10	-	-	1	2	-	-	-	1	2	-	-	3	-	-	-	-	-	1
	5. EXECUTION	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNAS- CERTAINED	3	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	CAUSES NOT SPECIFIED	56	2	2	1	-	3	6	-	1	1	-	3	4	11	2	6	1	1	12
I.	ORDER 1.																			
	1. Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	2. Measles	94	-	-	-	-	-	-	4	5	1	-	5	18	33	4	3	12	-	9
	3. Scarlatina	96	20	22	3	1	4	-	1	7	1	7	6	12	1	6	3	1	1	1
	4. Diphtheria	55	1	7	1	-	-	1	-	8	3	3	2	2	20	2	3	1	1	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	58	-	1	1	3	-	-	1	4	1	6	9	4	12	7	7	2	-	-
	7. Hooping-cough	67	2	-	4	1	2	1	2	3	7	6	3	9	17	2	1	3	-	4
	8. { Typhus Fever	7	-	-	-	-	-	1	-	-	-	1	-	-	5	-	-	-	-	-
	Enteric or Typhoid																			
	Fever,	91	3	2	1	-	1	2	4	-	7	4	6	5	20	7	5	16	6	2
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued																			
	Fever	3	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	9. Erysipelas	10	-	-	-	2	-	-	1	-	1	1	1	-	3	-	1	-	-	-
	10. { Puerperal Fever																			
	(Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	12. Influenza	5	-	-	-	1	1	-	-	-	1	-	-	1	1	-	1	-	-	-
	13. Dysentery	8	-	-	-	-	-	-	1	-	-	2	1	2	-	2	-	-	-	-
	14. Diarrhoea	106	10	7	-	3	1	1	6	3	3	6	8	11	27	9	5	5	-	1
	15. Cholera	8	-	-	-	-	1	-	-	1	1	2	-	2	1	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	4	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	18. Rheumatism	11	1	1	-	1	1	1	-	-	-	-	-	1	2	1	-	1	-	1
	19. Other Miasmatic Dis.	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ORDER 2.																			
	1. Syphilis	13	-	-	-	1	-	-	-	2	-	-	-	2	6	1	-	-	-	1
	2. Stricture of Urethra	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																			
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	3. Purpura and Scurvy	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	6	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-
	holism { b Intemperance	7	-	-	-	-	2	-	-	-	-	1	-	-	2	1	-	-	1	-
	ORDER 4.																			
	1. Thrush	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2. Worms, etc. . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
II.	ORDER 1.																			
	1. Gout	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	19	-	2	-	-	-	-	-	-	-	-	-	6	3	-	2	3	1	2
	3. Cancer	67	3	5	3	3	2	4	2	1	4	6	3	4	7	7	-	6	2	5
	4. Cancrum Oris (Noma). . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	6	-	-	-	-	1	-	1	-	-	-	3	-	-	-	-	-	-	1

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
V.	1. ACCIDENT OR NEGLIGENCE . . .	63	3	6	3	2	1	2	2	-	4	8	7	5	7	3	-	3	5	2
	*																			
	3. HOMICIDE . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	4. SUICIDE . . .	7	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	1	-	2
	5. EXECUTION . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNAS- CERTAINED . . .	7	-	1	-	-	1	-	-	1	-	-	-	1	1	-	-	1	-	1
	CAUSES NOT SPECIFIED . . .	40	1	-	-	-	2	3	-	1	1	-	6	2	3	2	5	3	2	9
I.	ORDER 1.																			
	1. Small-pox . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Measles . . .	102	-	-	-	3	-	1	6	2	-	1	-	14	42	4	4	18	-	7
	3. Scarlatina . . .	88	9	17	1	3	4	1	-	-	3	1	7	6	18	2	8	1	3	4
	4. Diphtheria . . .	58	1	2	-	3	-	-	3	3	4	2	3	6	22	-	6	-	-	3
	5. Quinsy . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	6. Croup . . .	79	-	-	-	7	1	2	6	2	3	2	7	6	26	2	6	3	2	4
	7. Hooping-cough . . .	123	-	-	1	6	1	5	2	11	24	9	6	19	18	3	4	2	1	11
	8. { Typhus Fever . . .	17	-	2	1	1	-	3	-	-	2	1	1	1	2	1	2	-	-	-
	Enteric or Typhoid																			
	Fever . . .	84	-	3	2	2	4	3	2	2	8	8	3	4	16	2	8	6	9	2
	Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued																			
	Fever . . .	8	-	1	1	2	-	-	1	-	-	3	-	-	-	-	-	-	-	-
	9. Erysipelas . . .	17	1	-	-	2	1	1	-	1	-	1	1	1	5	1	-	1	1	-
	10. { Puerperal Fever																			
	(Metria) . . .	23	-	1	4	-	-	1	-	1	1	4	3	1	1	-	2	2	-	2
	11. Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza . . .	4	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-
	13. Dysentery . . .	11	-	-	-	-	1	-	-	-	-	2	-	1	4	-	-	1	-	2
	14. Diarrhoea . . .	107	4	7	6	2	4	-	9	3	2	2	5	3	36	9	4	8	1	2
	15. Cholera . . .	5	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-
	16. Ague . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism . . .	16	-	-	1	3	-	1	-	-	-	1	-	3	3	-	1	-	1	2
	19. Other Miasmatic Dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																			
	1. Syphilis . . .	19	-	1	-	-	-	-	-	1	1	1	1	5	3	1	1	2	1	1
	2. Stricture of Urethra . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																			
	1. Privation . . .	3	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	3. Purpura and Scurvy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	holism { b Intemperance	5	-	-	-	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-
	ORDER 4.																			
	1. Thrush . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	2. Worms, etc. . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
II.	ORDER 1.																			
	1. Gout . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy . . .	33	1	2	-	1	-	1	1	2	4	-	2	2	7	-	4	2	1	3
	3. Cancer . . .	109	6	8	8	3	5	3	2	2	3	7	3	5	22	6	1	3	9	13
	4. Cancrum Oris (Noma) . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification . . .	11	1	-	-	1	-	1	1	-	1	1	3	-	-	-	1	-	-	1

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
III.	ORDER 2.																			
	1. Scrofula	36	2	—	—	1	1	2	1	2	2	4	2	7	7	—	—	2	2	1
	2. Tabes Mesenterica	95	2	—	5	1	1	6	4	1	7	6	6	11	31	4	1	4	4	1
	3. Phthisis	488	17	20	10	22	14	8	26	17	34	41	20	63	86	20	8	36	16	30
	4. Hydrocephalus	190	3	10	3	6	8	3	4	4	5	12	16	19	60	8	2	14	6	7
	ORDER 1.																			
	1. Cephalitis	70	1	9	3	1	2	1	1	—	1	—	4	11	20	2	4	4	2	4
	2. Apoplexy	92	4	8	3	8	1	2	—	2	7	7	5	9	16	4	1	6	3	6
	3. Paralysis	119	7	12	2	4	9	2	4	3	11	1	2	9	30	3	3	2	7	8
	4. Insanity	8	2	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	20	1	1	1	1	1	1	1	—	1	—	—	2	8	—	—	1	—	1
	7. Convulsions	88	1	4	2	2	—	—	2	3	3	7	4	10	37	5	1	2	2	3
	8. Brain Disease, etc.	73	3	4	1	5	—	1	3	2	5	7	2	2	20	5	2	3	4	4
	ORDER 2.																			
	1. Pericarditis	6	—	—	1	—	—	—	—	—	1	—	—	1	1	2	—	—	—	—
	2. Aneurism	8	1	—	—	1	—	—	—	—	1	1	1	—	2	—	—	—	1	—
	3. Heart Disease, etc.	261	15	14	6	20	13	10	18	11	14	23	8	22	34	14	2	11	11	15
	ORDER 3.																			
	1. Laryngitis	7	1	1	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	1
	2. Bronchitis	586	11	28	14	13	27	5	22	35	19	42	31	67	137	31	16	32	26	30
	3. Pleurisy	21	1	—	—	1	—	2	1	1	3	—	—	3	1	3	—	1	—	4
	4. Pneumonia	225	7	7	4	7	12	7	2	6	5	12	28	31	52	8	5	13	5	14
	5. Asthma	19	1	2	1	1	1	—	1	—	1	4	2	1	2	—	—	1	1	—
	6. Lung Disease, etc.	87	—	4	2	1	4	—	2	3	3	5	5	9	36	5	3	4	—	1
	ORDER 4.																			
	1. Gastritis	12	—	1	—	—	—	—	—	—	—	1	1	—	—	1	7	1	—	—
	2. Enteritis	54	—	3	3	2	3	—	—	1	2	6	5	7	16	2	2	—	—	2
	3. Peritonitis	29	1	1	1	—	—	—	1	—	3	—	1	1	1	4	1	1	1	2
	4. Ascites	6	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	1	1
	5. Ulceration of Intestines	10	—	1	—	—	—	—	1	1	—	—	—	2	2	—	—	1	2	—
	6. Hernia	5	—	1	—	—	—	1	—	—	—	—	1	1	—	1	—	—	—	—
	7. Ileus	17	1	1	—	—	1	1	—	—	1	—	2	—	3	—	4	2	—	1
	8. Intussusception	6	1	1	—	—	—	—	1	—	—	1	1	—	1	—	—	—	—	—
	9. Stricture of Intestines	6	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	1	—	1
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	36	1	4	1	1	—	1	3	2	1	1	2	3	4	1	—	3	1	7
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	19	1	—	1	—	—	—	1	—	—	—	—	1	9	—	3	—	2	1
	14. Jaundice	14	—	—	—	1	1	—	—	—	3	1	1	—	5	—	1	—	—	1
	15. Liver Disease, etc.	60	4	2	5	2	1	3	5	5	3	1	2	6	3	—	5	1	3	9
	16. Spleen Disease, etc.	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	ORDER 5.																			
	1. Nephritis	14	—	1	—	1	—	—	1	—	2	—	—	1	2	3	1	—	1	1
	2. Ischuria	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	37	5	3	—	2	—	—	—	3	5	1	1	2	10	2	—	—	1	2
	4. Diabetes	5	—	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—	1
	5. Calculus (Stone)	4	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1
	6. Cystitis	8	—	—	—	—	—	—	—	1	—	1	—	—	2	1	—	1	2	—
	7. Kidney Disease, etc.	37	3	3	1	6	—	1	—	1	5	3	—	3	2	4	—	2	—	3
	ORDER 6.																			
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.																			
	1. Synovitis (Arthritis)	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	2. Joint Disease, etc.	28	—	1	—	2	1	—	1	1	2	7	2	1	5	—	—	1	1	3

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
III.	ORDER 2.																			
	1. Scrofula	30	2	3	—	1	—	1	2	—	—	—	2	5	4	1	4	1	—	4
	2. Tabes Mesenterica	82	2	3	2	1	3	1	9	1	7	5	1	15	14	5	1	3	5	4
	3. Phthisis	571	17	29	14	21	28	12	13	17	34	39	37	52	123	30	14	36	23	32
	4. Hydrocephalus	138	2	8	3	2	6	2	1	8	4	6	2	13	40	16	3	9	9	4
	ORDER 1.																			
	1. Cephalitis	41	—	2	2	2	4	1	2	1	1	1	1	10	7	—	—	3	—	4
	2. Apoplexy	110	5	4	7	6	—	4	2	2	4	9	11	4	18	9	4	6	6	9
	3. Paralysis	134	5	12	3	8	8	7	7	3	16	3	4	2	24	5	5	3	8	11
	4. Insanity	8	—	—	—	—	1	—	—	1	2	—	—	—	2	—	—	—	—	2
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	15	1	—	—	2	1	—	1	2	1	—	1	1	4	—	—	—	—	1
	7. Convulsions	67	2	1	2	4	—	—	2	3	—	4	2	4	25	5	5	—	2	6
	8. Brain Disease, etc.	46	1	5	1	1	2	1	2	—	5	3	3	4	10	2	2	1	1	2
	ORDER 2.																			
	1. Pericarditis	5	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	1	—	—
	2. Aneurism	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	285	17	23	6	20	10	11	20	4	17	26	15	24	39	12	2	6	17	16
	ORDER 3.																			
	1. Laryngitis	18	1	—	—	1	—	—	1	1	1	1	2	4	4	1	—	—	—	1
	2. Bronchitis	549	17	24	14	24	22	13	20	19	33	42	18	58	113	27	23	29	15	38
	3. Pleurisy	9	1	1	—	—	1	1	—	—	—	1	—	—	1	—	1	2	—	—
	4. Pneumonia	145	1	3	2	—	9	13	1	2	4	5	14	29	46	4	1	2	3	6
	5. Asthma	15	—	1	—	1	2	—	—	1	2	—	2	1	—	1	2	—	1	1
	6. Lung Disease, etc.	99	1	12	1	5	1	1	4	2	4	8	2	9	37	4	2	5	1	—
	ORDER 4.																			
	1. Gastritis	26	—	—	—	—	2	1	2	—	—	2	—	3	3	2	8	1	—	2
	2. Enteritis	51	1	2	—	3	3	1	2	1	5	6	2	4	11	2	2	—	5	1
	3. Peritonitis	39	1	3	2	—	4	2	1	—	1	3	—	2	9	2	3	4	—	2
	4. Ascites	4	—	—	—	—	1	—	—	—	—	—	—	—	2	1	—	—	—	—
	5. Ulceration of Intestines	13	1	—	1	—	—	1	1	—	1	—	—	1	1	—	1	3	1	1
	6. Hernia	8	1	—	1	1	1	—	2	—	—	—	—	1	1	—	—	—	—	—
	7. Ileus	14	—	1	—	2	—	—	1	—	1	2	—	2	3	—	—	—	1	1
	8. Intussusception	4	—	—	—	—	—	—	—	1	—	—	1	—	2	—	—	—	—	—
	9. Stricture of Intestines	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	46	3	4	1	5	—	1	2	4	2	—	2	3	6	—	8	—	2	3
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	17	—	2	1	1	1	1	1	—	—	1	1	1	5	1	—	1	—	—
	14. Jaundice	6	—	—	—	—	—	—	1	—	—	—	2	1	—	—	1	1	—	—
	15. Liver Disease, etc.	51	6	2	3	2	2	2	2	—	3	5	—	5	11	2	1	2	2	1
	16. Spleen Disease, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	ORDER 5.																			
	1. Nephritis	9	—	—	—	—	—	—	1	—	—	—	—	1	4	2	—	—	—	1
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	24	4	—	—	3	2	1	—	—	—	—	4	1	3	2	—	—	4	—
	4. Diabetes	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	5. Calculus (Stone)	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	11	1	1	—	1	—	—	1	—	—	1	—	2	2	1	—	1	—	—
	ORDER 6.																			
	1. Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	2. Uterus Disease, etc.	15	2	—	—	2	—	—	—	1	1	—	—	1	3	1	1	2	1	—
	ORDER 7.																			
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	15	—	4	2	—	—	1	—	—	1	2	2	—	1	2	—	—	—	—

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV.	ORDER 8.																			
	1. Phlegmon.	6	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	1
	2. Ulcer	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1
	3. Skin Disease, etc. . .	7	2	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1
	ORDER 1.																			
	1. Premature Birth . . .	115	4	4	4	2	5	2	3	-	4	10	6	6	38	5	10	6	4	2
	2. Cyanosis	5	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	1
	3. Spina Bifida	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	4. Other Malformations .	8	-	-	-	1	-	-	-	-	1	-	-	-	4	-	2	-	-	-
	5. Teething	40	3	2	-	-	4	3	-	2	2	5	5	2	6	1	1	3	-	1
	ORDER 2.																			
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever) . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																			
	1. Old Age	179	13	3	10	10	14	7	4	3	15	6	7	22	22	14	3	13	7	6
	ORDER 4.																			
	1. Atrophy and Debility .	235	6	11	1	4	13	10	6	4	12	11	22	34	35	12	12	9	15	18
V.	ORDER 1.																			
	(Accident or Negligence.																			
	1. Fractures and Contusions . . .	97	3	1	3	1	4	2	6	5	5	8	3	5	19	9	3	12	2	6
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	10	-	1	-	1	-	1	-	-	-	1	1	1	1	2	1	-	-	-
	5. Poison	5	-	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
	6. Drowning	48	2	3	-	4	1	1	-	3	5	1	6	3	9	3	-	5	-	2
	7. Suffocation	19	-	4	2	1	1	-	-	1	1	3	-	1	1	4	-	-	-	-
	8. Otherwise	14	1	1	-	-	2	-	-	-	-	-	1	1	3	1	-	2	1	1
	ORDER 3.																			
	(Homicide.)																			
	1. Murder and Manslaughter . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																			
	(Suicide.)																			
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1
	3. Poison	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	4. Drowning	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	6. Otherwise and undefined . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.																			
	(Execution.)																			
	1. Hanging	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		3	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
Causes not specified or ill-defined		56	2	2	1	-	3	6	-	1	1	-	3	4	11	2	6	1	1	12

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV.	ORDER 8																			
	1 Phlegmon . . .	7	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	-	-	1
	2. Ulcer . . .	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
	3. Skin Disease, etc. . .	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	ORDER 1.																			
	1. Premature Birth . . .	95	2	14	1	3	6	1	4	1	1	8	4	5	23	9	5	6	1	1
	2. Cyanosis . . .	3	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	3. Spina Bifida . . .	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	4. Other Malformations . . .	8	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	1	-	-
	5. Teething . . .	33	2	1	1	-	4	4	2	1	4	-	3	2	7	-	1	1	-	-
V.	ORDER 2.																			
	1. Paramenia . . .	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	2. Childbirth (see Puerperal Fever) . . .	40	2	2	-	3	2	1	-	-	-	1	4	3	10	-	-	8	3	1
	ORDER 3.																			
	1. Old Age . . .	340	26	16	15	19	13	16	13	6	25	19	16	45	44	13	13	5	9	27
	ORDER 4.																			
	1. Atrophy and Debility . . .	221	8	4	3	7	7	6	7	4	15	13	13	30	47	17	9	13	11	7
	ORDER 1. (Accident or Negligence.)																			
	1. Fractures and Contusions . . .	17	-	4	-	1	-	-	1	-	1	3	1	1	2	-	-	2	1	-
	2. Gunshot Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab . . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds . . .	9	-	-	-	-	-	1	-	-	-	-	2	1	3	-	-	-	2	-
	5. Poison . . .	5	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	1
	6. Drowning . . .	9	1	1	1	-	-	1	1	-	-	1	2	-	1	-	-	-	-	-
	7. Suffocation . . .	12	1	1	2	1	-	-	-	-	2	1	-	2	-	1	-	-	-	1
	8. Otherwise . . .	10	1	-	-	-	-	-	-	-	-	2	2	-	1	2	-	-	2	-
	ORDER 3. (Homicide.)																			
	1. Murder and Manslaughter . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	ORDER 4. (Suicide.)																			
	1. Gunshot Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning . . .	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1
	5. Hanging . . .	4	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1
	6. Otherwise and undefined . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)																			
	1. Hanging . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained) . . .	7	-	1	-	-	1	-	-	1	-	-	-	1	1	-	-	1	-	1
	Causes not specified or ill-defined . . .	40	1	-	-	-	2	3	-	1	1	-	6	2	3	2	5	3	2	9

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—MALES.

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
	All Causes	8052	27	38	169	94	47	188	214	259	70	276	231	505	181	532
	Specified Causes	7918	27	38	169	86	45	187	213	239	70	275	222	499	180	521
	(CLASSES).															
I.	ZYMOTIC DISEASES	1250	1	2	29	14	7	33	34	36	11	56	17	57	18	76
I.	CONSTITUTIONAL „	1463	8	12	20	10	6	33	33	47	5	33	55	75	35	93
III.	LOCAL „	3718	10	14	78	45	18	92	109	110	32	140	112	256	86	244
IV.	DEVELOPMENTAL „	996	6	8	29	10	9	18	20	26	9	36	27	84	28	70
V.	VIOLENT DEATHS . .	491	2	2	13	7	5	11	17	20	13	10	11	27	13	38
	(ORDERS).															
I.	1. MIASMATIC DISEASES . .	1183	1	2	27	12	7	31	34	33	11	52	16	51	15	74
	2. ENTHETIC „ .	14	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	3. DIETIC „ . .	48	-	-	2	1	-	2	-	2	-	2	1	6	3	2
	4. PARASITIC „ . .	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-
II.	1. DIATHETIC „ . .	171	-	1	-	3	3	3	5	6	1	2	5	10	6	8
	2. TUBERCULAR „ . .	1292	8	11	20	7	3	30	28	41	4	31	50	65	29	85
III.	1. DISEASES OF NERVOUS SYSTEM	859	2	2	20	11	5	25	22	28	9	22	29	66	14	41
	2. „ OF ORGANS OF CIR- CULATION	582	1	1	9	6	4	22	10	16	6	21	21	45	19	35
	3. „ OF RESPIRATORY ORGANS	1502	4	4	28	16	4	27	43	42	8	54	42	95	35	121
	4. „ OF DIGESTIVE ORGANS	521	1	4	9	6	4	13	20	13	4	28	11	31	13	33
	5. „ OF URINARY ORGANS	208	2	2	10	6	1	4	11	11	5	12	9	15	4	9
	6. „ OF ORGANS OF GENERATION . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	7. „ OF ORGANS OF LOCO- MOTION	38	-	1	2	-	-	1	2	-	-	3	-	2	1	4
	8. „ OF INTEGUMENTARY SYSTEM	5	-	-	-	-	-	-	1	-	-	-	-	2	-	-
IV.	1. DEV. DIS. OF CHILDREN .	300	-	-	5	1	2	7	6	9	4	8	10	21	8	16
	2. „ OF ADULTS . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE .	380	5	8	17	5	5	8	8	10	4	17	13	46	11	31
	4. DISEASES OF NUTRITION .	316	1	-	7	4	2	3	6	7	1	11	4	17	9	23

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—FEMALES.

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
	All Causes	8008	49	59	159	90	45	166	188	298	58	319	222	532	179	436
	Specified Causes	7883	49	58	159	86	45	163	187	287	58	317	217	525	179	423
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1393	9	6	31	19	12	31	32	65	14	70	26	60	24	69
II.	CONSTITUTIONAL „	1675	12	12	19	17	5	29	35	56	7	50	52	98	37	97
III.	LOCAL „	3352	15	25	66	36	12	69	89	105	26	134	96	254	65	176
IV.	DEVELOPMENTAL „	1298	12	14	40	10	16	31	27	57	11	52	36	100	49	70
V.	VIOLENT DEATHS . . .	165	1	1	3	4	—	3	4	4	—	11	7	13	4	11
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1347	9	5	30	19	12	31	30	63	14	65	24	59	23	66
	2. ENTHETIC „ . .	16	—	1	—	—	—	—	—	2	—	2	—	—	—	1
	3. DIETIC „ . .	24	—	—	1	—	—	—	2	—	—	3	2	—	—	2
	4. PARASITIC „ . .	6	—	—	—	—	—	—	—	—	—	—	—	1	1	—
II.	1. DIATHETIC „ . .	320	3	2	4	3	2	10	8	15	2	15	8	25	5	21
	2. TUBERCULAR „ . .	1355	9	10	15	14	3	19	27	41	5	35	44	73	32	76
III.	1. DISEASES OF NERVOUS SYSTEM . .	822	3	4	10	8	6	20	18	25	9	38	36	65	10	41
	2. „ OF ORGANS OF CIR- CULATION . .	565	3	3	10	5	1	14	9	24	7	27	17	41	19	24
	3. „ OF RESPIRATORY ORGANS . .	1257	4	14	32	12	3	22	39	39	7	41	23	101	20	79
	4. „ OF DIGESTIVE ORGANS	529	5	4	7	7	—	11	10	13	3	21	12	34	9	22
	5. „ OF URINARY ORGANS	98	—	—	5	—	2	—	9	1	—	2	3	8	5	5
	6. „ OF ORGANS OF GENERATION .	35	—	—	1	1	—	2	—	2	—	3	2	2	1	3
	7. „ OF ORGANS OF LO- COMOTION . .	26	—	—	1	2	—	—	3	—	—	1	1	3	—	1
	8. „ OF INTEGUMENTARY SYSTEM . .	20	—	—	—	1	—	—	1	1	—	1	2	—	1	1
IV.	1. DEV. DIS. OF CHILDREN .	254	—	2	4	—	3	4	8	13	2	8	6	20	10	10
	2. „ OF ADULTS . .	102	—	3	3	—	—	5	2	8	1	1	4	11	6	2
	3. „ OF OLD PEOPLE . .	686	11	9	23	8	11	17	14	31	6	35	20	56	17	43
	4. DISEASES OF NUTRITION .	256	1	—	10	2	2	5	3	5	2	8	6	13	16	15

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATHS.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	383	206	92	676	1146	1335	234	335	134	60	27	202	101	86	100	104
	Specified Causes	377	203	92	669	1134	1310	229	332	132	60	27	200	100	85	98	99
	(CLASSES.)																
I.	ZYMOTIC DISEASES	49	31	11	105	207	230	45	53	14	14	4	44	14	11	14	13
II.	CONSTITUTIONAL „	65	55	27	126	236	253	27	60	21	7	4	42	16	20	24	15
III.	LOCAL „	188	77	41	341	496	589	116	146	64	26	15	86	55	35	47	50
IV.	DEVELOPMENTAL „	48	25	6	69	131	152	28	49	23	11	2	23	13	14	10	12
V.	VIOLENT DEATHS . . .	27	15	7	28	64	86	13	24	10	2	2	5	2	5	3	9
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . . .	44	29	10	100	201	221	43	49	11	14	4	43	14	11	12	11
	2. ENTHETIC „ . . .	1	2	—	1	1	4	—	—	2	—	—	1	—	—	—	—
	3. DIETIC „ . . .	4	—	1	4	4	3	2	4	1	—	—	—	—	—	2	2
	4. PARASITIC „ . . .	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ . . .	10	12	1	10	24	26	2	8	2	3	—	9	5	1	4	1
	2. TUBERCULAR „ . . .	55	43	26	116	212	227	25	52	19	4	4	33	11	19	20	14
III.	1. DISEASES OF NERVOUS SYSTEM . . .	59	16	14	87	120	117	24	28	17	10	2	20	14	8	10	17
	2. „ OF ORGANS OF CIRCULATION . . .	24	20	3	35	71	74	18	27	19	7	4	17	21	10	10	6
	3. „ OF RESPIRATORY ORGANS . . .	78	30	18	155	198	264	54	58	21	8	4	33	16	8	12	22
	4. „ OF DIGESTIVE ORGANS	17	9	4	54	67	106	9	24	6	—	2	12	2	5	10	4
	5. „ OF URINARY ORGANS	8	2	2	6	32	22	10	9	1	1	2	3	2	3	4	—
	6. „ OF ORGANS OF GENERATION . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . . .	—	—	—	4	6	6	1	—	—	—	1	1	—	1	1	1
	8. „ OF INTEGUMENTARY SYSTEM . . .	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN . . .	19	3	2	23	42	49	11	14	4	8	1	10	8	2	3	4
	2. „ OF ADULTS . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE . . .	14	16	1	24	50	38	4	15	12	1	—	3	2	3	5	4
	4. DISEASES OF NUTRITION . . .	15	6	3	22	39	65	13	20	7	2	1	10	3	9	2	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—FEMALES. (Continued).

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	385	215	116	714	1173	1103	267	394	127	59	33	191	122	94	88	127
	Specified Causes	378	207	115	707	1166	1078	261	390	125	59	33	187	122	92	86	124
	(CLASSES.)																
I.	ZYMOTIC DISEASES	46	45	13	114	232	217	55	58	17	8	5	60	19	15	5	16
II.	CONSTITUTIONAL „	95	44	43	182	258	233	46	77	25	11	9	35	22	17	22	30
III.	LOCAL „	176	79	43	309	466	437	118	193	49	26	11	71	66	44	43	53
IV.	DEVELOPMENTAL „	53	35	10	90	191	169	36	53	28	14	8	19	12	16	16	23
V.	VIOLENT DEATHS . . .	8	4	6	12	19	22	6	9	6	—	—	2	3	—	—	2
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . . .	45	43	13	112	224	212	52	55	16	8	5	58	19	15	4	16
	2. ENTHETIC „ . . .	—	—	—	1	3	2	2	2	—	—	—	—	—	—	—	—
	3. DIETIC „ . . .	1	1	—	—	3	3	1	1	1	—	—	2	—	—	1	—
	4. PARASITIC „ . . .	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ . . .	21	13	10	21	38	31	9	15	5	3	1	10	5	3	4	8
	2. TUBERCULAR „ . . .	74	31	33	161	220	202	37	62	20	8	8	25	17	14	18	22
III.	1. DISEASES OF NERVOUS SYSTEM . . .	43	19	16	73	126	89	21	51	11	6	1	20	18	15	6	14
	2. „ OF ORGANS OF CIRCULATION . . .	32	11	4	42	76	58	20	31	14	8	1	15	19	8	12	10
	3. „ OF RESPIRATORY ORGANS . . .	60	35	17	133	160	188	44	61	15	8	9	24	19	11	18	19
	4. „ OF DIGESTIVE ORGANS . . .	32	11	5	50	67	91	24	41	8	3	—	10	8	7	7	7
	5. „ OF URINARY ORGANS . . .	4	3	1	1	25	6	4	7	1	1	—	1	1	2	—	1
	6. „ OF ORGANS OF GENERATION . . .	2	—	—	3	5	2	2	1	—	—	—	—	1	1	—	1
	7. „ OF ORGANS OF LOCOMOTION . . .	3	—	—	2	4	2	2	1	—	—	—	—	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . . .	—	—	—	5	3	1	1	—	—	—	—	1	—	—	—	1
IV.	1. DEV. DIS. OF CHILDREN . . .	10	1	—	22	50	41	8	14	3	3	1	2	2	1	3	3
	2. „ OF ADULTS . . .	2	1	—	9	15	17	2	2	—	1	2	3	—	2	—	—
	3. „ OF OLD PEOPLE . . .	34	28	10	38	86	65	16	27	19	6	2	9	5	10	12	18
	4. DISEASES OF NUTRITION . . .	7	5	—	21	40	46	10	10	6	4	3	5	5	3	1	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
V.	1. ACCIDENT OR NEGLIGENCE .	458	1	2	12	6	5	10	15	18	13	9	10	25	11	37
	*															
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	32	1	-	1	1	-	1	2	2	-	1	1	2	2	1
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCE- TAINED		6	-	-	-	-	-	-	-	-	-	1	-	2	-	1
CAUSES NOT SPECIFIED		128	-	-	-	8	2	1	1	20	-	-	9	4	1	10
I.	ORDER 1.															
	1. Small-pox	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	88	-	-	8	4	-	1	11	4	-	-	-	1	4	2
	3. Scarlatina	224	-	1	5	-	-	15	2	2	2	29	-	7	-	10
	4. Diphtheria	98	-	-	2	-	2	-	2	8	2	2	-	5	2	6
	5. Quinsy	8	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	6. Croup	110	-	-	6	2	1	4	2	1	-	3	1	9	1	4
	7. Hooping-cough	133	-	-	-	1	-	6	-	3	1	1	-	2	1	13
	8. { Typhus Fever	25	-	-	-	-	-	-	2	-	-	-	-	2	-	1
	8. { Enteric or Typhoid Fever	178	-	-	2	-	1	2	8	2	6	8	9	9	2	11
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	39	-	-	-	1	-	-	-	-	-	1	-	1	1	2
	9. Erysipelas	38	-	-	2	-	-	1	2	2	-	-	1	4	-	3
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	7	-	-	-	2	-	-	-	-	-	-	-	-	-	2
	13. Dysentery	16	1	-	-	-	-	-	1	-	-	-	1	-	-	1
	14. Diarrhoea	165	-	1	1	1	3	1	3	9	-	6	2	9	4	12
	15. Cholera	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	13	-	-	1	-	-	-	-	-	-	-	-	1	-	4
	18. Rheumatism	28	-	-	-	-	-	1	-	1	-	2	1	-	-	3
	19. Other Miasmatic Diseases	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	ORDER 2.															
	1. Syphilis	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2. Stricture of Urethra	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	6	-	-	-	-	-	-	-	1	-	-	-	-	2	-
	3. Purpura and Scurvy	7	-	-	1	-	-	-	-	-	-	-	-	2	1	1
	4. Alco- { a Del. Tremens	15	-	-	-	-	-	1	-	-	-	1	-	3	-	1
	4. holism { b Intemperance	18	-	-	1	1	-	1	-	1	-	1	1	1	-	-
	ORDER 4.															
	1. Thrush	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	2. Worms, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	42	-	1	-	-	-	-	1	1	-	1	-	3	2	3
	3. Cancer	113	-	-	-	3	1	2	4	5	1	1	5	5	4	5
	4. Cancrum Oris (Noma)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	14	-	-	-	-	2	1	-	-	-	-	-	2	-	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
V.	1. ACCIDENT OR NEGLIGENCE .	149	1	1	3	3	-	2	4	3	-	9	6	12	4	11
	*															
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	15	-	-	-	1	-	1	-	1	-	2	1	1	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1
	CAUSES NOT SPECIFIED	119	-	1	-	4	-	3	1	11	-	1	5	6	-	12
I.	ORDER 1.															
	1. Small-pox	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	2. Measles	95	-	-	6	2	-	3	2	4	-	-	-	-	2	-
	3. Scarlatina	214	-	-	3	-	5	11	-	4	3	34	-	4	-	14
	4. Diphtheria	153	-	-	3	-	3	5	3	24	4	5	1	2	3	4
	5. Quinsy	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	98	-	-	8	8	-	2	2	3	-	-	1	7	3	4
	7. Hooping-cough	142	-	-	-	-	-	4	1	-	4	-	1	1	4	14
	8. { Typhus Fever	18	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	Enteric or Typhoid Fever	229	7	2	1	1	1	2	8	8	1	14	10	22	3	8
	Relapsing Fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	31	-	-	-	-	-	1	-	1	-	1	1	2	1	4
	9. Erysipelas	29	1	-	-	-	-	1	1	3	-	1	2	1	1	1
	10. Puerperal Fever (Metria)	44	-	-	1	1	-	1	-	1	-	2	3	4	2	4
	11. Carbuncle	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	12. Influenza	17	-	1	-	1	-	-	-	2	-	1	-	-	-	-
	13. Dysentery	18	-	-	1	2	-	-	1	1	1	1	1	-	-	1
	14. Diarrhoea	185	1	2	6	2	3	-	7	8	1	4	4	10	2	4
	15. Cholera	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	16. Ague	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	17. Remittent Fever	11	-	-	-	-	-	-	-	1	-	-	-	2	-	3
	18. Rheumatism	34	-	-	1	2	-	-	2	2	-	1	-	3	2	5
	19. Other Miasmatic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	16	-	1	-	-	-	-	-	2	-	2	-	-	-	1
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
	2. Want of Breast Milk	8	-	-	-	-	-	-	-	-	-	2	-	-	-	1
	3. Purpura and Scurvy	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	4. Alco- { a Del. Tremens	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	holism { b Intemperance	9	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-
II.	ORDER 1.															
	1. Gout	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	2. Dropsy	57	1	1	-	-	1	4	-	2	-	3	-	4	1	6
	3. Cancer	248	2	1	4	3	1	5	7	12	2	10	8	20	4	13
	4. Cancrum Oris (Noma)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	11	-	-	-	-	-	1	-	-	-	2	-	1	-	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	26	15	7	27	61	81	12	22	7	2	2	5	1	5	3	8
	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. HOMICIDE	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	4. SUICIDE	1	-	-	1	3	5	1	2	2	-	-	-	1	-	-	1
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		6	3	-	7	12	24	4	3	2	-	-	2	1	1	2	5
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	1
	2. Measles	-	-	-	4	7	29	9	2	-	-	-	1	-	1	-	-
	3. Scarlatina	4	3	-	17	60	33	2	3	1	-	-	17	7	-	4	-
	4. Diphtheria	3	4	1	5	21	15	4	7	-	3	1	1	1	1	-	-
	5. Quinsy	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-
	6. Croup	10	7	3	9	15	12	4	7	1	2	1	2	1	-	1	1
	7. Hooping-cough	2	3	-	22	20	22	4	14	1	-	-	8	2	3	1	3
	8. { Typhus Fever	3	-	-	7	4	6	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	3	2	2	16	23	36	4	8	3	4	1	8	1	2	2	3
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	-	-	4	10	8	4	2	1	-	1	1	-	-	1	-
	9. Erysipelas	2	-	2	1	-	11	2	1	2	1	-	-	-	-	1	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	1	-	-	1	3	4	-	1	-	-	-	-	-	1	1	-
	14. Diarrhoea	8	10	1	11	30	27	8	2	-	4	-	4	2	3	1	2
	15. Cholera	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	1
	18. Rheumatism	5	-	-	-	3	6	2	1	2	-	-	1	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis	1	1	-	1	1	2	-	-	-	-	-	1	-	-	-	-
	2. Stricture of Urethra	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	2	-	-	-	1	1	1	1	-	-	-	-	-	-	2	1
	holism { b Intemperance	1	-	-	2	2	1	1	2	1	-	-	-	-	-	-	1
	ORDER 4.																
	1. Thrush	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	3	1	-	5	5	10	1	1	-	2	-	1	-	-	-	1
	3. Cancer	6	10	1	5	17	13	1	4	2	1	-	8	4	1	4	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	5. Mortification	1	1	-	-	2	2	-	3	-	-	-	-	-	-	-	-

* See page 52, note *

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	8	4	5	12	18	20	5	9	3	-	-	1	3	-	-	2
	*																
	3. HOMICIDE	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	1	2	1	-	3	-	-	1	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	7	7	1	7	7	23	6	4	2	-	-	4	-	2	2	3
I.	ORDER 1.																
	1. Small-pox	2	-	1	-	-	4	-	-	-	-	-	-	-	-	-	1
	2. Measles	1	-	-	6	14	37	15	1	1	1	1	23	9	2	2	1
	3. Scarlatina	7	3	-	17	51	17	1	2	1	1	1	3	-	-	-	-
	4. Diphtheria	5	9	1	11	24	27	4	9	1	1	1	-	-	-	-	-
	5. Quinsy	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	2	11	4	8	11	13	2	4	1	-	-	1	1	1	1	1
	7. Hooping-cough	8	6	1	20	26	13	11	8	-	-	-	11	1	1	1	6
	8. { Typhus Fever	-	-	1	4	1	5	-	1	-	1	1	-	-	1	-	5
	Enteric or Typhoid Fever	5	2	2	13	29	38	7	10	5	-	-	16	3	6	-	-
	Relapsing Fever	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	2	-	1	3	6	5	1	1	-	-	1	-	-	-	-	-
	9. Erysipelas	1	1	-	1	3	5	1	4	-	-	-	1	-	-	-	1
	10. Puerperal Fever (Metria)	2	-	1	4	4	8	1	3	-	-	-	1	-	-	-	-
	11. Carbuncle	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-
	12. Influenza	1	1	-	-	4	1	-	-	-	2	-	-	-	-	-	-
	13. Dysentery	-	-	-	3	2	2	-	1	-	-	-	1	-	-	-	-
	14. Diarrhoea	8	10	1	16	37	31	8	5	6	2	1	1	1	2	1	1
	15. Cholera	-	-	-	-	2	3	1	2	1	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	1	3	-	-	-	-	-	-	-	1	-	-	-
	18. Rheumatism	1	-	-	4	3	2	-	3	1	-	-	-	2	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis	-	-	-	1	3	2	2	2	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	1	2	-	-	-	-	-	2	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alcho- { a Del. Tremens	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	holism { b Intemperance	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	ORDER 4.																
	1. Thrush	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	3	4	-	5	3	13	1	-	1	-	-	2	-	1	-	1
	3. Cancer	17	8	10	14	35	16	8	15	4	3	1	8	5	2	3	7
	4. Cancrum Oris (Noma)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	5. Mortification	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
III.	ORDER 2.															
	1. Scrofula	85	1	2	3	1	-	1	8	7	1	2	-	6	1	2
	2. Tabes Mesenterica . . .	151	1	-	-	-	-	-	2	1	-	2	4	3	2	8
	3. Phthisis	808	3	8	14	5	3	25	16	23	3	22	42	46	19	54
	4. Hydrocephalus	248	3	1	3	1	-	4	2	10	-	5	4	10	7	21
	ORDER 1.															
	1. Cephalitis	102	-	-	3	2	-	3	6	3	-	3	3	9	2	3
	2. Apoplexy	210	-	-	6	1	3	2	6	7	-	5	8	13	5	12
	3. Paralysis	212	1	2	6	4	-	8	5	5	4	6	11	22	2	9
	4. Insanity	6	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	5. Chorea	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	6. Epilepsy	36	-	-	-	1	-	1	-	1	1	1	1	5	-	3
	7. Convulsions	126	1	-	3	-	1	8	3	4	-	2	1	10	-	5
	8. Brain Disease, etc. . .	166	-	-	2	2	1	3	2	7	4	5	5	6	5	9
	ORDER 2.															
	1. Pericarditis	14	-	-	-	-	-	-	1	-	-	1	-	-	1	-
	2. Aneurism	18	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	3. Heart Disease, etc. . .	550	1	1	8	6	4	22	9	15	5	20	21	45	18	35
	ORDER 3.															
	1. Laryngitis	27	-	-	-	-	-	-	5	1	-	1	-	2	1	1
	2. Bronchitis	874	3	4	20	7	4	19	28	27	4	30	29	57	23	67
	3. Pleurisy	36	-	-	1	3	-	-	-	1	-	-	3	1	-	4
	4. Pneumonia	391	1	-	6	4	-	3	10	8	3	18	6	27	10	36
	5. Asthma	52	-	-	-	2	-	3	-	-	1	2	1	4	-	1
	6. Lung Disease, etc. . .	122	-	-	1	-	-	2	-	5	-	3	3	4	1	12
	ORDER 4.															
	1. Gastritis	23	-	1	-	1	-	1	1	-	-	2	-	-	-	1
	2. Enteritis	109	-	-	-	-	1	1	4	-	-	3	3	11	3	10
	3. Peritonitis	52	-	1	-	-	-	-	3	-	-	1	-	4	5	3
	4. Ascites	7	-	-	-	-	-	-	-	-	-	2	-	-	-	1
	5. Ulceration of Intestines .	19	-	-	-	-	-	-	-	1	-	2	-	1	-	-
	6. Hernia	16	-	-	1	-	-	-	-	-	-	-	-	2	-	-
	7. Ileus	32	-	-	4	1	-	4	4	-	1	3	-	2	1	1
	8. Intussusception	8	-	-	-	-	-	-	-	2	-	-	-	-	-	1
	9. Stricture of Intestines .	8	-	1	-	1	-	-	1	-	-	-	1	-	-	-
	10. Fistula	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. .	82	-	-	2	2	-	3	1	2	1	3	2	2	2	3
	12. Pancreas Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	22	-	-	-	1	-	-	3	1	1	2	1	2	-	1
	14. Jaundice	29	1	-	-	-	-	-	1	2	-	2	2	1	-	5
	15. Liver Disease, etc. . .	106	-	1	2	-	3	3	2	5	1	9	2	6	2	6
	16. Spleen Disease, etc. . .	6	-	-	-	-	-	1	-	-	-	1	-	-	-	1
	ORDER 5.															
	1. Nephritis	19	-	-	2	-	-	-	1	1	-	2	2	2	1	2
	2. Ischuria	11	-	-	-	1	-	-	-	-	-	2	2	-	-	-
	3. Bright's Disease (Nephria) .	60	1	1	1	1	-	-	5	-	-	4	1	5	2	2
	4. Diabetes	15	-	-	1	1	-	1	-	2	-	1	1	3	1	-
	5. Calculus (Stone)	6	-	-	1	-	-	1	-	2	-	-	-	-	-	-
	6. Cystitis	26	-	-	3	1	1	-	-	-	-	-	2	1	-	2
	7. Kidney Disease, etc. . .	71	1	1	2	2	-	2	5	6	4	5	3	4	-	3
	ORDER 6.															
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc. . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 7.															
	1. Synovitis (Arthritis) . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Diseases, etc. . .	37	-	1	2	-	-	1	2	-	-	3	-	2	1	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
III.	ORDER 2.															
	1. Scrofula	86	-	1	1	1	-	-	4	4	1	4	3	5	-	1
	2. Tabes Mesenterica	109	1	2	-	-	-	-	-	2	1	3	2	6	2	7
	3. Phthisis	967	8	6	11	13	2	16	23	29	3	20	34	58	27	59
	4. Hydrocephalus	193	-	1	3	-	1	3	-	6	-	8	5	4	3	9
III.	ORDER 1.															
	1. Cephalitis	90	-	-	1	-	1	-	6	1	2	3	7	4	2	6
	2. Apoplexy	237	3	1	5	-	1	3	2	9	1	12	5	17	2	15
	3. Paralysis	243	-	2	1	4	2	6	7	4	3	13	15	20	3	10
	4. Insanity	11	-	-	1	-	-	-	-	-	-	1	-	3	-	-
	5. Chorea	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	24	-	-	-	-	-	1	1	1	-	3	-	1	1	1
	7. Convulsions	94	-	-	-	2	1	3	1	2	-	3	3	11	1	4
	8. Brain Disease, etc.	121	-	1	2	2	1	7	1	8	3	3	6	9	1	5
III.	ORDER 2.															
	1. Pericarditis	11	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	2. Aneurism	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	3. Heart Disease, etc.	550	3	3	10	5	1	14	9	24	7	26	16	41	19	24
III.	ORDER 3.															
	1. Laryngitis	15	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	2. Bronchitis	847	3	11	25	6	3	15	28	27	5	36	15	65	15	53
	3. Pleurisy	29	-	-	-	1	-	-	2	1	-	-	1	6	-	2
	4. Pneumonia	242	-	1	5	1	-	2	5	7	1	4	4	23	5	16
	5. Asthma	35	-	1	1	2	-	2	1	-	1	-	-	1	-	1
	6. Lung Disease, etc.	89	1	1	1	2	-	3	2	3	-	1	3	5	-	7
III.	ORDER 4.															
	1. Gastritis	31	-	1	-	1	-	1	-	-	-	2	-	3	-	-
	2. Enteritis	108	1	-	2	1	-	2	-	3	-	3	3	4	-	4
	3. Peritonitis	51	-	-	1	1	-	1	-	1	-	1	3	3	1	3
	4. Ascites	12	-	-	-	-	-	-	1	-	-	-	-	3	-	-
	5. Ulceration of Intestines . . .	22	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	6. Hernia	17	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	7. Ileus	26	-	-	-	1	-	1	1	1	-	1	-	4	-	1
	8. Intussusception	12	-	1	-	-	-	-	1	-	-	-	-	2	-	-
	9. Stricture of Intestines . . .	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	95	-	1	-	2	-	2	1	-	-	7	-	3	4	8
	12. Pancreas Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	30	1	1	-	-	-	-	1	3	-	1	1	4	1	1
	14. Jaundice	31	-	-	-	1	-	1	1	1	1	3	1	1	2	-
	15. Liver Disease, etc.	89	3	-	2	-	-	2	2	4	1	2	4	7	1	5
	16. Spleen Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	ORDER 5.															
	1. Nephritis	11	-	-	-	-	-	-	1	-	-	-	-	1	-	3
	2. Ischuria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria) . .	36	-	-	2	-	2	-	4	1	-	-	-	2	4	2
	4. Diabetes	12	-	-	-	-	-	-	-	-	-	1	2	1	1	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	4	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	7. Kidney Disease, etc.	34	-	-	3	-	-	-	2	-	-	1	1	3	-	-
III.	ORDER 6.															
	1. Ovarian Dropsy	18	-	-	-	-	-	1	-	1	-	2	2	1	1	2
	2. Uterus Disease, etc.	17	-	-	1	1	-	1	-	1	-	1	-	1	-	1
III.	ORDER 7.															
	1. Synovitis (Arthritis)	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	2. Joint Disease, etc.	22	-	-	1	2	-	-	3	-	-	1	-	3	-	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
III.	ORDER 2.																
	1. Scrofula	4	2	4	5	6	14	5	4	1	-	-	2	1	2	-	-
	2. Tabes Mesenterica	4	2	2	9	28	52	10	14	3	1	-	3	-	-	-	-
	3. Phthisis	34	30	12	75	135	118	6	23	13	2	4	22	9	14	17	11
	4. Hydrocephalus	13	9	8	27	43	43	4	11	2	1	-	6	1	3	3	3
	ORDER 1.																
	1. Cephalitis	5	-	-	8	20	20	1	2	3	1	-	1	1	2	1	-
	2. Apoplexy	10	5	8	23	27	33	7	8	5	2	1	3	2	2	3	3
	3. Paralysis	24	2	3	15	17	21	4	8	8	5	-	4	2	3	2	9
	4. Insanity	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	3	1	-	1	7	5	2	-	-	-	1	-	-	-	1	1
	7. Convulsions	6	2	-	15	22	23	6	5	-	-	-	5	3	-	1	-
	8. <i>Brain Disease, etc.</i>	10	6	3	25	26	15	4	3	1	2	-	7	6	1	2	4
	ORDER 2.																
	1. Pericarditis	3	-	-	1	1	3	1	-	-	-	-	1	1	-	-	-
	2. Aneurism	-	1	-	-	3	4	-	1	2	-	-	2	-	2	-	-
	3. <i>Heart Disease, etc.</i>	21	19	3	34	67	67	17	26	17	7	4	14	20	8	10	6
	ORDER 3.																
	1. Laryngitis	1	-	-	4	7	2	-	1	-	-	1	-	-	-	-	-
	2. Bronchitis	44	18	9	93	110	158	32	29	11	4	2	19	7	5	4	7
	3. Pleurisy	3	-	-	1	4	6	2	3	-	-	-	2	1	1	-	-
	4. Pneumonia	17	8	7	42	44	65	13	23	8	2	1	8	6	1	7	7
	5. Asthma	1	1	-	3	15	12	2	-	-	-	-	2	2	-	-	-
	6. <i>Lung Disease, etc.</i>	12	3	2	12	18	21	5	2	2	2	-	2	-	1	1	8
	ORDER 4.																
	1. Gastritis	-	2	-	1	7	5	-	-	-	-	-	-	-	-	1	-
	2. Enteritis	4	-	2	12	17	23	3	2	1	-	-	3	2	-	4	-
	3. Peritonitis	1	-	1	6	4	12	1	7	-	-	-	2	-	-	-	1
	4. Ascites	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	-	2	-	2	5	3	-	1	-	-	1	-	-	-	-	1
	6. Hernia	-	1	-	1	4	6	-	-	-	-	-	1	-	-	-	-
	7. Ileus	1	-	-	3	4	2	-	1	-	-	-	-	-	-	-	-
	8. Intussusception	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-
9. Stricture of Intestines	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
11. <i>Stomach Disease, etc.</i>	6	-	1	5	11	25	1	2	-	-	-	1	-	3	2	2	
12. <i>Pancreas Disease, etc.</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	-	-	2	4	1	1	1	-	-	-	1	-	-	-	-	
14. Jaundice	1	2	-	3	1	6	-	1	1	-	-	1	-	1	-	-	
15. <i>Liver Disease, etc.</i>	3	1	-	15	7	19	3	6	3	-	-	3	-	1	3	-	
16. <i>Spleen Disease, etc.</i>	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	
ORDER 5.																	
1. Nephritis	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	
2. Ischuria	3	-	-	-	1	2	1	1	-	-	-	-	-	-	1	-	
3. Bright's Disease (Nephria)	2	1	2	-	8	7	6	5	-	-	1	1	1	1	2	-	
4. Diabetes	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
6. Cystitis	2	-	-	1	3	4	1	2	-	-	-	-	-	2	1	-	
7. <i>Kidney Disease, etc.</i>	-	1	-	5	15	7	1	1	-	-	1	1	1	-	-	-	
ORDER 6.																	
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. <i>Uterus Disease, etc.</i>	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.																	
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
2. <i>Joint Disease, etc.</i>	-	-	-	4	6	6	1	-	-	-	1	1	-	1	-	1	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown
III.	ORDER 2.																
	1. Scrofula	7	5	2	8	9	13	5	8	-	1	-	2	-	1	-	-
	2. Tabes Mesenterica	2	1	4	10	20	25	3	11	2	-	-	1	1	2	-	1
	3. Phthisis	52	21	23	111	157	133	17	37	17	6	8	19	15	9	14	19
	4. Hydrocephalus	13	4	4	32	34	31	12	6	1	1	-	3	1	2	4	2
	ORDER 1.																
	1. Cephalitis	1	-	-	9	14	10	5	5	4	-	-	3	3	3	-	-
	2. Apoplexy	13	7	8	21	44	20	7	21	1	-	1	9	5	3	1	-
	3. Paralysis	17	7	4	21	26	18	6	17	3	2	-	7	7	6	4	8
	4. Insanity	1	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1
	5. Chorea	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	4	1	1	3	3	1	-	-	1	1	-	-	-	-	-	-
	7. Convulsions	-	3	2	6	19	26	-	1	1	-	-	1	1	1	-	2
	8. Brain Disease, etc. . . .	7	1	1	12	20	9	3	7	1	3	-	-	2	2	1	3
	ORDER 2.																
	1. Pericarditis	1	-	1	3	1	3	1	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	3. Heart Disease, etc. . . .	31	10	3	39	75	54	19	30	14	8	1	15	19	8	12	10
	ORDER 3.																
	1. Laryngitis	2	-	-	2	4	1	-	3	-	-	-	-	-	-	-	-
	2. Bronchitis	41	29	8	92	99	117	29	42	9	5	8	17	15	4	11	14
	3. Pleurisy	-	1	-	3	3	4	1	2	-	1	-	-	-	-	1	-
	4. Pneumonia	11	3	9	27	30	36	12	9	6	1	1	6	4	7	4	2
	5. Asthma	2	1	-	5	9	5	-	2	-	-	-	1	-	-	-	-
	6. Lung Disease, etc. . . .	4	1	-	4	15	25	2	3	-	1	-	-	-	-	2	3
	ORDER 4.																
	1. Gastritis	2	2	-	3	3	6	1	5	-	-	-	-	1	-	-	-
	2. Enteritis	7	2	-	10	15	27	9	6	1	1	-	2	2	2	1	-
	3. Peritonitis	3	2	2	5	7	4	3	4	-	-	-	2	1	1	2	-
	4. Ascites	1	-	-	2	1	2	1	-	-	-	-	-	-	-	-	1
	5. Ulceration of Intestines .	1	-	-	2	7	4	-	1	-	2	-	-	-	-	-	2
	6. Hernia	-	-	-	1	4	4	1	1	1	-	-	1	-	-	1	-
	7. Ileus	-	-	-	2	2	4	1	5	-	-	-	1	-	1	-	-
	8. Intussusception	-	1	-	1	-	2	1	2	-	-	-	-	-	-	1	-
	9. Stricture of Intestines .	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. . .	9	1	1	7	16	15	2	8	1	-	-	2	3	-	-	2
	12. Pancreas Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	-	-	5	3	3	1	2	-	-	-	1	-	-	1	-
	14. Jaundice	2	-	-	3	1	8	1	1	2	-	-	1	-	-	-	-
	15. Liver Disease, etc. . . .	7	3	1	9	6	11	3	6	3	-	-	-	1	3	1	2
	16. Spleen Disease, etc. . .	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.																
	1. Nephritis	1	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria) .	-	2	-	-	6	3	3	2	-	1	-	1	-	1	-	-
	4. Diabetes	2	-	-	-	4	-	-	-	-	-	-	-	-	1	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc. . . .	1	-	1	1	13	1	1	3	1	-	-	-	1	-	-	1
	ORDER 6.																
	1. Ovarian Dropsy	2	-	-	2	2	-	1	-	-	-	-	-	1	-	-	-
	2. Uterus Disease, etc. . . .	-	-	-	1	3	2	1	1	-	-	-	-	-	1	-	1
	ORDER 7.																
	1. Synovitis (Arthritis) . . .	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc. . . .	2	-	-	1	3	2	1	1	-	-	-	-	-	-	-	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
IV.	ORDER 8.															
	1. Phlegmon	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	2. Ulcer	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	ORDER 1.															
	1. Premature Birth	176	-	-	4	-	1	4	4	4	3	5	9	9	5	9
	2. Cyanosis	8	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	3. Spina Bifida	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1
	4. Other Malformations	24	-	-	1	-	-	-	2	2	-	-	-	4	1	-
	5. Teething	88	-	-	-	1	-	3	-	2	1	2	-	8	2	6
V.	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	380	5	8	17	5	5	8	8	10	4	17	13	46	11	31
	ORDER 4.															
	1. Atrophy and Debility	316	1	-	7	4	2	3	6	7	1	11	4	17	9	23
	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	198	-	-	1	2	1	1	1	6	2	5	5	16	2	13
	2. Gunshot Wounds	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	33	-	1	-	1	-	-	1	-	1	-	-	-	2	5
	5. Poison	15	-	-	1	1	-	-	-	1	-	-	1	-	-	1
	6. Drowning	144	-	1	10	1	4	7	9	8	10	2	2	8	5	6
	7. Suffocation	31	-	-	-	-	-	1	2	1	-	2	2	-	-	4
	8. Otherwise	35	1	-	-	1	-	1	2	2	-	-	-	1	2	8
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide)															
	1. Gunshot Wounds	5	-	-	1	-	-	1	-	1	-	-	1	-	-	-
	2. Cut, Stab	5	-	-	-	-	-	-	1	-	-	1	-	-	-	1
	3. Poison	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-
	4. Drowning	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	16	-	-	-	1	-	-	1	1	-	-	-	1	1	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	6	-	-	-	-	-	-	-	-	-	1	-	2	-	1
	Causes not specified or ill-defined	128	-	-	-	8	2	1	1	20	-	-	9	4	1	10

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
IV.	ORDER 8.															
	1. Phlegmon	9	-	-	-	-	-	-	1	1	-	1	1	-	1	-
	2. Ulcer	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1
	ORDER 1.															
	1. Premature Birth.	147	-	2	1	-	-	1	5	2	2	5	4	15	5	5
	2. Cyanosis	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	10	-	-	-	-	-	1	-	1	-	-	-	-	-	2
	4. Other Malformations	17	-	-	-	-	-	-	-	3	-	1	-	2	2	-
	5. Teething	74	-	-	3	-	3	2	3	7	-	2	2	3	3	3
	ORDER 2.															
	1. Paramenia	9	-	1	-	-	-	-	-	2	-	-	-	1	1	-
	2. Childbirth (see Puerperal Fever)	93	-	2	3	-	-	5	2	6	1	1	4	10	5	2
	ORDER 3.															
	1. Old Age	686	11	9	23	8	11	17	14	31	6	35	20	56	17	43
	ORDER 4.															
	1. Atrophy and Debility	256	1	-	10	2	2	5	3	5	2	8	6	13	16	15
V.	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	50	1	1	2	1	-	-	3	1	-	1	5	4	-	3
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	24	-	-	-	2	-	1	-	-	-	2	-	4	-	2
	5. Poison	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	20	-	-	-	-	-	-	-	-	-	1	1	-	1	4
	7. Suffocation	25	-	-	1	-	-	-	1	1	-	5	-	1	1	-
	8. Otherwise	25	-	-	-	-	-	1	-	1	-	-	-	3	2	2
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	5	-	-	-	-	-	1	-	1	-	-	-	1	-	-
	3. Poison	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	4. Drowning	5	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	5. Hanging	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1
	Causes not specified or ill-defined	119	-	1	-	4	-	3	1	11	-	1	5	6	-	12

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
IV,	ORDER 8.																
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.																
	1. Premature Birth	12	3	2	12	23	30	5	10	1	3	1	5	6	-	3	3
	2. Cyanosis	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	4. Other Malformations	-	-	-	1	3	4	-	2	-	-	-	1	1	1	-	1
	5. Teething	6	-	-	10	15	13	6	2	3	3	-	4	-	1	-	-
V,	ORDER 2.																
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Old Age	14	16	1	24	50	38	4	15	12	1	-	3	2	3	5	4
	ORDER 4.																
	I. Atrophy and Debility	15	6	3	22	39	65	13	20	7	2	1	10	3	9	2	4
	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	10	3	-	9	38	53	6	13	3	1	1	-	1	-	2	3
	2. Gunshot Wounds	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	5	-	-	1	2	5	2	3	1	-	-	1	-	1	-	1
	5. Poison	1	-	2	-	1	3	-	-	1	-	1	1	-	-	-	-
	6. Drowning	9	7	5	10	16	12	1	2	2	-	-	2	-	3	1	1
	7. Suffocation	1	1	-	4	1	5	2	1	-	-	-	1	-	1	-	2
	8. Otherwise	-	3	-	3	2	3	1	3	-	1	-	-	-	-	-	1
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	1	1	2	1	2	2	-	-	-	1	-	-	1
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.																
	(Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined	6	3	-	7	12	24	4	3	2	-	-	2	1	1	2	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
IV.	ORDER 8.																
	1. Phlegmon	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-
	2. Ulcer	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
	3. Skin Disease, etc.	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-
	ORDER 1.																
	1. Premature Births	8	1	-	11	29	25	3	10	2	2	1	-	2	1	3	2
	2. Cyanosis	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	1	1	1	-	1	-	1	-	1	-	-	-	-
	4. Other Malformations	-	-	-	1	3	2	1	1	-	-	-	-	-	-	-	1
	5. Teething	2	-	-	8	14	11	4	2	1	-	-	1	-	-	-	-
V.	ORDER 2.																
	1. Paramenia	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
	2. Childbirth (see Puerperal Fever)	2	1	-	9	13	16	2	2	-	1	2	3	-	1	-	-
	ORDER 3.																
	1. Old Age	34	28	10	38	86	65	16	27	19	6	2	9	5	10	12	18
	ORDER 4.																
	1. Atrophy and Debility	7	5	-	21	40	46	10	10	6	4	3	5	5	3	1	2
	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	3	-	1	7	6	4	-	5	1	-	-	1	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	1	-	1	1	2	4	2	1	1	-	-	-	-	-	-	-
	5. Poison	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
	6. Drowning	1	2	-	2	5	2	-	-	-	-	-	-	-	-	-	1
	7. Suffocation	1	1	-	2	4	4	1	1	-	-	-	-	-	-	-	1
	8. Otherwise	-	1	3	-	1	5	2	1	1	-	-	-	2	-	-	-
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.																
	(Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		7	7	1	7	7	23	6	4	2	-	-	4	-	2	2	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1877.—MALES.

Class.	CAUSES OF DEATH.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.	Clackman- nan.
	All Causes	9383	165	187	411	247	36	220	246	916	192	264	670	632	75	50
	Specified Causes	9051	160	177	373	229	32	212	242	888	188	255	638	604	73	49
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1280	26	21	49	33	2	29	43	134	29	38	84	72	3	11
II.	CONSTITUTIONAL „	1525	25	34	57	28	4	35	48	143	34	33	103	100	13	9
III.	LOCAL „	4106	71	67	152	93	16	95	114	426	85	124	302	296	42	20
IV.	DEVELOPMENTAL „	1363	31	43	96	59	10	37	23	127	24	26	120	102	11	6
V.	VIOLENT DEATHS . .	777	7	12	19	16	-	16	14	58	16	34	29	34	4	3
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1209	26	20	48	32	2	28	42	124	28	37	78	67	3	10
	2. ENTHETIC „ . .	14	-	-	-	-	-	1	-	2	-	-	1	1	-	-
	3. DIETIC „ . .	53	-	1	1	-	-	-	1	8	1	1	5	2	-	1
	4. PARASITIC „ . .	4	-	-	-	1	-	-	-	-	-	-	-	2	-	-
II.	1. DIATHETIC „ . .	279	2	4	6	9	2	10	8	31	7	8	22	22	3	2
	2. TUBERCULAR „ . .	1246	23	30	51	19	2	25	40	112	27	25	81	78	10	7
III.	1. DISEASES OF NERVOUS SYSTEM . .	991	15	13	36	26	5	20	27	91	19	27	75	71	5	2
	2. „ OF ORGANS OF CIRCULATION .	704	10	5	21	8	2	19	22	87	13	27	70	56	6	1
	3. „ OF RESPIRATORY ORGANS . .	1445	20	32	50	32	5	35	36	144	34	45	87	113	17	12
	4. „ OF DIGESTIVE ORGANS	624	12	8	30	21	3	14	20	57	13	16	45	35	11	2
	5. „ OF URINARY ORGANS	264	13	7	15	5	-	6	8	37	5	9	16	17	1	1
	6. „ OF ORGANS OF GENERATION .	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	7. „ OF ORGANS of LO- COMOTION . .	46	1	-	-	1	-	1	-	6	-	-	3	1	2	1
	8. „ OF INTEGUMENTARY SYSTEM . .	30	-	2	-	-	1	-	1	3	1	-	5	3	-	1
IV.	1. DEV. DIS. OF CHILDREN .	268	4	1	11	5	-	6	3	31	5	9	10	21	3	3
	2. „ OF ADULTS . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE .	788	23	35	75	43	10	22	16	66	16	12	93	61	4	3
	4. DISEASES OF NUTRITION .	307	4	7	10	11	-	9	4	30	3	5	17	20	4	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1877.—FEMALES.

Class.	CAUSES OF DEATH.	Total Mainland- Rural	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackman- nan.
	All Causes	9092	178	209	475	236	21	211	248	835	217	304	698	640	84	33
	Specified Causes	8810	176	188	439	224	21	208	240	818	215	300	676	602	82	33
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1351	23	18	75	43	-	37	40	137	27	44	80	89	4	7
II.	CONSTITUTIONAL „	1677	32	35	67	34	3	30	42	173	48	42	109	103	25	12
III.	LOCAL „	3810	72	61	154	68	9	78	106	353	102	148	303	287	39	9
IV.	DEVELOPMENTAL „	1796	45	74	136	74	7	59	45	130	33	58	174	116	13	5
V.	VIOLENT DEATHS . . .	176	4	-	7	5	2	4	7	25	5	8	10	7	1	-
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . . .	1299	23	18	74	41	-	35	39	130	25	43	79	84	4	7
	2. ENTHETIC „ . . .	11	-	-	-	1	-	-	-	3	1	-	-	-	-	-
	3. DIETIC „ . . .	35	-	-	1	1	-	2	1	3	1	-	1	5	-	-
	4. PARASITIC „ . . .	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-
II.	1. DIATHETIC „ . . .	448	11	14	22	14	-	9	14	60	11	10	29	36	7	6
	2. TUBERCULAR „ . . .	1229	21	21	45	20	3	21	28	113	37	32	80	67	18	6
III.	1. DISEASES OF NERVOUS SYSTEM . . .	898	14	13	30	20	4	19	29	84	31	34	75	74	10	4
	2. „ OF ORGANS OF CIR- CULATION . . .	740	15	8	28	6	-	15	15	82	19	30	74	65	7	-
	3. „ OF RESPIRATORY OR- GANS . . .	1284	24	25	68	26	2	24	35	102	31	53	94	91	9	4
	4. „ OF DIGESTIVE ORGANS	640	16	9	23	12	3	15	15	55	11	19	45	44	9	1
	5. „ OF URINARY ORGANS	131	1	4	4	2	-	1	9	10	7	7	3	8	3	-
	6. „ OF ORGANS OF GENERATION . . .	62	1	1	-	2	-	2	1	14	2	3	3	2	1	-
	7. „ OF ORGANS OF LOCOMOTION . . .	31	-	1	1	-	-	1	2	4	1	1	6	1	-	-
	8. „ OF INTEGUMENTARY SYSTEM . . .	24	1	-	-	-	-	1	-	2	-	1	3	2	-	-
IV.	1. DEV. DIS. OF CHILDREN . . .	216	1	1	5	1	2	4	2	20	2	8	21	16	2	-
	2. „ OF ADULTS . . .	92	4	2	1	2	-	2	3	9	1	-	11	6	1	-
	3. „ OF OLD PEOPLE . . .	1214	38	65	125	69	5	42	28	75	25	40	122	73	10	4
	4. DISEASES OF NUTRITION . . .	274	2	6	5	2	-	11	12	26	5	10	20	21	-	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	435	157	339	254	540	1049	129	598	184	249	60	25	191	433	206	223
	Specified Causes	419	156	321	247	527	1012	128	593	181	249	59	24	184	416	201	214
	(CLASSES.)																
I.	ZYMOTIC DISEASES	106	21	30	26	79	193	22	70	19	40	5	4	20	34	11	26
II.	CONSTITUTIONAL „	61	29	75	55	100	139	17	97	24	35	8	3	26	100	47	43
III.	LOCAL „	179	62	133	106	249	322	66	315	99	113	32	15	104	205	107	96
IV.	DEVELOPMENTAL „	45	24	63	35	68	101	14	77	25	34	14	2	22	60	25	39
V.	VIOLENT DEATHS . .	28	20	20	25	31	257	9	34	14	27	-	-	12	17	11	10
	(ORDERS).																
I.	1. MIASMATIC DISEASES . .	104	20	28	25	76	183	19	61	18	38	5	4	19	31	11	22
	2. ENTHETIC „ . .	-	1	-	1	2	-	2	-	-	-	-	-	-	1	-	2
	3. DIETIC „ . .	2	-	2	-	1	10	1	9	-	2	-	-	1	2	-	2
	4. PARASITIC „ . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
II.	1. DIATHETIC „ . .	8	3	13	6	9	18	3	19	4	6	1	-	9	24	8	12
	2. TUBERCULAR „ . .	53	26	62	49	91	121	14	78	20	29	7	3	17	76	39	31
III.	1. DISEASES OF NERVOUS SYSTEM . .	42	10	37	28	65	69	18	93	25	22	10	2	27	58	26	27
	2. „ OF ORGANS OF CIRCULATION . .	25	6	22	9	36	29	9	53	23	35	5	5	23	41	18	18
	3. „ OF RESPIRATORY ORGANS . .	72	32	32	40	87	140	26	107	32	33	9	6	31	67	41	28
	4. „ OF DIGESTIVE ORGANS	30	10	28	19	32	67	11	36	13	14	7	1	16	26	12	15
	5. „ OF URINARY ORGANS	5	3	10	7	18	13	2	19	5	7	1	1	5	13	9	6
	6. „ OF ORGANS OF GENERATION .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ OF ORGANS OF LOCOMOTION . .	4	1	3	3	9	4	-	4	-	-	-	-	-	-	1	1
	8. „ OF INTEGUMENTARY SYSTEM . .	1	-	1	-	2	-	-	3	1	2	-	-	2	-	-	1
IV.	1. DEV. DIS. OF CHILDREN .	15	7	7	10	29	28	5	22	4	7	1	1	5	8	6	1
	2. „ OF ADULTS . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE .	17	13	51	10	20	23	3	36	15	22	10	-	11	33	16	29
	4. DISEASES OF NUTRITION .	13	4	5	15	19	50	6	19	6	5	3	1	6	19	3	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1877.—FEMALES (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	411	108	330	240	503	763	136	580	176	250	66	15	206	454	208	257
	Specified Causes	397	108	309	233	491	746	132	573	175	247	65	15	202	444	200	251
	(CLASSES.)																
I.	ZYMOTIC DISEASES	111	14	37	30	104	168	30	70	22	49	2	1	24	36	11	18
II.	CONSTITUTIONAL „	57	20	76	52	114	140	22	90	27	45	18	6	38	100	55	62
III.	LOCAL „	146	51	107	100	182	298	60	313	80	115	33	5	106	219	88	118
IV.	DEVELOPMENTAL „	74	19	83	48	75	125	19	87	38	36	12	3	32	82	43	51
V.	VIOLENT DEATHS . . .	9	4	6	3	16	15	1	13	8	2	—	—	2	7	3	2
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . . .	110	13	36	27	98	163	27	67	21	48	2	1	22	35	11	16
	2. ENTHETIC „ . . .	—	—	—	1	—	1	2	1	—	—	—	—	1	—	—	—
	3. DIETIC „ . . .	—	1	1	2	5	2	1	2	1	1	—	—	1	1	—	2
	4. PARASITIC „ . . .	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ . . .	10	4	21	5	20	22	6	25	4	19	4	—	16	24	11	14
	2. TUBERCULAR „ . . .	47	16	55	47	94	118	16	65	23	26	14	6	22	76	44	48
III.	1. DISEASES OF NERVOUS SYSTEM . . .	35	13	33	24	43	49	13	78	22	20	8	1	26	44	19	29
	2. „ OF ORGANS OF CIRCULATION . . .	16	7	16	19	32	40	7	56	18	32	4	2	25	47	26	29
	3. „ OF RESPIRATORY ORGANS . . .	55	17	34	30	64	127	17	102	31	40	13	—	36	73	21	36
	4. „ OF DIGESTIVE ORGANS	32	11	15	21	27	67	16	49	6	18	7	—	14	43	15	22
	5. „ OF URINARY ORGANS	4	2	4	3	8	5	6	17	1	5	1	—	3	7	5	1
	6. „ OF ORGANS OF GENERATION .	2	1	4	2	5	7	1	2	—	—	—	1	—	3	2	—
	7. „ OF ORGANS OF LOCOMOTION . . .	1	—	—	—	2	2	—	3	1	—	—	—	1	2	—	1
	8. „ OF INTEGUMENTARY SYSTEM . . .	1	—	1	1	1	1	—	6	1	—	—	1	1	—	—	—
IV.	1. DEV. DIS. OF CHILDREN	14	4	2	8	15	27	3	19	3	3	2	1	7	14	4	5
	2. „ OF ADULTS . . .	4	—	3	5	6	7	1	5	2	5	2	1	—	5	1	3
	3. „ OF OLD PEOPLE . . .	35	11	73	22	40	54	10	54	23	18	1	1	21	56	35	39
	4. DISEASES OF NUTRITION . . .	21	4	5	13	14	37	5	9	10	10	7	—	4	7	3	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackman- nan.
V.	1. ACCIDENT OR NEGLIGENCE .	735	7	12	17	16	-	15	13	55	14	27	27	30	4	3
	*															
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	4. SUICIDE	41	-	-	2	-	-	1	1	3	2	7	1	4	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	9	-	-	-	-	-	-	-	1	-	-	-	3	-	-
	CAUSES NOT SPECIFIED	323	5	10	38	18	4	8	4	27	4	9	32	25	2	1
I.	ORDER 1.															
	1. Small-pox	3	-	-	-	2	-	-	-	-	-	-	1	-	-	-
	2. Measles	76	3	6	-	1	-	1	6	4	4	-	3	9	1	3
	3. Scarlatina	246	1	-	9	8	-	6	1	14	-	11	14	4	-	-
	4. Diphtheria	119	9	-	9	4	1	3	6	22	7	8	10	2	-	-
	5. Quinsy	5	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	6. Croup	94	3	2	4	4	1	3	1	10	2	-	4	4	-	-
	7. Hooping-cough	91	-	4	12	1	-	5	3	4	4	-	6	6	-	1
	8. { Typhus Fever	29	-	1	-	1	-	2	2	3	2	1	3	-	-	3
	8. { Enteric or Typhoid Fever	191	5	-	5	1	-	2	7	24	4	7	11	12	1	-
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	8. { Simple Continued Fever	17	-	2	-	-	-	1	1	1	1	-	-	2	-	-
	9. Erysipelas	39	-	1	1	1	-	1	3	5	-	2	1	4	-	1
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	28	-	-	1	2	-	-	3	4	1	1	1	2	-	-
	13. Dysentery	23	-	-	-	-	-	1	1	1	-	-	-	1	1	-
	14. Diarrhoea	175	5	2	2	3	-	1	5	27	2	6	17	11	-	2
	15. Cholera	8	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	16. Ague	3	-	-	-	1	-	-	-	-	-	-	-	2	-	-
	17. Remittent Fever	7	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	18. Rheumatism	47	-	2	4	2	-	1	2	3	1	1	5	7	-	-
	19. Other Miasmatic Diseases	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	ORDER 2.															
	1. Syphilis	9	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	2. Stricture of Urethra	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	3. Hydrophobia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	6	-	-	-	-	-	-	-	-	1	-	2	-	-	1
	3. Purpura and Scurvy	9	-	-	1	-	-	-	1	1	-	-	1	-	-	-
	4. Alco- { a Del. Tremens	7	-	-	-	-	-	-	-	1	-	-	1	1	-	-
	4. holism { b Intemperance	28	-	1	-	-	-	-	-	6	-	1	1	1	-	-
	ORDER 4.															
	1. Thrush	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	2. Worms, etc.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	46	-	1	1	3	-	1	-	4	-	1	-	2	1	1
	3. Cancer	216	2	3	5	5	2	9	7	25	7	6	22	17	2	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	17	-	-	-	1	-	-	1	2	-	1	-	3	-	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackman- nan.
V.	1. ACCIDENT OR NEGLIGENCE .	162	4	-	7	5	2	4	7	25	5	8	10	5	1	-
	*															
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	13	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCRIBED	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-
	CAUSES NOT SPECIFIED	278	2	21	36	12	-	3	8	17	2	4	21	35	2	-
I.	ORDER 1.															
	1. Small-pox	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2. Measles	68	1	3	1	-	-	1	2	2	-	-	2	7	1	-
	3. Scarlatina	232	2	1	13	8	-	14	2	14	-	16	11	2	-	-
	4. Diphtheria	128	7	-	7	5	-	2	2	32	6	3	4	4	-	1
	5. Quinsy	9	-	-	-	1	-	2	1	-	-	-	-	1	1	-
	6. Croup	76	1	3	6	3	-	1	2	4	1	-	7	4	-	-
	7. Hooping-cough	120	-	4	14	2	-	-	-	5	1	1	9	14	-	2
	8. Typhus Fever	21	-	1	-	-	-	-	-	4	-	-	1	4	1	-
	8. Enteric or Typhoid Fever	230	3	2	12	4	-	4	11	24	4	5	10	17	1	-
	8. Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Simple Continued Fever	22	1	-	-	1	-	-	-	1	-	1	2	1	-	-
	9. Erysipelas	37	-	-	1	2	-	4	-	4	1	3	4	4	-	-
	10. Puerperal Fever (Metria)	31	1	-	1	1	-	-	4	2	2	4	1	2	-	1
	11. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	26	-	-	3	1	-	-	1	6	-	2	2	3	-	-
	13. Dysentery	37	1	2	-	-	-	1	-	8	1	1	4	3	1	-
	14. Diarrhoea	180	3	1	7	6	-	6	10	19	5	5	13	15	-	2
	15. Cholera	10	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	61	3	1	9	5	-	-	4	3	1	1	6	6	-	1
	19. Other Miasmatic Diseases	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	11	-	-	-	1	-	-	-	3	1	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	4	-	-	-	1	-	-	-	1	-	-	1	1	-	-
	3. Purpura and Scurvy	11	-	-	-	-	-	1	-	1	1	-	-	1	-	-
	4. Alco- { a Del. Tremens	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	holism { b Intemperance	15	-	-	1	-	-	1	1	1	-	-	-	2	-	-
	ORDER 4.															
	1. Thrush	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	2. Worms, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	61	1	3	6	3	-	-	1	4	-	-	2	8	-	1
	3. Cancer	358	9	11	16	11	-	9	13	51	8	10	23	26	6	5
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	29	1	-	-	-	-	-	-	5	3	-	4	2	1	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	27	20	20	21	30	256	9	28	13	24	-	-	11	15	11	10
	*																
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	-	4	1	1	-	6	1	3	-	-	1	2	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		13	1	18	7	13	35	1	5	3	-	1	1	7	17	5	9
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	6	1	3	2	1	15	1	5	-	1	-	-	-	-	-	-
	3. Scarletina	57	8	3	6	13	73	-	4	-	7	-	1	3	2	-	1
	4. Diphtheria	2	-	3	1	7	11	2	3	2	4	-	-	1	2	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	6. Croup	7	2	3	-	6	15	2	4	3	4	-	-	3	3	1	3
	7. Hooping-cough	-	-	6	5	9	9	-	4	-	3	-	-	4	5	-	-
	8. { Typhus Fever	-	3	-	1	-	4	-	2	-	1	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	11	1	4	2	17	28	4	16	5	3	3	1	5	4	2	6
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	2	1	-	-	-	1	-	1	-	1	-	1	-	-	2	-
	9. Erysipelas	1	1	-	-	4	3	-	2	3	1	1	1	-	1	-	1
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1
	12. Influenza	1	-	2	-	3	-	1	1	-	2	-	-	1	-	2	-
	13. Dysentery	1	-	-	-	2	5	1	1	-	3	1	-	-	4	-	-
	14. Diarrhoea	11	3	3	6	9	17	7	14	3	4	-	-	1	5	2	7
	15. Cholera	2	-	-	1	1	-	-	1	-	-	-	-	1	1	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	18. Rheumatism	-	-	1	1	3	2	-	2	2	3	-	-	-	2	1	2
	19. Other Miasmatic Diseases	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	ORDER 2.																
	1. Syphilis	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	1
	2. Stricture of Urethra	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	2. Want of Breast Milk	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	3. Purpura and Scurvy	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-
	holism { b Intemperance	-	-	-	-	-	8	1	5	-	2	-	-	-	1	-	1
	ORDER 4.																
	1. Thrush	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	1	2	8	2	3	4	-	-	-	-	-	-	1	8	-	2
	3. Cancer	6	1	4	3	5	14	2	18	4	6	1	-	6	16	8	10
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	1	1	1	-	1	1	-	-	-	-	2	-	-	-

* See page 52, note *

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	9	4	6	3	14	13	-	9	7	2	-	-	1	7	2	2
	*																
	3. HOMICIDE	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	1	2	1	4	1	-	-	-	1	-	1	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	14	-	21	7	12	17	4	7	1	3	1	-	4	10	8	6
I.	ORDER 1.																
	1. Small-pox	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	2. Measles	5	-	4	5	1	22	2	4	-	-	-	-	-	1	-	2
	3. Scarlatina	48	6	4	4	15	47	5	3	1	9	-	-	4	3	-	-
	4. Diphtheria	3	1	5	3	3	9	2	6	6	8	1	-	1	3	1	3
	5. Quinsy	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	6. Croup	4	-	4	1	7	14	1	6	1	4	-	-	1	1	-	-
	7. Hooping-cough	2	1	9	5	14	12	2	6	1	3	1	-	3	7	1	1
	8. { Typhus Fever	2	-	-	1	3	2	-	-	-	1	-	-	-	1	-	-
	8. { Enteric or Typhoid Fever	32	1	5	1	28	22	6	9	8	7	-	-	3	7	3	1
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	3	-	1	-	4	2	2	-	-	1	-	-	-	1	-	1
	9. Erysipelas	1	-	1	2	2	2	1	1	1	-	-	-	1	2	-	-
	10. Puerperal Fever (Metria)	1	-	1	-	1	4	-	-	-	3	-	1	-	-	-	1
	11. Carbuncle	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	1	2	-	2	-	-	-	-	3	-	-	-
	13. Dysentery	1	-	-	-	1	4	-	2	1	2	-	-	-	2	1	1
	14. Diarrhoea	4	1	1	4	13	16	6	24	-	6	-	-	5	3	3	2
	15. Cholera	-	1	-	-	-	2	-	-	-	3	-	-	-	1	-	1
	16. Ague	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	17. Remittent Fever	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	18. Rheumatism	2	1	1	1	3	1	-	3	1	1	-	-	1	2	2	2
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis	-	-	-	1	-	1	2	1	-	-	-	-	1	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	1	1	3	-	-	-	-	1	-	-	-	-	-	1
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	4. holism { b Intemperance	-	-	-	-	2	2	-	2	1	-	-	-	-	1	-	1
	ORDER 4.																
	1. Thrush	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	4	-	6	2	1	5	-	2	1	3	-	-	2	3	3	-
	3. Cancer	4	4	14	2	17	17	6	22	3	14	3	-	11	21	8	14
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	2	-	1	1	2	-	-	1	-	2	1	-	3	-	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackman- nan.
III.	ORDER 2.															
	1. Scrofula	91	2	3	7	—	—	3	1	10	1	2	8	4	2	—
	2. Tabes Mesenterica	102	1	1	—	1	—	—	2	3	2	1	6	7	2	1
	3. Phthisis	876	15	23	40	15	2	21	33	84	22	18	62	49	5	6
	4. Hydrocephalus	177	5	3	4	3	—	1	4	15	2	4	5	18	1	—
	ORDER 1.															
	1. Cephalitis	101	1	—	2	4	—	4	6	9	3	4	4	4	1	—
	2. Apoplexy	241	3	3	3	7	1	4	9	23	6	8	20	17	1	—
	3. Paralysis	298	8	6	15	4	3	4	6	31	3	7	22	24	1	—
	4. Insanity	15	—	—	—	—	—	—	1	2	—	—	1	—	—	1
	5. Chorea	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	6. Epilepsy	53	1	2	2	2	—	3	1	1	—	2	6	3	—	—
	7. Convulsions	181	2	2	10	5	1	4	3	10	2	4	10	9	1	—
	8. Brain Disease, etc.	150	—	—	4	4	—	1	1	15	5	1	12	14	1	1
	ORDER 2.															
	1. Pericarditis	16	1	—	—	1	—	1	—	1	—	—	—	1	—	—
	2. Aneurism	29	—	—	—	—	—	1	1	2	2	4	1	2	—	—
	3. Heart Disease, etc.	659	9	5	21	7	2	17	21	84	11	23	69	53	6	1
	ORDER 3.															
	1. Laryngitis	26	2	—	1	—	—	1	1	6	1	1	2	—	—	—
	2. Bronchitis	820	12	11	22	23	3	22	27	91	24	19	46	74	7	8
	3. Pleurisy	52	1	1	3	1	1	1	1	4	—	1	1	2	1	—
	4. Pneumonia	363	4	9	10	3	—	7	5	34	7	13	22	28	8	4
	5. Asthma	75	1	10	11	4	—	2	—	3	1	2	3	3	—	—
	6. Lung Disease, etc.	109	—	1	3	1	1	2	2	6	1	6	13	6	1	—
	ORDER 4.															
	1. Gastritis	38	—	1	—	1	—	—	3	3	1	1	2	3	2	—
	2. Enteritis	144	2	1	4	2	2	5	1	10	2	4	7	5	1	—
	3. Peritonitis	53	3	3	2	3	—	1	2	7	—	1	4	4	2	1
	4. Ascites	7	—	—	1	—	—	—	—	2	—	—	—	—	—	—
	5. Ulceration of Intestines	40	2	1	3	—	—	—	3	5	2	1	1	2	—	—
	6. Hernia	25	—	1	1	1	—	—	1	5	—	—	—	1	—	—
	7. Ileus	52	2	—	3	1	—	1	5	6	3	1	2	2	2	—
	8. Intussusception	14	—	1	—	—	—	—	1	3	—	—	—	2	—	—
	9. Stricture of Intestines	5	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	10. Fistula	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	93	—	—	4	8	1	2	1	5	3	2	14	4	1	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	28	—	—	3	1	—	1	2	1	—	—	2	2	1	1
	14. Jaundice	26	—	—	—	1	—	1	1	—	—	1	2	1	—	—
	15. Liver Disease, etc.	94	3	—	6	3	—	2	—	9	2	5	8	9	2	—
	16. Spleen Disease, etc.	4	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	18	—	—	3	1	—	1	—	2	—	—	2	—	—	—
	2. Ischuria	22	2	2	3	—	—	—	2	3	—	—	1	—	—	—
	3. Bright's Disease (Nephria)	53	2	2	2	—	—	1	2	4	—	1	2	5	1	—
	4. Diabetes	15	—	—	1	—	—	—	1	1	—	—	1	3	—	1
	5. Calculus (Stone)	15	4	2	—	1	—	—	—	6	1	—	—	—	—	—
	6. Cystitis	38	3	—	1	1	—	—	2	7	1	2	4	—	—	—
	7. Kidney Disease, etc.	103	2	1	5	2	—	4	1	14	3	6	6	9	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	6	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	2. Joint Disease, etc.	40	1	—	—	1	—	1	—	5	—	—	3	1	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Mainland Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackman- nan.
III.	ORDER 2.															
	1. Scrofula	87	-	1	2	3	-	1	5	14	1	-	5	4	-	-
	2. Tabes Mesenterica	88	1	2	-	-	-	-	1	5	-	1	-	2	1	3
	3. Phthisis	929	18	17	40	16	3	19	16	85	34	28	68	54	11	3
	4. Hydrocephalus	125	2	1	3	1	-	1	6	9	2	3	7	7	6	-
	ORDER 1.															
	1. Cephalitis	71	2	1	1	1	-	-	2	6	3	2	8	7	2	1
	2. Apoplexy	240	1	4	5	4	-	4	6	15	10	10	23	20	2	1
	3. Paralysis	323	7	6	17	7	3	10	8	38	9	14	22	26	4	2
	4. Insanity	18	-	-	2	1	-	-	1	1	-	-	2	1	-	-
	5. Chorea	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	33	1	-	1	1	-	2	-	1	2	-	1	5	-	-
	7. Convulsions	83	2	2	2	3	-	2	4	6	3	1	7	9	2	-
	8. Brain Disease, etc.	127	1	-	2	3	1	1	8	17	4	7	12	6	-	-
	ORDER 2.															
	1. Pericarditis	16	-	-	-	-	-	1	-	1	-	-	2	2	-	-
	2. Aneurism	18	-	-	2	1	-	2	3	3	1	-	2	2	-	-
	3. Heart Disease, etc.	706	15	8	26	5	-	12	12	78	18	30	70	61	7	-
	ORDER 3.															
	1. Laryngitis	19	-	-	-	-	-	2	1	2	-	1	1	-	-	-
	2. Bronchitis	855	17	10	47	19	2	16	24	75	25	36	62	61	1	3
	3. Pleurisy	26	-	1	-	-	-	1	1	2	-	2	4	1	2	-
	4. Pneumonia	236	2	6	5	3	-	4	8	18	6	8	15	14	4	1
	5. Asthma	54	2	6	15	3	-	-	-	2	-	1	3	8	-	-
	6. Lung Disease, etc.	94	3	2	1	1	-	1	1	3	-	5	9	7	2	-
	ORDER 4.															
	1. Gastritis	45	-	-	-	3	-	1	1	1	-	1	9	3	2	-
	2. Enteritis	122	-	3	3	-	-	2	3	6	2	4	5	10	-	-
	3. Peritonitis	70	4	-	1	6	1	2	2	6	1	1	4	3	2	-
	4. Ascites	12	1	1	1	-	-	-	-	2	-	-	-	-	-	-
	5. Ulceration of Intestines	40	2	-	5	-	-	1	1	5	1	2	2	3	-	-
	6. Hernia	14	2	-	1	-	-	1	-	-	-	1	-	1	-	-
	7. Ileus	50	4	3	4	1	-	-	-	5	2	1	3	4	1	-
	8. Intussusception	7	-	-	-	-	-	-	-	3	-	-	2	-	-	-
	9. Stricture of Intestines	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	10. Fistula	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	94	1	1	6	1	1	4	2	5	2	3	8	4	1	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	29	-	-	1	-	-	-	-	3	-	1	1	9	-	-
	14. Jaundice	34	-	-	-	-	-	-	-	7	-	2	4	1	-	-
	15. Liver Disease, etc.	111	2	1	1	1	1	4	6	11	2	3	6	6	2	1
	16. Spleen Disease, etc.	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	ORDER 5.															
	1. Nephritis	19	-	-	1	-	-	-	3	1	1	1	1	2	-	-
	2. Ischuria	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	3. Bright's Disease (Nephria)	48	1	2	1	1	-	1	3	5	1	2	1	4	2	-
	4. Diabetes	21	-	-	1	1	-	-	-	1	-	1	-	1	1	-
	5. Calculus (Stone)	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	6. Cystitis	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	35	-	1	1	-	-	-	2	2	4	3	1	1	-	-
	ORDER 6.															
	1. Ovarian Dropsy	26	-	1	-	1	-	1	1	6	2	-	-	1	-	-
	2. Uterus Disease, etc.	36	1	-	-	1	-	1	-	8	-	3	3	1	1	-
	ORDER 7.															
	1. Synovitis (Arthritis)	6	-	-	-	-	-	-	-	-	1	-	2	1	-	-
	2. Joint Diseases, etc.	25	-	1	1	-	-	1	2	4	-	1	4	-	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
III.	ORDER 2.																
	1. Scrofula	-	2	1	4	5	10	1	3	2	4	1	1	2	2	3	10
	2. Tabes Mesenterica	3	1	4	5	18	19	3	4	2	3	1	1	-	4	-	4
	3. Phthisis	35	10	47	33	62	75	11	56	15	14	10	4	15	62	36	32
	4. Hydrocephalus	9	3	3	5	9	14	1	2	4	5	2	-	5	8	5	2
	ORDER 1.																
	1. Cephalitis	2	2	3	2	3	6	1	7	-	-	-	-	-	6	3	-
	2. Apoplexy	12	5	6	11	9	11	9	14	7	10	3	1	11	10	3	13
	3. Paralysis	13	2	17	3	12	18	1	25	11	6	3	-	11	17	3	8
	4. Insanity	-	-	1	-	-	1	-	4	1	1	-	-	-	1	1	-
	5. Chorea	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-
	6. Epilepsy	2	-	-	-	3	1	-	7	-	-	-	-	1	2	2	1
	7. Convulsions	2	2	1	2	6	6	2	7	-	1	1	-	1	1	5	3
	8. Brain Disease, etc.	4	2	5	6	9	6	-	14	3	2	1	-	2	5	2	4
	ORDER 2.																
	1. Pericarditis	1	-	-	-	-	-	2	3	-	1	-	-	-	1	2	-
	2. Aneurism	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	15	7	15	19	32	40	5	52	18	31	4	2	25	46	24	29
	ORDER 3.																
	1. Larnygitis	-	-	-	1	-	4	-	1	-	-	-	-	1	3	2	-
	2. Bronchitis	36	11	21	22	38	73	11	72	20	27	8	-	26	49	15	28
	3. Pleurisy	-	-	-	-	-	6	-	1	-	1	1	-	1	1	1	-
	4. Pneumonia	15	4	5	6	21	23	4	19	6	6	3	-	8	15	2	5
	5. Asthma	1	-	2	1	-	3	-	-	4	1	-	-	-	1	-	1
	6. Lung Disease, etc.	3	2	6	-	5	18	2	9	1	5	1	-	-	4	1	2
	ORDER 4.																
	1. Gastritis	2	2	-	1	3	1	1	4	-	1	-	-	-	6	-	3
	2. Enteritis	9	1	2	4	7	25	5	8	2	6	-	-	5	5	2	3
	3. Peritonitis	4	1	2	1	1	5	4	3	-	-	1	-	3	9	2	1
	4. Ascites	-	2	1	-	2	-	-	1	-	-	-	-	-	1	-	-
	5. Ulceration of Intestines	-	2	-	1	1	1	1	3	-	1	-	-	1	1	1	5
	6. Hernia	1	-	1	-	1	1	-	1	-	-	-	-	-	1	1	1
	7. Ileus	1	-	2	1	-	6	-	2	1	3	1	-	-	3	1	1
	8. Intussusception	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	11. Stomach Disease, etc.	4	2	2	3	3	11	1	8	-	3	3	-	1	7	4	3
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	4	-	1	-	-	5	-	1	-	-	-	-	-	2	-	1
	14. Jaundice	2	-	1	-	-	4	1	6	-	1	1	-	-	3	-	1
	15. Liver Disease, etc.	4	1	3	10	6	6	3	12	2	2	1	-	4	5	3	2
	16. Spleen Disease, etc.	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-
	ORDER 5.																
	1. Nephritis	1	-	-	1	2	-	1	3	-	-	-	-	-	-	-	1
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	1	1	1	-	3	3	3	4	-	1	-	-	2	2	3	-
	4. Diabetes	-	1	1	2	-	2	-	2	1	1	1	-	1	3	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
	7. Kidney Disease, etc.	1	-	2	-	3	-	2	8	-	2	-	-	-	-	2	-
	ORDER 6.																
	1. Ovarian Dropsy	-	-	1	1	3	2	-	1	-	-	-	1	-	2	2	-
	2. Uterus Disease, etc.	2	1	3	1	2	5	1	1	-	-	-	-	-	1	-	-
	ORDER 7.																
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
	2. Joint Disease, etc.	1	-	-	-	2	2	-	3	1	-	-	-	1	1	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV.	ORDER 8.															
	1. Phlegmon	16	-	1	-	-	1	-	-	2	1	-	5	2	-	-
	2. Ulcer	5	-	1	-	-	-	-	1	-	-	-	-	-	-	1
	3. Skin Disease, etc.	9	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	ORDER 1.															
	1. Premature Birth	171	3	1	3	4	-	3	2	24	2	8	9	14	3	1
	2. Cyanosis	13	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	3. Spina Bifida	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	4. Other Malformations	18	-	-	2	-	-	-	1	3	-	1	-	1	-	-
	5. Teething	60	1	-	6	1	-	3	-	2	3	-	1	5	-	2
V.	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	788	23	35	75	43	10	22	16	66	16	12	93	61	4	3
	ORDER 4.															
	1. Atrophy and Debility	307	4	7	10	11	-	9	4	30	3	5	17	20	4	-
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	222	4	1	7	6	-	6	4	13	2	11	13	17	1	1
	2. Gunshot Wounds	8	-	-	2	1	-	1	-	-	-	1	-	-	-	-
	3. Cut, Stab	5	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	4. Burns and Scalds	241	-	1	1	1	-	3	1	4	2	3	1	2	-	-
	5. Poison	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	6. Drowning	171	1	10	6	8	-	3	3	25	8	10	9	8	1	-
	7. Suffocation	40	1	-	-	-	-	1	5	4	1	2	1	1	1	1
	8. Otherwise	44	1	-	1	-	-	1	-	7	1	-	1	2	1	1
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	11	-	-	1	-	-	-	-	2	1	1	-	1	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	11	-	-	1	-	-	-	-	-	-	3	-	1	-	-
	5. Hanging	17	-	-	-	-	-	1	1	1	1	3	1	2	-	-
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		9	-	-	-	-	-	-	-	1	-	-	-	3	-	-
Causes not specified or ill-defined		323	5	10	38	18	4	8	4	27	4	9	32	25	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Mainland Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackman- nan.
IV.	ORDER 8.															
	1. Phlegmon	9	-	-	-	-	-	-	-	1	-	-	2	1	-	-
	2. Ulcer	11	1	-	-	-	-	-	-	1	-	1	1	1	-	-
	3. Skin Disease, etc.	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	132	1	-	-	1	2	-	-	14	1	8	13	10	2	-
	2. Cyanosis	11	-	-	1	-	-	-	-	-	-	-	1	1	-	-
	3. Spina Bifida	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	4. Other Malformations	17	-	-	-	-	-	1	1	2	-	-	2	1	-	-
	5. Teething	50	-	1	4	-	-	3	1	4	1	-	4	4	-	-
	ORDER 2.															
	1. Paramenia	11	-	-	-	-	-	-	2	1	-	-	1	-	-	-
	2. Childbirth (see Puerperal Fever)	81	4	2	1	2	-	2	1	8	1	-	10	6	1	-
	ORDER 3.															
	1. Old Age	1214	38	65	125	69	5	42	28	75	25	40	122	73	10	4
	ORDER 4.															
	1. Atrophy and Debility	274	2	6	5	2	-	11	12	26	5	10	20	21	-	1
V.	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	38	2	-	2	-	-	1	4	6	-	3	2	1	1	-
	2. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	38	1	-	1	2	2	-	1	5	1	2	1	3	-	-
	5. Poison	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	6. Drowning	37	-	-	3	1	-	-	-	4	2	2	4	1	-	-
	7. Suffocation	28	1	-	1	2	-	1	2	7	1	1	2	-	-	-
	8. Otherwise	17	-	-	-	-	-	2	-	3	1	-	-	-	-	-
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	4. Drowning	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-
	Causes not specified or ill-defined	278	2	21	36	12	-	3	8	17	2	4	21	35	2	-

CAUSES of DEATH in the MAINLAND RURAL DISTRICTS of SCOTLAND during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
IV.	ORDER 8.																
	1. Phlegmon	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	3. Skin Disease, etc.	1	-	-	-	1	-	-	1	1	1	-	-	1	-	-	1
	ORDER 1.																
	1. Premature Birth	10	3	4	5	17	17	3	12	1	5	1	-	4	5	6	1
	2. Cyanosis	1	-	1	-	2	4	-	2	-	-	-	-	-	1	-	-
	3. Spina Bifida	-	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-
	4. Other Malformations	-	1	1	-	1	2	-	2	1	-	-	-	-	2	-	-
	5. Teething	4	3	1	5	8	4	2	6	1	1	-	1	-	-	-	-
	ORDER 2.																
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3																
	1. Old Age	17	13	51	10	20	23	3	36	15	22	10	-	11	33	16	29
	ORDER 4.																
	1. Atrophy and Debility	13	4	5	15	19	50	6	19	6	5	3	1	6	19	3	9
V.	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	16	7	4	11	20	31	5	15	5	7	-	-	1	7	5	2
	2. Gunshot Wounds	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1
	4. Burns and Scalds	1	2	2	-	1	210	-	2	1	1	-	-	-	-	-	2
	5. Poison	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	6. Drowning	6	10	11	8	3	4	2	4	6	14	-	-	4	2	2	3
	7. Suffocation	1	1	2	-	1	6	1	1	-	2	-	-	2	2	2	1
	8. Otherwise	3	-	1	1	5	4	1	5	1	-	-	-	1	3	2	1
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	1	-	3	-	1	-	-	-	1	-	-
	5. Hanging	1	-	-	2	1	-	-	2	-	-	-	-	-	1	-	-
	6. Otherwise and undefined	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.																
	(Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		13	1	18	7	13	35	1	5	3	-	1	1	7	17	5	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
IV.	ORDER 8.																
	1. Phlegmon	1	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-
	2. Ulcer	-	-	-	-	1	-	-	4	1	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	ORDER 1.																
	1. Premature Birth	5	1	1	5	10	19	1	14	1	2	2	-	5	8	2	4
	2. Cyanosis	-	1	-	1	-	2	-	1	-	-	-	-	1	-	1	1
	3. Spina Bifida	2	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
	4. Other Malformations	1	1	1	-	1	1	-	3	1	-	-	-	-	-	1	-
	5. Teething	6	1	-	2	4	4	2	1	-	1	-	1	1	5	-	-
V.	ORDER 2.																
	1. Paramenia	1	-	-	-	1	-	1	-	-	-	-	1	-	2	-	1
	2. Childbirth (see Puerperal Fever)	3	-	3	5	5	7	-	5	2	5	2	-	-	3	1	2
	ORDER 3.																
	1. Old Age	35	11	73	22	40	54	10	54	23	18	1	1	21	56	35	39
	ORDER 4.																
	1. Atrophy and Debility	21	4	5	13	14	37	5	9	10	10	7	-	4	7	3	4
	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	4	-	3	-	2	3	-	1	1	-	-	-	-	1	1	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	2	-	-	2	3	1	-	3	3	-	-	-	-	4	-	1
	5. Poison	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	6. Drowning	1	3	2	-	6	3	-	1	1	-	-	-	-	1	1	1
	7. Suffocation	1	1	1	-	1	4	-	2	-	-	-	-	-	-	-	-
	8. Otherwise	1	-	-	1	1	2	-	2	1	1	-	-	1	1	-	-
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.																
	(Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		14	-	21	7	12	17	4	7	1	3	1	-	4	10	8	6

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1877.

Class.	CAUSES OF DEATH.	MALES.							FEMALES.						
		TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
	All Causes . . .	1027	186	193	141	292	145	70	1091	204	230	124	304	152	77
	Specified Causes . . .	864	149	186	106	226	131	66	896	164	216	83	230	131	72
	(CLASSES).														
I.	ZYMOTIC DISEASES	80	5	19	21	15	14	6	91	8	22	19	25	14	3
II.	CONSTITUTIONAL „	172	35	32	13	43	35	14	160	33	31	7	43	30	16
III.	LOCAL „	310	38	60	36	99	48	29	302	41	69	27	80	50	35
IV.	DEVELOPMENTAL „	222	59	53	20	52	30	8	330	77	93	29	80	34	17
V.	VIOLENT DEATHS . .	80	12	22	16	17	4	9	13	5	1	1	2	3	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	77	5	18	21	14	13	6	88	8	22	19	22	14	3
	2. ENTHETIC „ . .	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	3. DIETIC „ . .	3	-	1	-	1	1	-	-	-	-	-	-	-	-
	4. PARASITIC „ . .	-	-	-	-	-	-	-	2	-	-	-	2	-	-
II.	1. DIATHETIC „ . .	28	6	8	3	5	4	2	50	8	12	3	14	9	4
	2. TUBERCULAR „ . .	144	29	24	10	38	31	12	110	25	19	4	29	21	12
III.	1. DISEASES OF NERVOUS SYSTEM . .	69	8	22	8	14	11	6	54	6	18	2	11	8	9
	2. „ OF ORGANS OF CIRCULATION . .	31	5	5	1	12	5	3	30	3	6	2	6	6	7
	3. „ OF RESPIRATORY ORGANS . .	131	15	17	19	53	18	9	144	17	27	16	51	22	11
	4. „ OF DIGESTIVE ORGANS	58	7	13	6	15	8	9	59	14	16	4	9	12	4
	5. „ OF URINARY ORGANS	18	3	2	1	5	5	2	8	-	1	1	1	2	3
	6. „ OF ORGANS OF GENERATION .	-	-	-	-	-	-	-	4	1	-	1	1	-	1
	7. „ OF ORGANS OF LOCOMOTION . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. „ OF INTEGUMENTARY SYSTEM . .	2	-	1	-	-	1	-	3	-	1	1	1	-	-
IV.	1. DEV. DIS. OF CHILDREN .	19	8	2	3	2	3	1	12	2	6	-	2	1	1
	2. „ OF ADULTS .	-	-	-	-	-	-	-	16	3	4	1	8	-	-
	3. „ OF OLD PEOPLE	190	50	47	17	45	26	5	295	72	78	27	70	32	16
	4. DISEASES OF NUTRITION .	13	1	4	-	5	1	2	7	-	5	1	-	1	-

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1877.

Class.	CAUSES OF DEATH.	MALES.						FEMALES.							
		TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
V.	1. ACCIDENT OR NEGLIGENCE . *	80	12	22	16	17	4	9	10	3	1	-	2	3	1
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	3	2	-	1	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		2	1	-	1	-	-	-	1	1	-	-	-	-	-
CAUSES NOT SPECIFIED		161	36	7	34	66	14	4	194	39	14	41	74	21	5
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	7	-	-	3	4	-	-	12	1	-	3	6	1	1
	3. Scarlatina	2	-	-	-	2	-	-	1	1	-	-	-	-	-
	4. Diphtheria	2	-	-	-	-	-	2	3	2	-	-	-	1	-
	5. Quinsy	-	-	-	-	-	-	-	2	-	-	1	-	1	-
	6. Croup	12	-	-	10	-	1	1	15	-	-	10	1	3	1
	7. Hooping-cough	7	-	2	-	-	4	1	7	-	5	1	1	-	1
	8. { Typhus Fever	2	-	-	2	-	-	-	5	2	1	1	1	-	-
	8. { Enteric or Typhoid Fever	13	1	7	1	1	3	-	8	-	3	1	3	1	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	3	-	-	2	-	1	-	1	-	1	-	-	-	-
	9. Erysipelas	1	-	1	-	-	-	-	1	-	1	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	4	1	1	-	2	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	5	1	3	-	-	-	1	5	-	3	2	-	-	-
	13. Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	9	1	3	1	1	3	-	7	-	4	1	-	2	-
	15. Cholera	1	-	-	-	-	-	1	1	-	-	-	1	-	-
	16. Ague	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	18. Rheumatism	11	1	1	2	6	1	-	15	2	2	-	7	4	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	2. Dropsy	10	3	2	1	2	2	-	23	6	5	-	9	3	-
	3. Cancer	17	3	5	2	3	2	2	22	1	5	2	5	5	4
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	1	-	-	-	-	4	-	2	1	-	1	-

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1877. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.						FEMALES.							
		Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
III.	ORDER 2.														
	1. Scrofula	8	-	2	-	3	2	1	2	-	1	-	-	-	1
	2. Tabes Mesenterica	4	-	-	-	3	1	-	3	1	-	-	1	-	1
	3. Phthisis	122	27	18	10	29	27	11	100	24	15	4	27	20	10
	4. Hydrocephalus	10	2	4	-	3	1	-	5	-	3	-	1	1	-
	ORDER 1.														
	1. Cephalitis	8	-	3	1	2	1	1	3	-	2	-	-	-	1
	2. Apoplexy	12	2	7	-	-	-	3	9	1	3	-	2	-	3
	3. Paralysis	29	4	8	3	8	4	2	25	2	8	1	7	4	3
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	5	2	1	1	1	-	-	2	-	2	-	-	-	-
	7. Convulsions	8	-	1	-	2	5	-	6	-	1	-	1	3	1
	8. Brain Disease, etc.	7	-	2	3	1	1	-	9	3	2	1	1	1	1
	ORDER 2.														
	1. Pericarditis	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	2. Aneurism	3	1	1	-	-	1	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	28	4	4	1	12	4	3	29	3	5	2	6	6	7
	ORDER 3.														
	1. Laryngitis	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2. Bronchitis	71	9	12	7	28	9	6	88	10	22	12	25	13	6	
3. Pleurisy	10	-	1	2	6	-	1	11	-	1	1	8	1	-	
4. Pneumonia	26	3	2	10	3	6	2	18	1	2	2	4	4	5	
5. Asthma	10	2	-	-	6	2	-	16	4	1	1	8	2	-	
6. Lung Disease, etc.	13	-	2	-	10	1	-	11	2	1	-	6	2	-	
ORDER 4.															
1. Gastritis	3	-	2	-	-	1	-	7	1	3	-	-	1	2	
2. Enteritis	6	-	2	2	-	1	1	5	1	1	2	-	1	-	
3. Peritonitis	7	1	1	-	4	-	1	8	2	3	1	1	1	-	
4. Ascites	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
5. Ulceration of Intestines	4	1	-	-	2	-	1	2	-	1	-	1	-	-	
6. Hernia	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
7. Ileus	3	-	1	-	-	2	-	3	2	-	-	1	-	-	
8. Intussusception	2	1	-	1	-	-	-	1	1	-	-	-	-	-	
9. Stricture of Intestines	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
11. Stomach Disease, etc.	14	3	2	1	6	-	2	14	6	5	1	-	2	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	2	-	-	1	-	1	-	2	-	-	-	-	1	1	
14. Jaundice	4	1	-	-	1	2	-	3	-	1	-	2	-	-	
15. Liver Disease, etc.	9	-	2	1	1	1	4	11	1	2	-	3	4	1	
16. Spleen Disease, etc.	1	-	1	-	-	-	-	1	-	-	-	-	1	-	
ORDER 5.															
1. Nephritis	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	3	1	-	-	1	1	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	2	-	-	-	1	1	-	3	-	-	1	1	1	-	
4. Diabetes	1	-	-	-	-	1	-	1	-	-	-	-	-	1	
5. Calculus (Stone).	4	1	-	-	1	1	1	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	7	1	1	1	2	1	1	4	-	1	-	-	1	2	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
2. Uterus Disease, etc.	-	-	-	-	-	-	-	3	1	-	1	1	-	-	
ORDER 7.															
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	1	-	-	1	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1877. (Continued.)

Class.	CAUSES OF DEATH.	MALES.						FEMALES.							
		Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
IV.	ORDER 8.														
	1. Phlegmon	1	-	-	-	-	1	-	2	-	-	1	1	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	1	-	1	-	-	-	-	1	-	1	-	-	-	-
	ORDER 1.														
	1. Premature Birth	7	3	-	1	-	2	1	6	1	2	-	1	1	1
	2. Cyanosis	1	-	1	-	-	-	-	1	-	1	-	-	-	-
	3. Spina Bifida	1	-	-	-	-	1	-	1	-	1	-	-	-	-
	4. Other Malformations	3	2	-	1	-	-	-	-	-	-	-	-	-	-
	5. Teething	7	3	1	1	2	-	-	4	1	2	-	1	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	3	2	1	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	13	1	3	1	8	-	-
	ORDER 3.														
	1. Old Age	190	50	47	17	45	26	5	295	72	78	27	70	32	16
	ORDER 4.														
	1. Atrophy and Debility	13	1	4	-	5	1	2	7	-	5	1	-	1	-
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	8	1	-	1	2	2	2	1	-	-	-	-	1	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	7	3	-	1	3	-	-	5	3	1	-	1	-	-
	5. Poison	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	6. Drowning	57	8	19	13	11	1	5	1	-	-	-	-	1	-
	7. Suffocation	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	8. Otherwise	7	-	3	1	-	1	2	2	-	-	-	1	-	1
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	2	1	-	1	-	-	-
	5. Hanging	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	(Execution.)														
1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		2	1	-	1	-	-	-	1	1	-	-	-	-	-
Causes not specified or ill-defined		161	36	7	34	66	14	4	194	39	14	41	74	21	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	37173	4078	1436	2614	3083	1362	826	586	1510	1015	1249	1429	1188	1107
	Specified Causes . .	36367	3797	1401	2574	3038	1344	813	576	1488	997	1231	1415	1173	1098
	(CLASSES.)														
I.	ZYMOTIC DISEASES	5420	356	263	626	940	516	351	246	524	196	167	143	114	105
II.	CONSTITUTIONAL „	6848	106	167	402	512	283	172	134	443	354	549	678	544	426
III.	LOCAL „	17263	1336	803	1289	1283	453	245	169	417	333	303	356	348	416
IV.	DEVELOPMENTAL „	4602	1898	137	237	266	50	12	4	12	8	5	7	1	7
V.	VIOLENT DEATHS .	2234	101	31	20	37	42	33	23	92	106	207	231	166	144
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	5034	272	230	610	931	513	346	245	516	195	164	135	95	81
	2. ENTHETIC „ .	124	46	25	11	6	—	2	—	—	—	—	1	4	3
	3. DIETIC „ .	235	25	4	4	1	2	1	1	5	1	3	7	15	21
	4. PARASITIC „ .	27	13	4	1	2	1	2	—	3	—	—	—	—	—
II.	1. DIATHETIC „ .	836	11	3	3	8	7	5	4	19	7	4	9	11	12
	2. TUBERCULAR „ .	6012	95	164	399	504	276	167	130	424	347	545	669	533	414
III.	1. DISEASES OF NERVOUS SYSTEM . .	3913	320	158	242	248	102	72	62	157	116	75	72	52	89
	2. „ OF ORGANS OF CIRCULATION .	2424	17	4	3	4	3	2	6	16	31	43	56	61	77
	3. „ OF RESPIRATORY ORGANS . .	7483	669	516	883	909	310	132	73	140	57	86	134	120	129
	4. „ OF DIGESTIVE ORGANS . . .	2248	308	120	142	101	27	27	17	47	62	44	62	63	66
	5. „ OF URINARY ORGANS . . .	891	12	—	1	7	5	8	6	28	24	25	21	36	49
	6. „ OF ORGANS OF GENERATION .	6	1	—	—	—	—	—	—	—	—	—	1	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	199	1	—	4	6	4	4	5	25	40	29	8	12	3
	8. „ OF INTEGUMENTARY SYSTEM . .	99	8	5	14	8	2	—	—	4	3	1	2	4	3
IV.	1. DEV. DIS. OF CHILDREN	1393	993	40	142	190	21	2	—	3	—	1	1	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	1882	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	1327	905	97	95	76	29	10	4	9	8	4	6	1	7

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	36764	3115	1112	2216	2726	1272	761	617	1532	886	1254	1320	1275	1160
	Specified Causes . .	35995	2905	1071	2178	2687	1262	756	608	1512	876	1246	1301	1253	1140
	(CLASSES.)														
I.	ZYMOTIC DISEASES	5777	281	227	571	930	539	384	288	653	221	167	190	153	113
II.	CONSTITUTIONAL „	7664	80	149	333	469	212	132	136	410	385	765	691	649	482
III.	LOCAL „	15909	922	547	1047	1022	425	220	164	397	241	272	327	343	431
IV.	DEVELOPMENTAL „	5973	1543	123	213	228	53	9	4	18	9	25	70	93	92
V.	VIOLENT DEATHS .	672	79	25	14	38	33	11	16	34	20	17	13	15	22
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	5504	225	198	547	915	536	382	285	648	218	167	187	143	103
	2. ENTHETIC „ .	120	34	22	15	13	3	1	—	1	1	—	1	4	2
	3. DIETIC „ .	133	14	6	6	1	—	1	2	1	2	—	2	6	8
	4. PARASITIC „ .	20	8	1	3	1	—	—	1	3	—	—	—	—	—
II.	1. DIATHETIC „ .	1483	12	3	6	8	4	8	2	9	9	10	7	15	32
	2. TUBERCULAR „ .	6181	68	146	327	461	208	124	134	401	376	755	684	634	450
III.	1. DISEASES OF NERVOUS SYSTEM . .	3526	207	96	177	163	70	55	48	125	73	65	57	44	67
	2. „ OF ORGANS OF CIRCULATION .	2524	13	3	7	5	1	1	3	32	34	45	66	88	95
	3. „ OF RESPIRATORY ORGANS . .	6766	454	345	767	717	314	127	86	145	59	72	91	91	136
	4. „ OF DIGESTIVE ORGANS . .	2230	228	91	87	90	28	32	24	55	35	50	67	68	69
	5. „ OF URINARY ORGANS . . .	465	6	—	2	4	7	3	2	13	19	18	30	27	34
	6. „ OF ORGANS OF GENERATION .	178	1	—	—	2	1	—	—	—	—	6	5	16	20
	7. „ OF ORGANS OF LOCOMOTION . .	128	1	—	2	5	3	2	1	22	21	14	14	4	5
	8. „ OF INTEGUMENTARY SYSTEM . .	92	12	3	5	6	1	—	—	5	—	2	7	5	5
IV.	1. DEV. DIS. OF CHILDREN	1142	798	27	133	165	17	1	—	—	—	—	1	—	—
	2. „ OF ADULTS .	425	—	—	—	—	—	—	—	—	2	20	64	92	92
	3. „ OF OLD PEOPLE	3202	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	1204	745	96	80	63	36	8	4	18	7	5	5	1	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	1253	1232	1189	1370	1500	1722	1938	2139	2221	1569	918	319	119	25	4
	Specified Causes	1234	1215	1167	1337	1459	1686	1883	2102	2165	1569	917	319	119	25	3
	(CLASSES).															
I.	ZYMOTIC DISEASES	123	109	89	101	100	104	103	114	103	65	34	11	4	—	—
II.	CONSTITUTIONAL „	478	411	347	303	288	254	258	185	150	59	28	9	1	—	—
III.	LOCAL „	506	588	685	862	972	1155	1297	1308	1202	610	266	72	14	4	—
IV.	DEVELOPMENTAL „	100	75	24	27	64	140	199	463	684	795	579	223	99	20	1
V.	VIOLENT DEATHS	27	32	22	44	35	33	26	32	26	40	10	4	1	1	2
	(ORDERS.)															
I.	1. MIASMATIC DISEASES	108	87	71	79	88	95	98	110	101	65	33	11	4	—	—
	2. ENTHETIC „	2	9	6	2	1	2	1	—	—	—	—	—	—	—	—
	3. DIETIC „	13	13	11	18	11	7	4	4	2	—	1	—	—	—	—
	4. PARASITIC „	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „	82	93	130	138	173	164	199	161	128	54	27	8	1	—	—
	2. TUBERCULAR „	396	318	217	165	115	90	59	24	22	5	1	1	—	—	—
III.	1. DISEASES OF NERVOUS SYSTEM	87	110	118	183	240	250	315	339	332	180	94	25	5	1	—
	2. „ OF ORGANS OF CIRCULATION	124	144	152	197	213	268	289	300	257	131	46	8	2	—	—
	3. „ OF RESPIRATORY ORGANS	139	176	229	280	322	445	466	469	433	225	100	31	6	2	—
	4. „ OF DIGESTIVE ORGANS	93	102	129	132	150	154	173	152	135	57	19	8	1	1	—
	5. „ OF URINARY ORGANS	37	34	28	43	30	20	32	32	33	8	3	—	—	—	—
	6. „ OF ORGANS OF GENERATION	14	14	21	20	11	8	12	13	7	4	3	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION	3	6	5	3	2	6	7	—	1	1	—	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM	9	2	3	4	4	4	3	3	4	4	1	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS	86	58	10	1	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	—	—	—	—	1	139	198	463	684	745	579	223	99	20	1
	4. DISEASES OF NUTRITION	14	17	14	26	63	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued).

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	2099	98	31	20	37	42	33	23	92	106	203	224	155	132
	*														
	3. HOMICIDE	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	130	-	-	-	-	-	-	-	-	-	4	7	11	12
	5. EXECUTION	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	47	7	2	1	-	-	1	-	-	-	1	1	1	1
	CAUSES NOT SPECIFIED	759	274	33	39	45	18	12	10	22	18	17	13	14	8
I.	ORDER 1.														
	1. Small Pox	20	-	-	3	1	-	-	-	1	2	4	3	3	1
	2. Measles	511	3	17	92	206	81	34	25	36	9	4	1	1	1
	3. Scarlatina	712	7	6	56	115	109	96	85	180	36	13	3	-	1
	4. Diphtheria	431	7	4	40	78	80	59	36	81	19	10	6	1	5
	5. Quinsy	16	1	1	5	1	-	1	1	1	1	1	-	-	-
	6. Croup	465	14	15	71	137	89	61	33	43	2	-	-	-	-
	7. Hooping-cough	716	55	63	193	201	96	53	24	27	2	1	-	1	-
	8. { Typhus Fever	139	-	-	-	2	1	-	3	6	16	11	21	10	10
	{ Enteric or Typhoid Fever	667	2	-	6	18	19	16	18	93	85	87	80	61	38
	{ Relapsing Fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	76	1	1	1	7	5	6	3	8	5	6	7	3	1
	9. Erysipelas	137	43	7	4	1	1	1	1	3	1	2	1	3	2
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	16	-	1	-	1	-	-	-	-	-	-	-	-	-
	12. Influenza	57	1	2	2	2	3	-	1	3	2	1	1	1	1
	13. Dysentery	68	2	2	11	3	5	1	-	1	-	1	3	-	5
	14. Diarrhoea	766	132	99	117	146	19	9	5	13	4	8	3	7	7
	15. Cholera	28	-	9	3	5	-	1	-	-	-	-	-	-	1
	16. Ague	7	-	-	-	-	-	-	-	1	1	-	-	-	-
	17. Remittent Fever	48	1	-	5	5	5	8	8	9	-	1	1	-	-
	18. Rheumatism	142	-	-	-	-	-	-	2	10	10	14	5	4	8
	19. Other Miasmatic Diseases	10	3	3	1	2	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	104	46	25	11	6	-	1	-	-	-	-	1	3	3
	2. Stricture of Urethra	19	-	-	-	-	-	-	-	-	-	-	-	1	-
	3. Hydrophobia	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	6	2	-	-	1	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	26	19	3	4	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	33	4	1	-	-	2	1	1	5	1	1	3	2	1
	4. Alco- { a Del. Tremens	53	-	-	-	-	-	-	-	-	-	-	1	6	9
	holism { b Intemperence	117	-	-	-	-	-	-	-	-	-	2	3	7	11
	ORDER 4.														
	1. Thrush	20	13	4	1	2	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	7	-	-	-	-	1	2	-	3	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	166	5	2	1	6	5	5	3	12	3	2	3	2	3
	3. Cancer	604	2	-	2	1	1	-	1	4	3	2	5	9	9
	4. Cancrum Oris (Noma)	4	-	-	-	-	1	-	-	2	-	-	-	-	-
	5. Mortification	58	4	1	-	1	-	-	-	1	1	-	1	-	-

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	617	75	25	14	38	33	11	16	34	19	13	12	12	18
	*														
	3. HOMICIDE	6	4	-	-	-	-	-	-	-	1	-	-	-	-
	4. SUICIDE	49	-	-	-	-	-	-	-	-	-	4	1	3	4
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	43	8	2	2	3	-	-	1	-	-	-	-	1	3
	CAUSES NOT SPECIFIED	726	202	39	36	36	10	5	8	20	10	8	19	21	17
I.	ORDER 1.														
	1. Small-pox	18	-	-	-	-	-	-	-	1	2	5	4	1	2
	2. Measles	508	1	10	87	204	84	40	28	40	5	3	4	-	-
	3. Scarlatina	662	5	4	28	88	111	75	78	182	48	9	10	9	6
	4. Diphtheria	525	5	3	27	82	69	87	59	128	24	10	4	8	2
	5. Quinsy	21	3	-	1	1	2	-	2	4	-	-	1	1	-
	6. Croup	450	17	9	56	120	96	71	34	45	1	-	1	-	-
	7. Hooping-cough	855	49	65	199	268	118	59	40	53	2	1	-	-	-
	8. { Typhus Fever	126	-	-	2	2	2	1	-	9	9	14	14	9	11
	8. { Enteric or Typhoid Fever	760	3	5	9	21	24	30	31	136	90	93	77	47	29
	8. { Relapsing Fever	3	-	-	-	-	-	-	-	-	1	-	1	-	-
	8. { Simple Continued Fever	88	-	2	1	7	2	3	4	11	9	5	5	3	-
	9. Erysipelas	138	35	7	5	4	-	1	1	6	2	1	5	8	1
	10. Puerperal Fever (Metria)	163	-	-	-	-	-	-	-	-	-	5	44	37	35
	11. Carbuncle	6	-	2	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	59	2	1	1	1	-	1	1	3	3	-	3	1	-
	13. Dysentery	82	-	5	5	-	2	1	-	4	1	-	3	2	3
	14. Diarrhoea	766	100	79	113	110	22	9	4	7	6	1	5	6	9
	15. Cholera	41	5	4	11	3	-	1	-	5	-	-	1	-	-
	16. Ague	6	-	-	-	-	-	-	-	1	-	-	-	1	-
	17. Remittent Fever	27	-	1	2	4	4	3	2	4	2	-	-	1	-
	18. Rheumatism	197	-	-	-	-	-	-	1	8	13	20	5	9	5
	19. Other Miasmatic Diseases	3	-	1	-	-	-	-	-	1	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	118	34	22	15	13	3	1	-	1	-	-	1	3	2
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	2	-	-	-	-	-	-	-	-	1	-	-	1	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	12	1	-	1	-	-	-	2	-	-	-	-	1	1
	2. Want of Breast Milk	23	13	5	4	1	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	20	-	1	1	-	-	1	-	1	2	-	1	-	2
	4. Alco- { a Del. Tremens	9	-	-	-	-	-	-	-	-	-	-	-	-	1
	holism { b Intemperance	69	-	-	-	-	-	-	-	-	-	-	1	4	4
	ORDER 4.														
	1. Thrush	12	8	1	2	1	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	8	-	-	1	-	-	-	1	3	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	9	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Dropsy	256	7	3	5	3	3	4	1	7	4	5	5	5	4
	3. Cancer	1128	1	-	-	2	-	2	-	1	4	4	2	10	28
	4. Cancrum Oris (Noma)	4	-	-	1	1	1	-	1	-	-	-	-	-	-
	5. Mortification	86	4	-	-	2	-	2	-	-	1	1	-	-	-

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	159	131	136	107	90	74	58	44	32	20	6	1	1	—	44
	*															
	3. HOMICIDE	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	10	19	10	16	12	15	11	2	—	—	1	—	—	—	—
	5. EXECUTION	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		2	4	5	3	6	1	6	2	3	—	—	—	—	—	—
CAUSES NOT SPECIFIED		14	10	16	23	24	19	41	38	41	3	1	—	—	—	6
I.	ORDER 1.															
	1. Small-pox	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	2	—	—	2	—	—	—	—	1	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	2	2	—	—	1	—	—	—	—	—
	5. Quinsy	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	11	7	12	10	8	5	1	2	2	1	—	—	—	—	—
	8. { Enteric or Typhoid Fever	25	28	16	16	17	16	13	2	9	2	—	—	—	—	—
	8. { Relapsing Fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	2	3	1	5	1	1	5	1	2	—	1	—	—	—	—
	9. Erysipelas	4	5	3	8	11	10	8	9	4	2	2	1	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	2	1	2	—	1	3	—	1	3	—	1	—	—	—	—
	12. Influenza	—	3	1	1	5	3	4	8	3	4	3	2	—	—	—
	13. Dysentery	3	2	6	3	4	2	5	2	5	2	—	—	—	—	—
	14. Diarrhoea	10	12	4	9	11	23	23	43	35	17	9	1	—	—	—
	15. Cholera	2	3	—	1	—	1	—	2	—	—	—	—	—	—	—
	16. Ague	1	—	1	—	—	—	1	—	2	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	2	—	—	2	—	1	—	—	—	—	—	—
	18. Rheumatism	12	3	8	8	8	8	13	10	11	6	2	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	1	1	2	—	1	1	1	—	—	—	—	—	—	—	1
	2. Stricture of Urethra	3	1	3	—	2	3	2	2	1	—	1	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	1	2	—	2	2	2	1	1	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	13	10	5	5	3	1	—	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	14	17	18	14	10	6	8	4	2	1	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—
	2. Dropsy	4	1	12	10	18	10	11	13	19	11	5	—	—	—	—
	3. Cancer	21	29	44	52	75	106	88	78	39	23	7	2	1	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	5. Mortification	1	1	1	2	2	6	3	3	9	15	4	1	1	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	19	25	19	42	29	29	23	27	26	40	10	4	1	1	2
	*															
	3. HOMICIDE	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	7	7	3	2	6	4	3	5	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCE- RTAINED	2	1	3	5	5	1	4	2	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED. . . .	17	16	19	28	36	35	51	35	56	—	1	—	—	—	1
I.	ORDER 1.															
	1. Small-pox	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	3	4	1	1	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	2	2	2	4	2	1	3	—	1	—	—	—	—	—	—
	5. Quinsy	1	—	—	—	2	—	—	—	2	1	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	12	14	9	5	5	3	3	1	1	—	—	—	—	—	—
	{ Enteric or Typhoid Fever	33	22	19	21	20	17	10	13	6	3	1	—	—	—	—
	{ Relapsing Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	{ Simple Continued Fever	2	3	3	4	5	7	4	4	1	2	1	—	—	—	—
	9. Erysipelas	1	6	3	9	6	4	7	6	12	5	2	1	—	—	—
	10. Puerperal Fever (Metria)	29	11	2	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—
	12. Influenza	1	1	2	2	3	2	9	2	5	6	6	2	1	—	—
	13. Dysentery	—	2	3	4	6	6	8	12	7	5	1	2	—	—	—
	14. Diarrhoea	13	9	13	17	23	28	36	51	51	32	15	5	2	—	—
	15. Cholera	1	2	—	1	3	1	—	3	—	—	—	—	—	—	—
	16. Ague	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—
	17. Remittent Fever	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—
	18. Rheumatism	5	9	12	9	12	24	17	15	14	10	7	1	1	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	2	9	6	2	1	2	1	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	1	—	—	—	—	2	1	2	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	2	—	3	1	2	—	—	1	—	1	—	—	—	—
	4. Alco- { a Del. Tremens	—	2	1	4	—	—	—	—	1	—	—	—	—	—	—
	holism { b Intemperance	12	9	10	11	10	3	3	2	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	1	—	—	1	1	3	1	1	—	—	—	—	—
	2. Dropsy	8	11	11	9	22	31	27	33	34	8	5	1	—	—	—
	3. Cancer	74	80	116	124	150	128	163	110	74	38	14	3	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	2	2	5	1	4	8	15	19	7	8	4	1	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
		3	6	12											
III.	ORDER 2.														
	1. Scrofula	385	14	14	22	30	31	13	13	54	44	38	35	24	12
	2. Tabes Mesenterica	632	29	45	76	141	76	49	30	76	50	19	9	9	2
	3. Phthisis	3889	12	23	50	82	47	38	27	142	206	471	620	496	400
	4. Hydrocephalus	1106	40	82	251	251	122	67	60	152	47	17	5	4	—
	ORDER 1.														
	1. Cephalitis	510	15	30	67	73	39	37	26	78	40	15	15	10	13
	2. Apoplexy	898	14	13	30	29	16	6	5	18	12	10	7	13	19
	3. Paralysis	956	2	2	2	2	1	3	1	3	5	7	11	5	14
	4. Insanity	32	—	—	1	—	—	1	—	—	—	2	1	1	4
	5. Chorea	4	—	—	—	1	—	—	—	1	1	—	—	—	1
	6. Epilepsy	156	2	2	2	3	2	2	1	4	14	10	11	10	14
	7. Convulsions	700	263	102	117	120	30	16	17	15	2	—	3	1	2
	8. Brain Disease, etc.	657	24	9	23	20	14	7	12	38	42	31	24	12	22
	ORDER 2.														
	1. Pericarditis	45	—	—	—	1	—	—	2	3	4	2	1	2	1
	2. Aneurism	92	—	—	—	—	—	—	—	—	—	1	—	3	8
	3. Heart Disease, etc.	2287	17	4	3	3	3	2	4	13	27	40	55	56	68
	ORDER 3.														
	1. Laryngitis	115	4	8	16	25	12	6	3	6	1	4	6	1	4
	2. Bronchitis	4544	512	398	661	621	202	72	40	72	20	20	25	19	34
	3. Pleurisy	191	6	2	4	1	2	2	—	6	3	13	20	10	9
	4. Pneumonia	1882	88	82	164	211	71	40	22	50	22	38	70	71	68
	5. Asthma	195	—	—	—	—	—	—	—	—	—	—	2	3	—
	6. Lung Disease, etc.	556	59	26	38	51	23	12	8	6	11	11	11	16	14
	ORDER 4.														
	1. Gastritis	117	12	7	11	9	3	1	2	—	2	6	3	3	4
	2. Enteritis	474	141	58	71	50	8	13	3	16	15	6	5	9	4
	3. Peritonitis	220	18	6	16	7	8	2	1	10	15	13	13	16	8
	4. Ascites	30	—	—	—	1	—	1	—	1	3	1	1	1	—
	5. Ulceration of Intestines	105	1	—	—	1	—	—	—	4	—	1	7	2	3
	6. Hernia	75	7	1	—	2	—	—	—	1	—	1	—	1	1
	7. Ileus	152	15	6	6	2	1	1	1	1	8	4	12	5	5
	8. Intussusception	42	3	7	6	1	—	—	—	4	2	1	2	3	—
	9. Stricture of Intestines	23	1	—	—	—	—	—	—	—	1	1	—	—	—
	10. Fistula	7	1	—	—	—	—	—	—	—	—	—	—	—	1
	11. Stomach Disease, etc.	343	47	26	25	19	2	4	6	1	3	3	3	6	8
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	107	8	4	2	2	2	1	—	2	2	3	3	5	8
	14. Jaundice	105	45	4	1	1	3	—	1	2	—	—	—	—	—
	15. Liver Disease, etc.	431	8	1	3	5	—	4	3	3	10	4	10	12	22
	16. Spleen Disease, etc.	17	1	—	1	1	—	—	—	2	1	—	3	—	2
	ORDER 5.														
	1. Nephritis	80	6	—	—	2	1	2	3	12	3	5 _A	1	3	3
	2. Ischuria	44	3	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	246	1	—	—	—	1	4	2	4	11	10	11	15	21
	4. Diabetes	63	—	—	—	1	—	—	—	1	4	5	4	10	5
	5. Calculus (Stone)	40	—	—	—	—	—	1	—	—	—	—	—	—	—
	6. Cystitis	98	—	—	—	1	1	—	—	—	—	—	—	1	4
	7. Kidney Disease, etc.	320	2	—	1	3	2	1	1	11	6	5	5	7	16
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	6	1	—	—	—	—	—	—	—	—	—	1	—	—
	ORDER 7.														
	1. Synovitis (Arthritis)	12	—	—	1	—	—	—	—	—	2	1	1	1	—
	2. Joint Disease, etc.	187	1	—	3	6	4	4	5	25	38	28	7	11	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES. ⁷													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	355	11	12	21	40	15	11	13	44	33	38	22	23	16
	2. Tabes Mesenterica	496	22	27	64	133	48	23	32	68	30	22	5	6	5
	3. Phthisis	4453	11	21	58	87	52	34	34	172	280	682	652	602	425
	4. Hydrocephalus	877	24	86	184	201	93	56	55	117	33	13	5	3	4
	ORDER 1.														
	1. Cephalitis	384	8	18	54	45	20	27	19	64	38	23	6	5	8
	2. Apoplexy	947	15	9	25	26	7	5	12	12	7	9	7	12	15
	3. Paralysis	1079	-	-	1	1	1	3	2	3	1	6	6	8	8
	4. Insanity	47	-	-	-	-	-	-	-	2	-	1	1	3	1
	5. Chorea	6	-	-	-	-	-	-	-	2	1	-	1	-	-
	6. Epilepsy	109	2	1	1	2	2	-	3	5	5	9	12	4	13
	7. Convulsions	466	169	60	80	71	28	16	4	11	1	2	2	-	3
	8. Brain Disease, etc.	488	13	8	16	18	12	4	8	26	20	15	22	12	19
	ORDER 2.														
	1. Pericarditis	54	-	-	-	-	-	1	1	6	1	4	7	3	5
	2. Aneurism	34	1	-	-	-	-	-	-	-	-	-	-	2	1
	3. Heart Disease, etc.	2436	12	3	7	5	1	-	2	26	33	41	59	83	89
	ORDER 3.														
	1. Laryngitis	99	9	5	8	20	10	6	3	6	3	1	2	3	4
	2. Bronchitis	4638	335	287	562	522	205	79	55	64	22	18	32	26	59
	3. Pleurisy	110	8	-	1	3	1	1	1	4	2	7	3	6	8
	4. Pneumonia	1262	52	38	147	164	74	32	23	57	26	32	35	38	44
	5. Asthma	153	-	-	-	1	-	-	-	-	-	1	1	2	1
	6. Lung Disease, etc.	504	50	24	49	37	24	9	4	14	6	13	17	16	20
	ORDER 4.														
	1. Gastritis	157	9	8	7	6	2	3	5	6	5	4	6	2	6
	2. Enteritis	440	118	55	38	51	14	13	6	14	5	7	8	10	2
3. Peritonitis	245	8	6	2	7	3	4	2	10	11	13	18	24	13	
4. Ascites	39	1	-	-	-	-	2	-	2	2	-	1	-	-	
5. Ulceration of Intestines	96	1	2	2	1	-	-	2	3	2	2	9	5	7	
6. Hernia	67	2	-	-	-	-	-	-	-	-	-	-	-	-	
7. Ileus	139	15	3	4	1	1	1	-	3	2	6	2	1	2	
8. Intussusception	39	1	2	8	-	-	1	-	2	1	2	3	1	1	
9. Stricture of Intestines	13	-	-	-	-	-	-	-	-	-	-	2	-	-	
10. Fistula	7	-	-	-	1	-	-	-	-	-	-	-	-	1	
11. Stomach Disease, etc.	364	44	10	20	15	3	5	3	8	1	8	5	5	9	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	118	1	-	1	2	-	1	4	3	1	1	2	5	8	
14. Jaundice	105	25	3	2	3	1	1	-	1	-	1	1	2	3	
15. Liver Disease, etc.	382	3	2	3	3	2	1	2	3	5	5	8	13	15	
16. Spleen Disease, etc.	19	-	-	-	-	2	-	-	-	-	1	2	-	2	
ORDER 5.															
1. Nephritis	58	3	-	2	1	4	1	-	4	1	4	5	4	7	
2. Ischuria	3	-	-	-	-	-	-	-	-	-	1	-	1	-	
3. Bright's Disease (Nephria)	186	1	-	-	2	-	-	2	7	6	8	12	12	16	
4. Diabetes	46	-	-	-	-	-	-	-	1	1	2	3	5	1	
5. Calculus (Stone)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	14	1	-	-	-	-	-	-	-	-	-	1	1	1	
7. Kidney Disease, etc.	153	1	-	-	1	3	2	-	1	11	3	9	4	9	
ORDER 6.															
1. Ovarian Dropsy	68	-	-	-	-	-	-	-	-	-	1	2	3	5	
2. Uterus Disease, etc.	110	1	-	-	2	1	-	-	-	-	5	3	13	15	
ORDER 7.															
1. Synovitis (Arthritis)	19	-	-	-	2	1	-	-	2	4	1	-	1	-	
2. Joint Disease, etc.	109	1	-	2	3	2	2	1	20	17	13	14	3	5	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	13	7	4	7	5	5	7	3	3	1	—	1	—	—	—
	2. Tabes Mesenterica	2	1	3	1	1	1	2	—	—	—	—	—	—	—	—
	3. Phthisis	380	310	210	156	109	84	49	21	19	4	1	—	—	—	—
	4. Hydrocephalus	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	15	2	4	4	8	5	3	2	1	3	1	1	—	—	—
	2. Apoplexy	24	47	48	77	95	96	100	113	101	57	20	8	—	—	—
	3. Paralysis	16	26	35	57	91	107	162	173	190	99	63	14	5	1	—
	4. Insanity	5	5	1	5	4	3	3	6	3	4	—	—	—	—	—
	5. Chorea	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	6. Epilepsy	8	7	4	6	4	6	7	6	1	1	—	—	—	—	—
	7. Convulsions	4	3	2	4	1	—	2	2	—	1	—	—	—	—	—
	8. Brain Disease, etc.	15	20	24	30	36	33	38	36	36	15	10	2	—	—	—
	ORDER 2.															
	1. Pericarditis	2	1	4	1	5	3	1	3	3	2	1	—	—	—	—
	2. Aneurism	—	1	1	7	6	3	6	5	1	—	—	—	—	—	—
	3. Heart Disease, etc.	122	142	147	189	202	262	282	292	253	129	45	8	2	—	—
	ORDER 3.															
	1. Laryngitis	1	4	1	5	2	4	1	1	—	—	—	—	—	—	—
	2. Bronchitis	75	93	149	200	229	324	322	347	343	175	83	26	4	1	—
	3. Pleurisy	5	7	9	9	6	5	7	11	4	2	—	—	—	—	—
	4. Pneumonia	40	52	47	45	45	61	79	51	39	28	9	3	1	—	—
	5. Asthma	7	4	5	8	17	26	29	23	20	6	2	—	—	—	—
	6. Lung Disease, etc.	11	16	18	13	23	25	28	36	27	14	6	2	1	1	—
	ORDER 4.															
	1. Gastritis	11	8	10	9	12	8	9	8	6	6	1	—	—	—	—
	2. Enteritis	9	11	11	11	13	9	13	12	7	2	1	—	—	—	—
	3. Peritonitis	19	12	10	11	13	16	12	11	10	7	2	1	—	—	—
	4. Ascites	1	1	3	3	3	7	3	4	4	2	—	—	—	—	—
	5. Ulceration of Intestines	7	6	6	9	3	5	7	6	8	3	—	—	—	—	—
	6. Hernia	1	7	3	5	10	9	13	9	7	1	—	—	—	—	—
	7. Ileus	5	2	7	11	14	9	7	15	18	6	2	1	—	1	—
	8. Intussusception	—	1	6	1	1	3	2	1	—	2	—	—	—	—	—
	9. Stricture of Intestines	—	—	1	1	2	1	2	1	3	—	—	—	—	—	—
	10. Fistula	—	1	—	—	1	1	—	—	2	—	—	—	—	—	—
	11. Stomach Disease, etc.	10	19	20	25	22	22	32	32	21	14	6	4	1	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	6	7	13	12	11	11	7	10	7	3	2	—	—	—	—
	14. Jaundice	3	2	1	4	4	7	12	7	12	4	4	2	—	—	—
	15. Liver Disease, etc.	19	22	37	28	38	46	53	36	30	7	1	—	—	—	—
	16. Spleen Disease, etc.	2	3	1	2	3	—	1	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	4	1	3	5	1	—	2	4	1	1	—	—	—	—	—
	2. Ischuria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	16	16	16	12	16	8	11	11	9	4	1	—	—	—	—
	4. Diabetes	4	4	4	5	5	2	3	3	3	—	—	—	—	—	—
	5. Calculus (Stone)	1	—	—	2	—	—	—	1	1	—	—	—	—	—	—
	6. Cystitis	—	2	—	1	—	1	1	2	3	—	—	—	—	—	—
	7. Kidney Disease, etc.	12	10	5	18	8	9	15	11	16	3	2	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	3	7	9	11	9	2	6	5	4	—	1	—	—	—	—
	2. Uterus Disease, etc.	11	7	12	9	2	6	6	8	3	4	2	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	1	2	1	1	—	2	—	1	—	—	—	—	—	—
	2. Joint Disease, etc.	3	5	3	2	1	6	5	—	—	1	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	45	1	1	3	1	1	-	-	3	3	1	2	2	2
	2. Ulcer	20	1	1	1	-	-	-	-	1	-	-	-	1	1
	3. Skin Disease, etc.	34	6	3	10	7	1	-	-	-	-	-	-	1	-
	ORDER 1.														
	1. Premature Birth	862	858	4	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	33	26	-	3	1	1	-	-	2	-	-	-	-	-
	3. Spina Bifida	27	20	2	1	2	2	-	-	-	-	-	-	-	-
	4. Other Malformations	92	85	1	-	2	-	1	-	1	-	1	1	-	-
	5. Teething	379	4	33	138	185	18	1	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	1882	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	1327	905	97	95	76	29	10	4	9	8	4	6	1	7
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	822	6	1	2	4	7	8	8	42	41	72	92	54	63
	2. Gunshot Wounds	11	-	-	-	-	-	-	-	-	2	3	1	1	1
	3. Cut, Stab	13	-	-	-	-	-	-	-	-	2	3	-	-	1
	4. Burns and Scalds	345	4	-	5	21	17	14	8	15	26	59	55	25	19
	5. Poison	38	5	-	-	2	3	3	1	4	1	-	1	2	2
	6. Drowning	542	2	1	1	9	10	7	6	18	22	53	65	53	30
	7. Suffocation	166	72	28	12	1	3	1	-	2	-	6	1	7	6
	8. Otherwise	162	9	1	-	-	2	-	-	11	12	7	9	13	10
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	6	-	-	-	-	-	-	-	-	-	-	-	1	-
	2. Cut, Stab	31	-	-	-	-	-	-	-	-	-	1	1	3	1
	3. Poison	11	-	-	-	-	-	-	-	-	-	1	1	-	3
	4. Drowning	22	-	-	-	-	-	-	-	-	-	1	4	1	2
	5. Hanging	53	-	-	-	-	-	-	-	-	-	1	1	5	5
	6. Otherwise and undefined	7	-	-	-	-	-	-	-	-	-	-	-	1	1
	ORDER 5. (Execution.)														
	1. Hanging	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		47	7	2	1	-	-	1	-	-	-	1	1	1	1
Causes not specified or ill-defined		759	274	33	39	45	18	12	10	22	18	17	13	14	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	43	5	—	—	1	—	—	—	2	—	2	6	5	4	
	2. Ulcer	24	2	—	1	2	—	—	—	—	—	—	—	—	1	
	3. Skin Disease, etc.	25	5	3	4	3	1	—	—	3	—	—	1	—	—	
	ORDER 1.															
	1. Premature Birth	683	677	5	1	—	—	—	—	—	—	—	—	—	—	
	2. Cyanosis	28	24	2	—	—	1	—	—	—	—	—	1	—	—	
	3. Spina Bifida	33	30	2	—	—	1	—	—	—	—	—	—	—	—	
	4. Other Malformations	75	67	1	2	5	—	—	—	—	—	—	—	—	—	
	5. Teething	323	—	17	130	160	15	1	—	—	—	—	—	—	—	
	ORDER 2.															
	1. Paramenia	31	—	—	—	—	—	—	—	—	2	8	—	3	5	
	2. Childbirth (see Puerperal Fever	394	—	—	—	—	—	—	—	—	—	12	64	89	87	
	ORDER 3.															
	1. Old Age	3202	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4.															
	1. Atrophy and Debility	1204	745	96	80	63	36	8	4	18	7	5	5	1	—	
	V.	ORDER 1. (Accident or Negligence.)														
		1. Fractures and Contusions	189	1	1	2	8	8	6	1	8	5	5	4	1	5
		2. Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Cut, Stab		2	—	—	—	—	1	—	—	1	—	—	—	—	—	
4. Burns and Scalds		116	1	2	—	13	17	3	10	16	9	1	—	—	—	
5. Poison		24	1	—	1	2	3	—	1	—	—	1	2	2	2	
6. Drowning		88	1	—	—	9	3	1	4	5	1	2	6	4	6	
7. Suffocation		124	64	21	10	4	1	—	—	1	1	2	—	2	3	
8. Otherwise		73	7	1	1	2	—	1	—	3	3	2	—	3	2	
ORDER 3. (Homicide.)																
1. Murder and Manslaughter	6	4	—	—	—	—	—	—	—	1	—	—	—	—		
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Cut, Stab	11	—	—	—	—	—	—	—	—	—	—	—	—	3	
	3. Poison	6	—	—	—	—	—	—	—	—	—	1	—	—	1	
	4. Drowning	14	—	—	—	—	—	—	—	—	—	2	1	2	—	
	5. Hanging	17	—	—	—	—	—	—	—	—	—	1	—	1	—	
	6. Otherwise and undefined	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sudden Deaths (cause unascertained)		43	8	2	2	3	—	—	1	—	—	—	—	1	3
Causes not specified or ill-defined		726	202	39	36	36	10	5	8	20	10	8	19	21	17	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	3	7	2	5	1	2	1	—	3	—	—	1	—	—	—
	2. Ulcer	2	1	1	2	1	1	3	—	1	2	—	—	—	—	—
	3. Skin Disease, etc.	1	—	—	1	—	1	2	—	1	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	1	72	144	272	428	476	316	128	36	8	1
	ORDER 4.															
	1. Atrophy and Debility	4	5	11	21	35	—	—	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	64	60	77	51	44	39	32	23	18	9	3	—	—	—	2
	2. Gunshot Wounds	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	1	1	1	1	1	—	—	1	—	1	—	—	—	—	—
	4. Burns and Scalds	20	13	11	10	7	3	1	4	3	—	3	1	1	—	—
	5. Poison	2	4	3	1	1	1	1	—	—	1	—	—	—	—	—
	6. Drowning	49	44	29	32	23	12	14	10	5	5	—	—	—	—	42
	7. Suffocation	6	3	5	3	3	4	1	2	—	—	—	—	—	—	—
	8. Otherwise	16	5	10	8	11	15	9	4	6	4	—	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	1	—	—	3	—	1	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	3	5	3	3	3	5	3	—	—	—	—	—	—	—	—
	3. Poison	—	2	1	1	1	—	—	1	—	—	—	—	—	—	—
	4. Drowning	1	4	—	3	1	1	3	1	—	—	—	—	—	—	—
	5. Hanging	4	8	4	5	7	8	4	—	—	—	1	—	—	—	—
	6. Otherwise and undefined	1	—	2	1	—	—	1	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		2	4	5	3	6	1	6	2	3	—	—	—	—	—	—
Causes not specified or ill-defined		14	10	16	23	24	19	41	38	41	3	1	—	—	—	6

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued).

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	6	2	2	1	1	2	1	1	—	1	1	—	—	—	—
	2. Ulcer	2	—	1	2	2	2	2	2	3	2	—	—	—	—	—
	3. Skin Disease, etc.	1	—	—	1	1	—	—	—	1	1	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	4	5	4	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	82	53	6	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	1	139	198	463	684	795	579	223	99	20	1
	ORDER 4.															
	1. Atrophy and Debility	14	17	14	26	63	1	1	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	8	10	7	14	12	10	12	13	13	19	9	4	1	1	1
	2. Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	2	3	5	7	4	4	3	5	11	—	—	—	—	—
	5. Poison	2	1	1	3	1	1	—	—	—	—	—	—	—	—	—
	6. Drowning	4	7	4	10	3	5	4	3	3	2	—	—	—	—	1
	7. Suffocation	2	3	—	—	2	3	1	1	2	1	—	—	—	—	—
	8. Otherwise	2	2	4	10	4	6	2	7	3	7	1	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	1	2	—	1	2	—	1	1	—	—	—	—	—	—	—
	3. Poison	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	2	—	1	2	3	—	1	—	—	—	—	—	—	—
	5. Hanging	4	2	2	—	1	1	2	3	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		2	1	3	5	5	1	4	2	—	—	—	—	—	—	—
Causes not specified or ill-defined		17	16	19	28	36	35	51	35	56	—	1	—	—	—	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	14190	1602	638	1225	1521	619	362	247	593	337	405	522	447	514
	Specified Causes	14072	1564	633	1222	1512	617	361	246	587	334	402	519	443	512
	(CLASSES.)														
I.	ZYMOTIC DISEASES	2148	164	120	276	440	217	130	92	160	56	34	52	41	47
II.	CONSTITUTIONAL „	2785	38	65	192	257	133	87	69	198	132	224	244	195	200
III.	LOCAL „	7019	565	371	635	686	233	123	78	194	124	106	161	152	214
IV.	DEVELOPMENTAL „	1438	749	63	108	117	23	6	1	5	1	-	1	-	2
V.	VIOLENT DEATHS	682	48	14	11	12	11	15	6	30	21	38	61	55	49
	(ORDERS.)														
I.	1. MIASMATIC DISEASES	1937	113	95	266	434	217	126	91	157	55	34	48	32	35
	2. ENTHETIC „	82	33	19	8	5	-	1	-	-	-	-	1	1	3
	3. DIETIC „	113	11	3	1	-	-	1	1	1	1	-	3	8	9
	4. PARASITIC „	16	7	3	1	1	-	2	-	2	-	-	-	-	-
II.	1. DIATHETIC „	264	2	-	3	3	3	3	2	6	-	1	2	5	8
	2. TUBERCULAR „	2521	36	65	189	254	130	84	67	192	132	223	242	190	192
III.	1. DISEASES OF NERVOUS SYSTEM	1524	160	72	118	131	54	32	30	67	41	19	30	15	35
	2. „ OF ORGANS OF CIRCULATION	832	3	1	2	-	-	2	2	9	11	18	21	33	43
	3. „ OF RESPIRATORY ORGANS	3460	284	253	456	498	164	75	35	63	22	36	64	59	78
	4. „ OF DIGESTIVE ORGANS	778	115	42	52	46	8	11	8	24	26	15	33	24	29
	5. „ OF URINARY ORGANS	295	1	-	-	2	5	2	2	11	6	6	11	15	26
	6. „ OF ORGANS OF GENERATION	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ OF ORGANS OF LOCOMOTION	84	-	-	2	4	2	1	1	18	18	12	2	3	1
	8. „ OF INTEGUMENTARY SYSTEM	45	2	3	5	5	-	-	-	2	-	-	-	3	2
IV.	1. DEV. DIS. OF CHILDREN	637	447	20	66	92	10	2	-	-	-	-	-	-	-
	2. „ OF ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	345	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	456	302	43	42	25	13	4	1	5	1	-	1	-	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	14037	1267	462	1027	1339	598	349	261	576	310	501	504	520	491
	Specified Causes .	13917	1239	458	1019	1333	596	348	260	573	309	500	501	514	483
	(CLASSES.)														
I.	ZYMOTIC DISEASES	2165	127	93	256	428	220	157	104	184	62	50	61	61	40
II.	CONSTITUTIONAL „	3178	25	75	162	223	100	68	65	194	148	327	278	260	202
III.	LOCAL „	6524	424	229	493	563	245	116	83	179	87	111	128	149	191
IV.	DEVELOPMENTAL „	1803	630	47	101	105	23	3	1	5	3	6	30	39	41
V.	VIOLENT DEATHS .	247	33	14	7	14	8	4	7	11	9	6	4	5	9
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	2025	99	78	242	420	218	156	102	184	60	50	58	56	33
	2. ENTHETIC „ .	73	21	11	11	8	2	1	—	—	1	—	1	2	1
	3. DIETIC „ .	63	4	4	3	—	—	—	1	—	1	—	2	3	6
	4. PARASITIC „ .	4	3	—	—	—	—	—	1	—	—	—	—	—	—
II.	1. DIATHETIC „ .	512	3	1	2	4	2	4	—	4	4	5	3	6	12
	2. TUBERCULAR „ .	2666	22	74	160	219	98	64	65	190	144	322	275	254	190
III.	1. DISEASES OF NERVOUS SYSTEM . .	1331	105	43	84	93	36	30	26	54	24	21	18	19	23
	2. „ OF ORGANS OF CIRCULATION .	898	5	1	1	2	—	—	1	11	11	20	24	39	47
	3. „ OF RESPIRATORY ORGANS . .	3246	204	156	378	432	187	70	44	73	27	33	46	48	66
	4. „ OF DIGESTIVE ORGANS, . . .	720	100	27	28	31	15	14	11	19	10	23	23	17	31
	5. „ OF URINARY ORGANS	180	2	—	—	1	5	1	1	6	6	6	9	12	16
	6. „ OF ORGANS OF GENERATION .	61	1	—	—	—	1	—	—	—	—	2	2	10	4
	7. „ OF ORGANS OF LOCOMOTION . .	56	—	—	2	3	1	1	—	14	9	6	4	2	1
	8. „ OF INTEGUMENTARY SYSTEM . .	32	7	2	—	1	—	—	—	2	—	—	2	2	3
IV.	1. DEV. DIS. OF CHILDREN .	518	346	12	69	83	8	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	172	—	—	—	—	—	—	—	—	—	6	28	39	41
	3. „ OF OLD PEOPLE	667	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION .	446	284	35	32	22	15	3	1	5	3	—	2	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (*Continued*).

[illegible]

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (*Continued*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	538	531	557	587	619	651	674	583	538	319	165	47	21	1	1
	Specified Causes	533	529	555	579	609	648	664	580	534	319	165	47	21	1	—
	(CLASSES.)															
I.	ZYMOTIC DISEASES	46	37	33	32	36	35	36	33	16	9	7	1	1	—	—
II.	CONSTITUTIONAL „	208	187	173	109	108	85	84	40	35	18	3	1	—	—	—
III.	LOCAL „	232	266	332	408	432	471	459	376	323	149	58	16	3	1	—
IV.	DEVELOPMENTAL „	40	27	6	7	21	44	75	120	154	136	95	28	16	—	—
V.	VIOLENT DEATHS .	7	12	11	23	12	13	10	11	6	7	2	1	1	—	—
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	36	24	26	24	29	34	33	30	16	9	6	1	1	—	—
	2. ENTHETIC „ .	1	6	4	1	1	—	1	—	—	—	—	—	—	—	—
	3. DIETIC „ .	9	7	3	7	6	1	2	3	—	—	1	—	—	—	—
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	38	44	60	56	64	54	64	32	30	17	2	1	—	—	—
	2. TUBERCULAR „ .	170	143	113	53	44	31	20	8	5	1	1	—	—	—	—
III.	1. DISEASES OF NERVOUS SYSTEM . .	33	43	57	80	89	102	101	100	81	44	17	6	1	1	—
	2. „ OF ORGANS OF CIRCULATION .	59	66	68	87	87	102	90	81	64	28	3	—	1	—	—
	3. „ OF RESPIRATORY ORGANS . .	79	103	147	159	185	215	209	153	133	58	30	10	1	—	—
	4. „ OF DIGESTIVE ORGANS	33	33	35	49	50	44	44	29	34	14	6	—	—	—	—
	5. „ OF URINARY ORGANS	16	13	16	20	12	5	11	11	9	2	—	—	—	—	—
	6. „ OF ORGANS OF GENERATION .	7	4	5	8	7	2	3	2	1	1	1	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	2	3	3	3	1	—	1	—	—	—	—	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	3	1	1	2	1	1	—	—	1	2	1	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	33	21	4	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	—	—	—	—	—	44	74	120	154	136	95	28	16	—	—
	4. DISEASES OF NUTRITION .	7	6	2	7	21	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	633	46	14	11	12	11	15	6	30	21	38	57	48	43
	*														
	3. HOMICIDE	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	47	-	-	-	-	-	-	-	-	-	-	4	7	6
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		27	2	1	-	-	-	-	-	-	-	1	1	1	1
CAUSES NOT SPECIFIED		91	36	4	3	9	2	1	1	6	3	2	2	3	1
I.	ORDER 1.														
	1. Small-pox	9	-	-	2	1	-	-	-	1	-	1	1	3	-
	2. Measles	246	-	8	46	107	43	15	13	12	2	-	-	-	-
	3. Scarlatina	144	2	1	8	26	29	20	17	32	4	3	1	-	-
	4. Diphtheria	157	4	1	18	30	32	24	15	25	2	2	-	-	2
	5. Quinsy	3	-	-	2	1	-	-	-	-	-	-	-	-	-
	6. Croup	191	5	8	30	64	37	16	14	17	-	-	-	-	-
	7. Hooping-cough	418	28	28	109	121	60	35	14	21	2	-	-	-	-
	8. { Typhus Fever	76	-	-	-	1	1	-	2	5	7	2	10	4	7
	8. { Enteric or Typhoid Fever	194	1	-	2	4	4	4	7	30	31	15	29	18	11
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	14	-	-	-	1	2	3	1	1	1	-	-	-	-
	9. Erysipelas	49	16	1	1	1	1	-	-	-	1	1	1	2	1
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	11	-	-	-	1	-	-	-	-	-	-	-	-	-
	12. Influenza	12	-	1	-	1	-	-	1	-	1	-	1	1	-
	13. Dysentery	20	-	-	3	-	1	-	-	1	-	1	2	-	3
	14. Diarrhoea	311	56	42	43	70	5	5	1	6	3	4	1	1	5
	15. Cholera	7	-	3	-	2	-	-	-	-	-	-	-	-	-
	16. Ague	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	24	-	-	2	3	2	4	6	3	-	1	-	-	-
	18. Rheumatism	45	-	-	-	-	-	-	-	3	2	3	2	3	6
	19. Other Miasmatic Diseases	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	74	33	19	8	5	-	1	-	-	-	-	1	-	3
	2. Stricture of Urethra	8	-	-	-	-	-	-	-	-	-	-	-	1	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	12	8	3	1	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	12	2	-	-	-	-	1	1	1	1	-	2	1	1
	4. Alco- { a Del. Tremens	25	-	-	-	-	-	-	-	-	-	-	1	1	3
	4. holism { b Intemperance	63	-	-	-	-	-	-	-	-	-	-	-	6	5
	ORDER 4.														
	1. Thrush	12	7	3	1	1	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	4	-	-	-	-	-	2	-	2	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	49	-	-	1	2	2	3	1	5	-	1	1	1	2
	3. Cancer	191	2	-	2	1	-	-	1	1	-	-	1	4	6
	4. Cancrum Oris (Noma)	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	5. Mortification	20	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	233	30	14	7	14	8	4	7	11	9	4	4	4	7
	*														
	3. HOMICIDE	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	11	-	-	-	-	-	-	-	-	-	2	-	1	2
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	25	4	2	1	1	-	-	1	-	-	-	-	-	2
	CAUSES NOT SPECIFIED	95	24	2	7	5	2	1	-	3	1	1	3	6	6
I.	ORDER 1.														
	1. Small-pox	5	-	-	-	-	-	-	-	-	1	2	1	-	1
	2. Measles	231	-	5	38	97	38	21	12	17	2	-	1	-	-
	3. Scarlatina	127	-	2	9	18	19	13	18	34	8	-	1	2	1
	4. Diphtheria	183	2	1	10	42	28	36	20	33	5	1	1	3	-
	5. Quinsy	6	1	-	1	-	2	-	-	1	-	-	-	-	-
	6. Croup	182	9	5	24	47	34	32	14	17	-	-	-	-	-
	7. Hooping-cough	463	19	28	99	158	71	33	23	31	1	-	-	-	-
	8. { Typhus Fever	65	-	-	1	1	-	1	-	3	4	7	10	2	6
	8. { Enteric or Typhoid Fever	209	-	3	1	10	11	9	8	32	29	25	21	21	7
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	8. { Simple Continued Fever	26	-	-	-	1	-	1	2	5	1	2	-	2	-
	9. Erysipelas	54	13	5	2	3	-	1	-	1	1	-	3	5	-
	10. Puerperal Fever (Metria)	61	-	-	-	-	-	-	-	-	-	4	15	14	12
	11. Carbuncle	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	7	-	-	-	-	-	1	-	1	1	-	-	1	-
	13. Dysentery	16	-	2	1	-	1	1	-	1	-	-	-	1	1
	14. Diarrhoea	287	52	24	51	41	12	5	3	1	3	-	2	1	3
	15. Cholera	15	3	2	4	1	-	-	-	-	-	-	1	-	-
	16. Ague	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	10	-	-	1	1	2	2	2	1	-	-	-	1	-
	18. Rheumatism	71	-	-	-	-	-	-	-	5	4	9	1	3	2
	19. Other Miasmatic Diseases	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	71	21	11	11	8	2	1	-	-	-	-	1	1	1
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	2	-	-	-	-	-	-	-	-	1	-	-	1	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	5	1	-	-	-	-	-	1	-	-	-	-	-	1
	2. Want of Breast Milk	9	3	4	2	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	7	-	-	1	-	-	-	-	-	1	-	1	-	-
	4. Alco- { a Del. Tremens	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. holism { b Intemperance	40	-	-	-	-	-	-	-	-	-	-	1	3	4
	ORDER 4.														
	1. Thrush	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	5	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Dropsy	82	1	1	1	2	1	3	-	2	3	2	1	3	-
	3. Cancer	391	1	-	-	1	-	1	-	1	1	3	2	3	12
	4. Cancrum Oris (Noma)	3	-	-	1	1	1	-	-	-	-	-	-	-	-
	5. Mortification	31	1	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued).

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	64	48	55	29	30	18	20	10	5	1	1	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	4	7	3	4	4	5	2	1	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		2	3	3	2	4	1	4	1	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	4	4	2	1	1	3	-	2	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	7	5	7	8	5	3	1	-	1	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	13	8	2	3	6	4	2	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-
	9. Erysipelas	3	3	1	5	3	1	3	2	2	-	1	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	1	-	2	-	1	2	-	1	2	-	1	-	-	-	-
	12. Influenza	-	2	1	-	-	-	-	1	1	1	-	-	-	-	-
	13. Dysentery	-	1	1	-	1	-	4	-	1	1	-	-	-	-	-
	14. Diarrhoea	6	7	1	4	6	11	7	15	6	5	1	-	-	-	-
	15. Cholera	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	18. Rheumatism	5	1	6	5	3	1	1	-	2	1	1	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	2	-	2	-	1	1	-	1	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	8	6	2	4	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	12	8	11	8	6	4	2	1	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	2. Dropsy	3	-	5	3	4	3	3	4	4	1	-	-	-	-	-
	3. Cancer	7	15	19	23	29	34	26	12	4	4	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	1	1	1	4	2	1	2	3	2	1	1	-	-

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	7	10	9	23	11	13	10	10	6	7	2	1	1	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	2	2	—	1	—	—	1	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	—	—	5	3	1	3	1	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED	4	2	2	3	7	2	7	2	4	—	—	—	—	—	1
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	7	8	7	2	4	—	—	1	1	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	5	3	2	4	5	6	1	3	3	—	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	1	1	1	2	4	2	1	—	—	—	—	—	—	—
	9. Erysipelas	1	—	—	6	2	2	3	2	2	1	1	—	—	—	—
	10. Puerperal Fever (Metria)	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	12. Influenza	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	13. Dysentery	—	—	2	1	1	1	2	—	—	—	—	1	—	—	—
	14. Diarrhoea	4	3	7	6	8	10	17	17	7	5	4	—	1	—	—
	15. Cholera	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—
	16. Ague	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	1	4	7	3	5	9	7	4	3	3	1	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	1	6	4	1	1	—	1	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	1	—	1	—	1	—	—	—	—	1	—	—	—	—
	4. Alco- { a Del. Tremens	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	8	5	3	6	6	—	2	2	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—
	2. Dropsy	5	6	6	3	12	7	8	8	5	2	—	—	—	—	—
	3. Cancer	33	38	52	53	51	43	51	19	15	10	1	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	2	—	1	3	4	4	10	4	1	1	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	165	7	5	16	20	19	5	7	23	23	12	10	9	2
	2. Tabes Mesenterica	280	14	18	32	68	28	27	17	36	18	9	3	2	1
	3. Phthisis	1595	3	14	26	39	23	19	13	74	80	198	228	179	189
	4. Hydrocephalus	481	12	28	115	127	60	33	30	59	11	4	1	—	—
	ORDER 1.														
	1. Cephalitis	229	7	15	35	37	17	17	12	37	19	4	7	4	5
	2. Apoplexy	343	6	7	12	15	11	4	3	8	7	2	3	4	7
	3. Paralysis	298	1	—	2	2	1	—	—	2	1	3	2	1	4
	4. Insanity	3	—	—	—	—	—	—	—	—	—	—	1	—	1
	5. Chorea	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	6. Epilepsy	42	—	—	1	2	—	1	—	—	3	3	4	2	6
	7. Convulsions	347	139	46	55	62	15	8	7	4	1	—	2	—	1
	8. Brain Disease, etc.	261	7	4	13	12	10	2	8	16	10	7	11	4	11
	ORDER 2.														
	1. Pericarditis	9	—	—	—	—	—	—	—	—	1	1	—	1	—
	2. Aneurism	34	—	—	—	—	—	—	—	—	—	1	—	2	5
	3. Heart Disease, etc.	789	3	1	2	—	—	2	2	9	10	16	21	30	38
	ORDER 3.														
	1. Laryngitis	54	—	4	8	13	8	1	1	3	—	—	5	—	2
	2. Bronchitis	2193	222	199	343	335	110	42	22	38	11	8	13	8	23
	3. Pleurisy	72	—	1	1	—	1	2	—	3	—	6	9	4	5
	4. Pneumonia	877	35	40	84	127	35	21	8	15	9	19	32	40	39
	5. Asthma	39	—	—	—	—	—	—	—	—	—	—	—	1	—
	6. Lung Disease, etc.	225	27	9	20	23	10	9	4	4	2	3	5	6	9
	ORDER 4.														
	1. Gastritis	41	8	4	3	5	1	—	2	—	1	2	1	—	—
	2. Enteritis	161	44	22	23	19	3	7	2	10	5	2	1	4	1
3. Peritonitis	88	5	2	3	2	3	—	1	4	8	5	10	7	4	
4. Ascites	10	—	—	—	1	—	—	—	—	1	—	1	—	—	
5. Ulceration of Intestines	32	—	—	—	—	—	—	—	3	—	—	5	1	2	
6. Hernia	27	4	—	—	2	—	—	—	1	—	—	—	1	—	
7. Ileus	48	3	3	4	1	1	—	1	—	3	—	7	2	3	
8. Intussusception	12	1	1	3	1	—	—	—	2	2	—	1	—	—	
9. Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Fistula	4	—	—	—	—	—	—	—	—	—	—	—	—	1	
11. Stomach Disease, etc.	118	24	9	12	10	—	1	1	—	—	2	—	2	3	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	36	2	—	1	1	—	—	—	—	1	1	1	1	4	
14. Jaundice	32	18	1	—	—	—	—	—	1	—	—	—	—	—	
15. Liver Disease, etc.	162	5	—	2	3	—	3	1	2	5	3	6	6	11	
16. Spleen Disease, etc.	4	1	—	1	1	—	—	—	1	—	—	—	—	—	
ORDER 5.															
1. Nephritis	28	1	—	—	1	1	1	—	6	1	1	—	—	1	
2. Ischuria	7	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease (Nephria)	94	—	—	—	—	1	—	1	1	5	1	6	7	13	
4. Diabetes	27	—	—	—	1	—	—	—	—	—	2	1	4	2	
5. Calculus (Stone)	11	—	—	—	—	—	1	—	—	—	—	—	—	—	
6. Cystitis	26	—	—	—	—	1	—	—	—	—	—	—	—	3	
7. Kidney Disease, etc.	102	—	—	—	—	2	—	1	4	—	2	4	4	7	
ORDER 6.															
1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 7.															
1. Synovitis (Arthritis)	3	—	—	—	—	—	—	—	—	1	—	—	—	—	
2. Joint Disease, etc.	81	—	—	2	4	2	1	1	18	17	12	2	3	1	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	150	2	3	8	24	6	6	8	23	15	19	6	6	5
	2. Tabes Mesenterica	214	8	10	28	55	23	13	17	34	9	4	4	1	3
	3. Phthisis	1886	3	12	27	49	22	19	18	83	106	296	262	245	180
	4. Hydrocephalus	416	9	49	97	91	47	26	22	50	14	3	3	2	2
	ORDER 1.														
	1. Cephalitis	179	3	10	33	28	10	17	13	28	13	5	3	3	1
	2. Apoplexy	351	8	4	9	18	3	3	5	4	3	6	2	6	4
	3. Paralysis	354	—	—	1	—	1	3	1	2	—	—	3	4	6
	4. Insanity	10	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Epilepsy	35	1	1	—	—	1	—	2	1	3	3	2	2	4	
7. Convulsions	216	89	24	33	36	13	5	—	6	—	1	1	—	2	
8. Brain Disease, etc.	185	4	4	8	11	8	2	5	13	5	6	7	4	6	
	ORDER 2.														
	1. Pericarditis	21	—	—	—	—	—	—	—	3	1	3	4	2	3
	2. Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	1	—
	3. Heart Disease, etc.	866	5	1	1	2	—	—	1	8	10	17	20	36	44
	ORDER 3.														
	1. Laryngitis	47	3	1	5	11	8	1	1	2	1	1	2	2	2
	2. Bronchitis	2299	163	123	272	304	124	45	26	37	10	9	18	15	28
	3. Pleurisy	35	—	—	—	1	1	1	—	1	2	2	1	3	3
	4. Pneumonia	621	21	19	74	97	40	18	14	27	11	14	14	18	25
	5. Asthma	33	—	—	—	—	—	—	—	—	—	—	—	1	—
6. Lung Disease, etc.	211	17	13	27	19	14	5	3	6	3	7	11	9	8	
	ORDER 4.														
	1. Gastritis	48	5	1	4	1	1	1	4	1	2	2	1	—	2
	2. Enteritis	154	53	15	9	20	7	2	2	5	1	5	2	4	2
	3. Peritonitis	77	4	1	1	1	2	4	2	3	3	6	8	6	2
	4. Ascites	10	—	—	—	—	—	2	—	1	1	—	—	—	—
	5. Ulceration of Intestines	19	—	1	—	—	—	—	—	1	1	1	2	2	3
	6. Hernia	28	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	46	9	1	2	—	1	—	—	1	—	3	—	—	1
	8. Intussusception	15	—	—	3	—	—	—	—	1	—	2	2	1	1
	9. Stricture of Intestines	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	115	18	3	8	6	1	3	1	2	—	2	3	2	4
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	40	1	—	1	2	—	1	1	2	—	—	—	—	6
	14. Jaundice	31	8	3	—	—	—	—	—	—	—	1	1	—	2
	15. Liver Disease, etc.	120	2	2	—	1	1	1	1	2	2	1	3	2	7
16. Spleen Disease, etc.	10	—	—	—	—	2	—	—	—	—	—	1	—	1	
	ORDER 5.														
	1. Nephritis	19	1	—	—	1	3	1	—	2	—	1	2	1	1
	2. Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	1	—
	3. Bright's Disease (Nephria)	75	—	—	—	—	—	—	1	3	3	5	4	5	8
	4. Diabetes	10	—	—	—	—	—	—	—	—	—	—	1	2	—
	5. Calculus (Stone)	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	1	—
	7. Kidney Disease, etc.	69	1	—	—	—	2	—	—	1	3	—	2	2	7
	ORDER 6.														
	1. Ovarian Dropsy	22	—	—	—	—	—	—	—	—	—	—	1	2	—
	2. Uterus Disease, etc.	39	1	—	—	—	1	—	—	—	—	2	1	8	4
	ORDER 7.														
	1. Synovitis (Arthritis)	9	—	—	—	1	—	—	—	2	2	—	—	—	—
	2. Joint Disease, etc.	47	—	—	2	2	1	1	—	12	7	6	4	2	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	1	1	2	1	—	2	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	3	1	—	—	1	2	—	—	—	—	—	—	—	—	—
	3. Phthisis	140	129	101	60	33	24	14	6	2	1	—	—	—	—	—
	4. Hydrocephalus	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	5	3	2	1	—	1	—	—	—	—	1	—	—	—	—
	2. Apoplexy	11	14	20	28	37	45	32	35	19	6	6	—	—	—	—
	3. Paralysis	16	9	12	27	33	41	39	37	43	15	5	2	—	—	—
	4. Insanity	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	3	3	2	1	5	2	1	1	1	—	1	—	—	—	—
	7. Convulsions	1	1	1	—	4	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	14	14	16	13	23	18	17	13	9	6	1	2	—	—	—
	ORDER 2.															
	1. Pericarditis	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	7	8	3	—	5	1	—	2	—	—	—	—	—	—	—
	3. Heart Disease, etc.	59	63	67	67	100	99	82	53	39	16	7	2	1	—	—
	ORDER 3.															
	1. Laryngitis	2	1	1	1	2	—	1	1	—	—	—	—	—	—	—
	2. Bronchitis	42	55	75	111	105	124	113	95	65	21	12	1	—	—	—
	3. Pleurisy	5	7	5	8	3	6	4	2	—	—	—	—	—	—	—
	4. Pneumonia	46	48	56	62	53	43	26	19	14	5	1	—	—	—	—
	5. Asthma	4	2	3	10	6	6	3	2	2	—	—	—	—	—	—
	6. Lung Disease, etc.	9	13	17	11	8	12	11	3	5	2	2	1	—	—	—
	ORDER 4.															
	1. Gastritis	2	2	1	1	1	1	—	3	1	2	—	—	—	—	—
	2. Enteritis	5	6	2	2	1	—	1	1	—	—	—	—	—	—	—
	3. Peritonitis	6	5	3	5	3	3	4	3	1	1	—	—	—	—	—
	4. Ascites	—	1	—	4	—	1	1	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	2	1	2	3	6	5	1	1	—	—	—	—	—	—
	6. Hernia	2	1	2	3	4	—	3	3	—	1	—	—	—	—	—
	7. Ileus	2	2	3	3	1	5	—	4	—	—	—	—	—	—	—
	8. Intussusception	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
	10. Fistula	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	4	6	6	6	5	9	7	9	2	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	1	2	4	2	2	6	3	2	1	—	—	1	—	—	—
	14. Jaundice	1	—	1	1	3	1	2	2	—	1	—	—	—	—	—
	15. Liver Disease, etc.	10	10	15	16	17	19	15	6	5	1	1	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	2	4	1	—	1	3	1	1	1	1	—	—	—	—	—
	2. Ischuria	—	—	2	1	—	—	1	1	2	—	—	—	—	—	—
	3. Bright's Disease(Nephria)	5	4	9	9	10	8	11	3	—	—	—	—	—	—	—
	4. Diabetes	4	2	2	4	1	3	—	1	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	1	1	—	—	5	—	1	2	—	—	—	—	—	—
	6. Cystitis	—	1	1	—	3	5	5	4	1	1	1	—	—	—	—
	7. Kidney Disease, etc.	7	6	13	10	3	4	8	10	12	4	—	—	1	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	3	2	2	4	2	1	2	1	—	1	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	4	3	1	3	1	3	2	1	—	1	—	—	—	—	—
	2. Tabes Mesenterica	—	—	3	1	—	—	1	—	—	—	—	—	—	—	—
	3. Phthisis	165	140	109	49	43	28	17	7	5	—	1	—	—	—	—
	4. Hydrocephalus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	ORDER 1.															
	1. Cephalitis	4	1	—	1	2	1	—	—	1	1	—	1	—	—	—
	2. Apoplexy	11	20	30	33	29	44	33	31	23	16	5	1	—	—	—
	3. Paralysis	6	12	17	28	36	40	52	55	48	22	11	4	1	1	—
	4. Insanity	2	1	—	—	1	1	1	2	1	1	—	—	—	—	—
	5. Chorea	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	2	1	1	3	2	2	2	1	—	1	—	—	—	—	—
	7. Convulsions	1	1	1	1	—	—	1	1	—	—	—	—	—	—	—
	8. Brain Disease, etc.	7	7	8	14	18	14	12	10	8	3	1	—	—	—	—
III.	ORDER 2.															
	1. Pericarditis	—	—	1	—	—	1	—	—	3	—	—	—	—	—	—
	2. Aneurism	—	1	—	1	3	1	2	2	—	—	—	—	—	—	—
	3. Heart Disease, etc.	59	65	67	86	84	100	88	79	61	28	3	—	1	—	—
III.	ORDER 3.															
	1. Laryngitis	1	1	1	2	1	1	—	—	—	—	—	—	—	—	—
	2. Bronchitis	48	61	103	124	143	172	162	127	111	42	24	8	—	—	—
	3. Pleurisy	2	4	5	2	1	1	3	1	—	1	—	—	—	—	—
	4. Pneumonia	24	25	30	25	24	28	30	16	10	11	5	1	—	—	—
	5. Asthma	2	2	2	1	7	7	5	2	3	1	—	—	—	—	—
	6. Lung Disease, etc.	2	10	6	5	9	6	9	7	9	3	1	1	1	—	—
III.	ORDER 4.															
	1. Gastritis	4	4	2	4	2	3	1	1	2	—	—	—	—	—	—
	2. Enteritis	2	2	5	5	4	2	4	1	2	—	—	—	—	—	—
	3. Peritonitis	7	5	1	5	5	5	4	—	1	1	—	—	—	—	—
	4. Ascites	—	—	1	—	1	1	2	—	1	—	—	—	—	—	—
	5. Ulceration of Intestines	1	2	2	—	—	1	—	—	2	—	—	—	—	—	—
	6. Hernia	1	3	1	2	5	4	5	4	2	1	—	—	—	—	—
	7. Ileus	1	—	1	3	3	3	2	3	8	3	1	—	—	—	—
	8. Intussusception	—	—	1	—	—	—	2	1	—	1	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	1	1	1	1	—	1	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	11. Stomach Disease, etc.	5	6	7	6	5	5	7	8	5	6	2	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	3	2	2	7	3	2	1	2	2	1	1	—	—	—	—
	14. Jaundice	2	1	—	—	3	3	3	2	1	—	1	—	—	—	—
	15. Liver Disease, etc.	5	8	11	14	17	13	12	7	6	1	1	—	—	—	—
	16. Spleen Disease, etc.	2	—	1	2	1	—	—	—	—	—	—	—	—	—	—
III.	ORDER 5.															
	1. Nephritis	2	—	1	1	—	—	1	1	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	4	8	10	8	7	1	5	1	2	—	—	—	—	—	—
	4. Diabetes	2	1	1	—	1	1	—	—	1	—	—	—	—	—	—
	5. Calculus (Stone)	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	6. Cystitis	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	7	2	4	10	4	3	5	8	6	2	—	—	—	—	—
III.	ORDER 6.															
	1. Ovarian Dropsy	2	1	1	6	5	—	1	1	1	—	1	—	—	—	—
	2. Uterus Disease, etc.	5	3	4	2	2	2	2	1	—	1	—	—	—	—	—
III.	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	2	3	1	2	—	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND
during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	20	-	1	-	1	-	-	-	1	-	-	-	2	1
	2. Ulcer	10	-	-	1	-	-	-	-	1	-	-	-	-	1
	3. Skin Disease, etc.	15	2	2	4	4	-	-	-	-	-	-	-	1	-
	ORDER 1.														
	1. Premature Birth	393	392	1	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	6	6	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	15	11	2	1	1	-	-	-	-	-	-	-	-	-
	4. Other Malformations	39	37	-	-	1	-	1	-	-	-	-	-	-	-
	5. Teething	184	1	17	65	90	10	1	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	345	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	456	302	43	42	25	13	4	1	5	1	-	1	-	2
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	297	-	-	2	2	2	5	3	16	9	21	32	20	26
2. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	8	-	-	-	-	-	-	-	-	2	2	-	-	1	
4. Burns and Scalds	54	2	-	2	8	5	7	2	6	-	5	3	2	1	
5. Poison	13	2	-	-	1	-	-	1	-	1	-	1	2	-	
6. Drowning	122	1	-	1	-	1	2	-	3	5	5	17	14	8	
7. Suffocation	76	35	14	6	1	1	1	-	1	-	2	-	4	4	
8. Otherwise	62	6	-	-	-	2	-	-	4	4	3	4	6	3	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	12	-	-	-	-	-	-	-	-	-	-	1	3	-
	3. Poison	5	-	-	-	-	-	-	-	-	-	-	1	-	2
	4. Drowning	5	-	-	-	-	-	-	-	-	-	-	1	1	1
	5. Hanging	18	-	-	-	-	-	-	-	-	-	-	1	2	2
6. Otherwise and undefined	6	-	-	-	-	-	-	-	-	-	-	-	1	1	
	ORDER 5.														
	(Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		27	2	1	-	-	-	-	-	-	1	1	1	1	
Causes not specified or ill-defined.		91	36	4	3	9	2	1	1	6	3	2	2	3	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	16	3	-	-	-	-	-	-	1	-	-	2	2	2	
	2. Ulcer	6	1	-	-	1	-	-	-	-	-	-	-	-	1	
	3. Skin Disease, etc.	10	3	2	-	-	-	-	-	1	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	303	301	2	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	7	7	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	13	11	1	-	-	1	-	-	-	-	-	-	-	-	
	4. Other Malformations	33	27	-	1	5	-	-	-	-	-	-	-	-	-	
	5. Teething	162	-	9	68	78	7	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	5	-	-	-	-	-	-	-	-	-	-	-	1	-	
	2. Childbirth (see Puerperal Fever)	167	-	-	-	-	-	-	-	-	-	6	28	38	41	
	ORDER 3.															
	1. Old Age	667	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility	446	284	35	32	22	15	3	1	5	3	-	2	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	83	1	-	1	5	3	4	1	4	2	2	1	1	4	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
	4. Burns and Scalds	40	-	1	-	5	4	-	3	5	4	1	-	-	-	
	5. Poison	11	-	-	1	-	1	-	1	-	-	1	1	1	2	
	6. Drowning	21	1	-	-	1	-	-	2	-	-	-	2	1	1	
	7. Suffocation	58	27	13	5	2	-	-	-	-	1	-	-	-	-	
	8. Otherwise	19	1	-	-	1	-	-	-	1	2	-	-	1	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	-	-	1	
	3. Poison	3	-	-	-	-	-	-	-	-	-	1	-	-	1	
	4. Drowning	2	-	-	-	-	-	-	-	-	-	1	-	1	-	
	5. Hanging	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		25	4	2	1	1	-	-	1	-	-	-	-	-	2
	Causes not specified or ill-defined		95	24	2	7	5	2	1	-	3	1	1	3	6	6

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the YEAR 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	6	2	3	1	-	1	-	1	-	-	-	-	-	-
	2. Ulcer	1	1	-	2	-	-	2	-	-	1	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	21	39	76	98	64	32	10	5	-	-
	ORDER 4.															
	1. Atrophy and Debility	-	2	-	6	9	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	34	24	36	14	16	12	12	7	3	1	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	2	2	2	-	1	-	1	2	-	-	1	-	-	-	-
	5. Poison	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	6. Drowning	13	18	10	10	7	3	4	-	-	-	-	-	-	-	-
	7. Suffocation	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	10	1	4	4	3	3	2	1	2	-	-	-	-	-	-
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	2	-	1	2	2	-	-	-	-	-	-	-	-	-
	3. Poison	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	4. Drowning	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. Hanging	2	3	1	2	1	3	1	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	2	3	3	2	4	1	4	1	-	-	-	-	-	-	-
	Causes not specified or ill-defined	1	4	4	2	1	1	3	-	2	-	-	-	-	-	-

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	1	1	1	—	1	—	—	—	—	1	1	—	—	—	—
	2. Ulcer	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	1	—	—	1	—	—	—	—	1	1	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	31	20	3	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	44	74	120	154	136	95	28	16	—	—
	ORDER 4.															
	1. Atrophy and Debility	7	6	2	7	21	—	1	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	5	4	4	11	4	6	5	4	2	5	2	1	1	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	1	3	2	2	2	2	2	2	1	—	—	—	—	—
	5. Poison	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
	6. Drowning	—	1	1	4	2	1	2	1	1	—	—	—	—	—	—
	7. Suffocation	1	3	—	—	2	3	—	—	1	—	—	—	—	—	—
	8. Otherwise	1	1	1	4	—	1	1	3	—	1	—	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	1	—	—	5	3	1	3	1	—	—	—	—	—	—	—
	Causes not specified or ill-defined	4	2	2	3	7	2	7	2	4	—	—	—	—	—	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	4521	544	202	340	427	208	123	82	207	128	137	153	133	129
	Specified Causes . .	4462	525	200	335	424	207	122	81	205	124	137	152	133	127
	(CLASSES.)														
I.	ZYMOTIC DISEASES	662	51	36	79	128	71	51	24	57	23	22	15	16	9
II.	CONSTITUTIONAL „	903	23	23	57	74	51	26	26	75	45	69	82	61	49
III.	LOCAL „	2110	164	116	159	190	68	36	27	60	44	31	31	45	51
IV.	DEVELOPMENTAL „	583	271	23	37	30	11	4	1	1	2	—	1	1	2
V.	VIOLENT DEATHS .	204	16	2	3	2	6	5	3	12	10	15	23	10	16
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	628	44	32	78	128	70	51	24	56	23	21	15	14	7
	2. ENTHETIC „ .	14	4	4	1	—	—	—	—	—	—	—	—	1	—
	3. DIETIC „ .	18	2	—	—	—	1	—	—	—	—	1	—	1	2
	4. PARASITIC „ .	2	1	—	—	—	—	—	—	1	—	—	—	—	—
II.	1. DIATHETIC „ .	94	4	1	—	—	—	—	1	6	4	—	—	2	—
	2. TUBERCULAR „ .	809	19	22	57	74	51	26	25	69	41	69	82	59	49
III.	1. DISEASES OF NERVOUS SYSTEM . .	470	30	20	35	40	13	8	10	22	14	8	5	11	7
	2. „ OF ORGANS OF CIRCULATION .	275	3	—	—	—	—	—	1	3	3	4	5	10	7
	3. „ OF RESPIRATORY ORGANS . .	945	92	78	105	133	49	18	12	27	7	8	13	10	18
	4. „ OF DIGESTIVE ORGANS . . .	267	37	17	13	13	5	7	3	4	7	3	4	7	14
	5. „ OF URINARY ORGANS . . .	106	—	—	—	2	—	2	1	2	4	3	3	4	4
	6. „ OF ORGANS OF GENERATION .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION .	30	1	—	2	2	1	1	—	1	8	4	1	3	—
	8. „ OF INTEGUMENTARY SYSTEM . .	17	1	1	4	—	—	—	—	1	1	1	—	—	1
IV.	1. DEV. DIS. OF CHILDREN .	169	124	8	19	13	5	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	179	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	235	147	15	18	17	6	4	1	1	2	—	1	1	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	4536	397	165	341	404	190	103	82	220	104	146	150	172	150
	Specified Causes	4489	381	162	337	403	188	103	81	219	104	146	149	169	150
	(CLASSES.)														
I.	ZYMOTIC DISEASES	777	33	41	101	153	76	51	41	88	13	20	19	20	13
II.	CONSTITUTIONAL „	974	15	17	53	67	36	24	21	70	55	80	80	84	63
III.	LOCAL „	1921	93	85	155	150	57	24	16	54	30	43	44	47	61
IV.	DEVELOPMENTAL „	746	231	17	26	32	12	2	2	3	3	2	5	14	9
V.	VIOLENT DEATHS .	71	9	2	2	1	7	2	1	4	3	1	1	4	4
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	745	26	35	98	150	76	51	40	88	13	20	19	18	13
	2. ENTHETIC „ .	19	5	6	2	3	—	—	—	—	—	—	—	1	—
	3. DIETIC „ .	11	2	—	—	—	—	—	1	—	—	—	—	1	—
	4. PARASITIC „ .	2	—	—	1	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	153	3	—	—	1	—	1	—	2	—	1	1	2	6
	2. TUBERCULAR „ .	821	12	17	53	66	36	23	21	68	55	79	79	82	57
III.	1. DISEASES OF NERVOUS SYSTEM . . .	421	22	10	27	18	5	4	5	15	7	14	4	6	11
	2. „ OF ORGANS OF CIRCULATION .	291	1	1	—	1	—	—	—	5	4	10	8	12	15
	3. „ OF RESPIRATORY ORGANS . . .	835	52	56	115	115	49	15	10	17	9	7	11	10	18
	4. „ OF DIGESTIVE ORGANS	282	17	17	11	12	3	5	1	11	7	7	9	13	12
	5. „ OF URINARY ORGANS	48	1	—	2	—	—	—	—	3	1	3	6	2	4
	6. „ OF ORGANS OF GENERATION .	16	—	—	—	1	—	—	—	—	—	—	—	3	1
	7. „ OF ORGANS OF LOCOMOTION . . .	15	—	—	—	—	—	—	—	3	2	1	4	—	—
	8. „ OF INTEGUMENTARY SYSTEM	13	—	1	—	3	—	—	—	—	—	1	2	1	—
IV.	1. DEV. DIS. OF CHILDREN .	142	106	4	12	19	1	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	43	—	—	—	—	—	—	—	—	—	1	2	14	9
	3. „ OF OLD PEOPLE	340	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	221	125	13	14	13	11	2	2	3	3	1	3	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	193	16	2	3	2	6	5	3	12	10	15	22	10	14
	*														
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	10	—	—	—	—	—	—	—	—	—	—	1	—	2
	5. EXECUTION	1	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		3	—	1	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		56	19	1	5	3	1	1	1	2	4	—	1	—	2
I.	ORDER 1.														
	1. Small-pox	2	—	—	—	—	—	—	—	—	—	2	—	—	—
	2. Measles	94	1	6	13	39	11	11	4	8	—	1	—	—	—
	3. Scarlatina	96	2	—	10	12	14	11	10	23	9	4	—	—	—
	4. Diphtheria	55	3	—	5	14	14	6	5	5	1	—	1	—	1
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	58	1	—	9	20	16	10	1	1	—	—	—	—	—
	7. Hooping-cough	67	6	8	19	19	5	6	2	1	—	—	—	1	—
	8. { Typhus Fever	7	—	—	—	—	—	—	—	—	—	2	—	2	1
	Enteric or Typhoid Fever	91	—	—	—	3	3	2	1	16	13	9	12	10	5
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple Continued Fever	3	—	—	1	—	—	1	—	—	—	—	1	—	—
	9. Erysipelas	10	5	—	—	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	5	—	—	1	—	1	—	—	—	—	—	—	—	—
	13. Dysentery	8	2	1	1	—	2	—	—	—	—	—	—	—	—
	14. Diarrhoea	106	24	14	17	18	4	2	1	1	—	—	1	1	—
	15. Cholera	8	—	3	1	1	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	4	—	—	—	1	—	2	—	—	—	—	—	—	—
	18. Rheumatism	11	—	—	—	—	—	—	—	1	—	3	—	—	—
	19. Other Miasmatic Diseases	2	—	—	1	1	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	13	4	4	1	—	—	—	—	—	—	—	—	1	—
	2. Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	2	2	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	3	—	—	—	—	1	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	6	—	—	—	—	—	—	—	—	—	—	—	1	1
	holism { b Intemperance	7	—	—	—	—	—	—	—	—	—	1	—	—	1
	ORDER 4.														
	1. Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	1	—	—	—	—	—	—	—	1	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	19	2	—	—	—	—	—	1	3	2	—	—	—	—
	3. Cancer	67	—	—	—	—	—	—	—	1	2	—	—	2	—
	4. Cancrum Oris (Noma)	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	5. Mortification	6	2	1	—	—	—	—	—	1	—	—	—	—	—

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATHS.	FEMALES.														
		ALL AGES.	MONTHS.			AGE UNDER										
			3	6	12	2	3	4	5	10	15	20	25	30	35	
V.	1. ACCIDENT OR NEGLIGENCE	63	9	2	2	1	7	2	1	4	3	-	1	2	4	
	*															
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	7	-	-	-	-	-	-	-	-	-	1	-	2	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	-	-	1	-	-	-	-	-	-	-	-	-	-	
	CAUSES NOT SPECIFIED	40	16	3	3	1	2	-	1	1	-	-	1	3	-	
I.	ORDER 1.															
	1. Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
	2. Measles	102	-	-	21	53	11	7	6	4	-	-	-	-	-	
	3. Scarlatina	88	3	-	3	16	16	8	5	28	2	-	2	-	2	
	4. Diphtheria	58	-	-	2	7	8	10	12	14	-	2	-	-	-	
	5. Quinsy	2	-	-	-	-	-	-	1	1	-	-	-	-	-	
	6. Croup	79	1	1	10	17	19	15	6	9	-	-	1	-	-	
	7. Hooping-cough	123	7	15	37	32	19	3	4	6	-	-	-	-	-	
	8. { Typhus Fever	17	-	-	-	-	-	-	-	-	-	5	1	3	-	
	Enteric or Typhoid Fever	84	-	1	2	1	2	6	6	24	7	9	6	4	6	
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Simple Continued Fever	8	-	1	-	-	-	-	-	-	3	-	-	-	-	
	9. Erysipelas	17	4	2	1	1	-	-	-	-	-	1	1	1	-	
	10. Puerperal Fever (Metria)	23	-	-	-	-	-	-	-	-	-	-	8	7	3	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	4	1	-	-	1	-	-	-	-	-	-	-	-	-	
	13. Dysentery	11	-	1	1	-	-	-	-	1	-	-	-	-	-	
	14. Diarrhoea	107	9	14	18	22	1	2	-	-	-	-	-	1	1	
	15. Cholera	5	1	-	3	-	-	-	-	1	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	16	-	-	-	-	-	-	-	-	1	2	-	2	1	
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis	19	5	6	2	3	-	-	-	-	-	-	-	1	-	
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Privation	3	-	-	-	-	-	-	1	-	-	-	-	1	-	
	2. Want of Breast Milk	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Alco- { a Del. Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	holism { b Intemperance	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Thrush	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
	2. Worms, etc. . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	33	3	-	-	-	-	-	-	2	-	1	1	1	-	
	3. Cancer	109	-	-	-	-	-	-	-	-	-	-	-	1	6	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	11	-	-	-	1	-	1	-	-	-	-	-	-	-	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	12	13	11	9	3	7	6	4	5	3	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	1	-	4	-	-	1	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	1	2	5	1	1	3	2	1	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	3	9	1	-	2	1	-	-	1	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	14. Diarrhoea	2	2	2	-	2	3	4	4	1	-	3	-	-	-	-
	15. Cholera	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	18. Rheumatism	1	1	1	-	2	-	2	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	2. Stricture of Urethra	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	1	-	1	-	4	2	3	-	-	-	-	-	-	-	-
	3. Cancer	4	3	4	5	6	9	12	10	4	4	1	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	2	4	4	1	3	1	3	1	2	1	—	—	—	—
	*															
	3. HOMICIDE	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	1	1	—	1	—	1	1	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED	—	2	—	2	2	—	2	1	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	3	2	1	—	—	1	1	—	—	—	—	—	—	—	—
	Enteric or Typhoid Fever	1	2	2	2	2	—	1	—	—	—	—	—	—	—	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple Continued Fever	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	—	1	—	—	1	—	1	—	2	—	1	—	—	—	—
	10. Puerperal Fever (Metria)	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	13. Dysentery	—	—	1	—	—	1	1	4	1	—	—	—	—	—	—
	14. Diarrhoea	1	2	—	5	2	7	2	8	6	4	—	2	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	—	1	—	1	3	1	—	1	1	1	1	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	1	1	1	2	3	5	4	6	2	—	—	—	—	—	—
	3. Cancer	11	10	10	19	10	11	15	11	5	—	—	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	1	—	2	—	1	1	—	3	—	—	1	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	36	1	2	1	1	2	2	1	9	3	3	4	1	2
	2. Tabes Mesenterica	95	4	7	5	21	17	7	7	12	6	4	1	1	—
	3. Phthisis	488	3	2	7	14	11	6	5	20	23	61	76	57	47
	4. Hydrocephalus	190	11	11	44	38	21	11	12	28	9	1	1	—	—
	ORDER 1.														
	1. Cephalitis	70	—	5	14	15	7	7	3	9	—	2	—	1	—
	2. Apoplexy	92	1	3	3	2	—	—	1	2	2	1	—	3	1
	3. Paralysis	119	1	—	—	—	—	—	—	—	1	—	—	3	4
	4. Insanity	8	—	—	—	—	—	—	—	—	—	—	—	—	1
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	20	—	—	—	—	1	—	1	—	2	—	2	1	1
	7. Convulsions	88	27	10	16	21	5	1	2	4	—	—	—	—	—
	8. Brain Disease, etc.	73	1	2	2	2	—	—	3	7	9	5	3	3	—
	ORDER 2.														
	1. Pericarditis	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	8	—	—	—	—	—	—	—	—	—	—	—	1	—
	3. Heart Disease, etc.	261	3	—	—	—	—	—	1	3	3	4	5	8	7
	ORDER 3.														
	1. Laryngitis	7	1	2	—	2	—	1	—	—	—	—	—	—	—
	2. Bronchitis	586	65	56	82	87	31	10	9	9	2	—	1	1	5
	3. Pleurisy	21	1	—	—	—	1	—	—	1	1	—	3	1	1
	4. Pneumonia	225	16	14	15	30	8	6	1	16	3	7	7	6	9
	5. Asthma	19	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	87	9	6	8	14	9	1	2	1	1	1	2	2	3
	ORDER 4.														
	1. Gastritis	12	—	1	2	—	2	1	—	—	—	1	—	—	1
	2. Enteritis	54	16	8	9	7	2	2	1	—	1	—	1	—	1
3. Peritonitis	20	3	2	2	—	—	1	—	—	3	2	—	—	2	
4. Ascites	6	—	—	—	—	—	—	—	1	1	—	—	1	—	
5. Ulceration of Intestines	10	—	—	—	1	—	—	—	—	—	—	—	—	—	
6. Hernia	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Ileus	17	5	1	—	1	—	—	—	—	—	—	—	2	1	
8. Intussusception	6	2	—	—	—	—	—	—	1	—	—	—	1	—	
9. Stricture of Intestines	6	1	—	—	—	—	—	—	—	—	—	—	—	—	
10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Stomach Disease, etc.	36	4	4	—	3	—	1	1	1	—	—	1	—	2	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	19	1	1	—	1	1	1	—	1	—	—	1	1	1	
14. Jaundice	14	4	—	—	—	—	—	1	—	—	—	—	—	—	
15. Liver Disease, etc.	60	1	—	—	—	—	1	—	—	2	—	1	2	5	
16. Spleen Disease, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—	1	
ORDER 5.															
1. Nephritis	14	—	—	—	1	—	—	1	1	1	1	1	1	—	
2. Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease (Nephria)	37	—	—	—	—	—	2	—	1	—	2	1	1	2	
4. Diabetes	5	—	—	—	—	—	—	—	—	1	—	1	—	—	
5. Calculus (Stone)	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Cystitis	8	—	—	—	1	—	—	—	—	—	—	—	1	—	
7. Kidney Disease, etc.	37	—	—	—	—	—	—	—	—	2	—	—	1	2	
ORDER 6.															
1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 7.															
1. Synovitis (Arthritis)	2	—	—	1	—	—	—	—	—	—	1	—	—	—	
2. Joint Disease, etc.	28	1	—	1	2	1	1	—	1	8	3	1	3	—	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	30	—	—	1	3	2	3	1	7	2	5	1	1	1
	2. Tabes Mesenterica	82	6	4	13	18	6	3	5	10	11	3	—	1	1
	3. Phthisis	571	2	2	14	13	15	6	4	27	40	68	77	80	55
	3. Hydrocephalus	138	4	11	25	32	13	11	11	24	2	3	1	—	—
	ORDER 1.														
	1. Cephalitis	41	—	—	6	3	2	3	—	7	4	7	1	—	—
	2. Apoplexy	110	2	1	3	—	—	—	1	3	1	2	—	1	4
	3. Paralysis	134	—	—	—	—	—	—	—	—	—	2	1	2	—
	4. Insanity	8	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	15	—	—	—	1	—	—	1	—	—	1	—	—	4
	7. Convulsions	67	17	8	18	13	1	1	2	2	1	—	—	—	1
	8. Brain Disease, etc. . . .	46	3	1	—	1	2	—	1	3	1	2	2	3	2
	ORDER 2.														
	1. Pericarditis	5	—	—	—	—	—	—	—	—	—	1	—	—	—
	2. Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc. . . .	285	1	1	—	1	—	—	—	5	4	9	8	12	15
	ORDER 3.														
	1. Laryngitis	18	1	2	1	2	—	4	1	2	—	—	—	1	1
	2. Bronchitis	549	38	45	80	71	32	9	7	5	2	2	5	3	8
	3. Pleurisy	9	—	—	—	1	—	—	1	—	—	—	—	—	—
	4. Pneumonia	145	9	5	21	30	9	2	1	5	5	4	4	3	4
	5. Asthma	15	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc. . . .	99	4	4	13	11	8	—	—	5	2	1	2	3	5
	ORDER 4.														
	1. Gastritis	26	—	4	2	1	—	—	—	3	1	1	1	—	1
	2. Enteritis	51	11	7	3	6	—	2	—	3	—	1	2	—	—
	3. Peritonitis	39	—	3	1	1	1	—	—	3	4	3	2	7	3
	4. Ascites	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	13	—	—	—	—	—	—	—	—	—	—	1	1	2
	6. Hernia	8	1	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	14	—	—	1	—	—	1	—	1	1	—	1	—	1
	8. Intussusception	4	—	1	2	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines . .	2	—	—	—	—	—	—	—	—	—	—	1	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc. . .	46	5	2	2	3	2	2	—	1	—	1	—	1	1
	12. Pancreas Disease, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	17	—	—	—	—	—	—	1	—	1	—	1	1	1
	14. Jaundice	6	—	—	—	1	—	—	—	—	—	—	—	1	—
	15. Liver Disease, etc. . . .	51	—	—	—	—	—	—	—	—	—	1	—	2	2
	16. Spleen Disease, etc. . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	1
	ORDER 5.														
	1. Nephritis	9	—	—	2	—	—	—	—	1	—	1	2	—	1
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	24	—	—	—	—	—	—	—	2	—	1	2	2	3
	4. Diabetes	2	—	—	—	—	—	—	—	—	—	1	—	—	—
	5. Calculus (Stone)	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc. . . .	11	—	—	—	—	—	—	—	—	1	—	2	—	—
	ORDER 6.														
	1. Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	1	—
	2. Uterus Disease, etc. . . .	15	—	—	—	1	—	—	—	—	—	—	—	2	1
	ORDER 7.														
	1. Synovitis (Arthritis) . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	15	—	—	—	—	—	—	—	3	2	1	4	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	40	35	18	25	15	13	6	3	-	-	-	-	-	-	1
	4. Hydrocephalus	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	2	3	-	-	-	2	-	-	-	-	-	-	-	-	-
	2. Apoplexy	-	4	3	4	10	18	9	9	12	1	3	-	-	-	-
	3. Paralysis	4	4	11	12	2	15	24	14	13	8	2	1	-	-	-
	4. Insanity	-	3	1	1	-	1	-	-	1	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	5	1	1	2	1	-	2	-	-	-	-	-	-	-	-
	7. Convulsions	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	4	-	8	4	2	8	5	1	2	1	-	1	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-
	2. Aneurism	2	1	-	1	-	2	-	1	-	-	-	-	-	-	-
	3. Heart Disease, etc.	15	20	21	18	31	32	42	25	17	5	1	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2. Bronchitis	10	6	15	30	35	36	30	22	29	10	5	-	-	-	-
	3. Pleurisy	-	1	2	3	2	1	1	1	-	-	-	-	-	-	1
	4. Pneumonia	12	8	9	17	15	8	7	6	2	2	1	-	-	-	-
	5. Asthma	1	4	1	1	1	3	2	3	3	3	-	-	-	-	-
	6. Lung Disease, etc.	3	3	3	3	2	2	3	4	3	2	-	-	-	-	-
ORDER 4.																
1. Gastritis	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	
2. Enteritis	1	1	-	-	-	1	1	-	2	-	-	-	-	-	-	
3. Peritonitis	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	
4. Ascites	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	1	1	-	-	1	5	1	-	-	-	-	-	-	-	-	
6. Hernia	-	-	1	-	1	2	1	-	-	-	1	-	-	-	-	
7. Ileus	-	1	1	1	-	-	1	1	1	1	-	-	-	-	-	
8. Intussusception	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	2	1	1	3	1	1	3	2	4	1	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	1	3	3	1	-	1	1	-	-	-	-	-	-	-	
14. Jaundice	1	1	1	-	1	2	-	2	-	-	1	-	-	-	-	
15. Liver Disease, etc.	4	6	6	7	8	6	4	3	4	-	-	-	-	-	-	
16. Spleen Disease, etc.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.																
1. Nephritis	1	1	-	-	-	3	-	1	1	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	2	4	3	5	1	7	1	1	2	1	-	-	-	-	1	
4. Diabetes	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	
6. Cystitis	-	-	-	1	1	-	-	2	1	1	-	-	-	-	-	
7. Kidney Disease, etc.	2	1	2	2	1	2	4	8	4	4	2	-	-	-	-	
ORDER 6.																
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.																
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	4	1	-	-	1	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	49	46	21	24	14	11	3	—	—	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	3	—	2	—	—	1	2	—	—	—	—	—	—	—	—
	2. Apoplexy	5	4	4	10	19	8	15	13	7	6	1	—	—	—	—
	3. Paralysis	1	4	5	9	14	15	18	20	22	12	9	—	—	—	—
	4. Insanity	1	2	1	1	—	—	—	2	—	1	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	1	1	—	1	—	1	1	3	—	—	—	—	—	—	—
	7. Convulsions	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	1	4	2	1	4	5	1	3	3	1	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—
	2. Aneurism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	18	20	20	28	25	27	32	24	21	10	4	—	—	—	—
	ORDER 3.															
	1. Laryngitis	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	6	10	16	21	28	40	27	47	27	11	6	1	1	1	—
	3. Pleurisy	—	1	1	—	2	2	—	—	—	—	—	—	—	—	—
	4. Pneumonia	5	5	3	2	7	5	8	4	3	1	—	—	—	—	—
	5. Asthma	—	—	—	1	3	2	6	1	1	1	—	—	—	—	—
	6. Lung Disease, etc.	3	3	5	2	4	7	4	6	5	2	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	3	1	2	—	—	1	2	1	2	—	—	—	—	—	—
	2. Enteritis	2	1	1	1	2	2	2	3	1	1	—	—	—	—	—
	3. Peritonitis	1	1	2	—	1	1	1	4	—	—	—	—	—	—	—
	4. Ascites	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	1	1	2	3	—	—	—	—	2	—	—	—	—	—	—
	6. Hernia	—	1	1	—	2	—	—	2	1	—	—	—	—	—	—
	7. Ileus	—	—	1	1	—	4	1	—	1	—	—	—	—	—	—
	8. Intussusception	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	1	6	1	3	4	2	5	2	1	—	—	1	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	1	2	1	1	2	2	1	1	—	1	—	—	—	—	—
	14. Jaundice	—	—	—	1	—	—	1	1	1	—	—	—	—	—	—
	15. Liver Disease, etc.	4	8	5	3	1	8	7	5	5	—	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	4	3	—	—	—	1	1	2	1	2	—	—	—	—	—
	4. Diabetes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	—	2	—	2	1	1	—	—	2	—	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	1	1	2	3	—	—	1	2	1	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	—	1	1	—	1	—	1	—	—	1	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	6	—	—	1	—	—	—	—	1	1	1	—	—	1
	2. Ulcer	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	7	1	1	3	—	—	—	—	—	—	—	—	—	—
	ORDER 1.														
	1. Premature Birth	115	113	2	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	5	3	—	2	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	4. Other Malformations	8	8	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	40	—	6	17	13	4	—	—	—	—	—	—	—	—
V.	ORDER 2.														
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Old Age	179	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	235	147	15	18	17	6	4	1	1	2	—	1	1	2
	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	97	1	—	—	1	2	1	3	7	2	7	18	5	8
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Burns and Scalds	10	1	—	2	1	2	1	—	1	—	—	—	—	—	
5. Poison	5	1	—	—	—	—	2	—	—	—	—	—	—	—	
6. Drowning	48	1	—	—	—	1	1	—	2	6	6	4	4	4	
7. Suffocation	19	11	2	1	—	1	—	—	—	—	—	—	1	1	
8. Otherwise	14	1	—	—	—	—	—	—	2	2	2	—	—	1	
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	3	—	—	—	—	—	—	—	—	—	—	—	—	1
	3. Poison	2	—	—	—	—	—	—	—	—	—	—	—	—	1
	4. Drowning	3	—	—	—	—	—	—	—	—	—	1	—	—	—
	5. Hanging	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)														
1. Hanging	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sudden Deaths (cause unascertained)		3	—	1	—	—	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		56	19	1	5	3	1	1	1	2	—	1	—	2	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
			3	6	12											
IV.	ORDER 8.															
	1. Phlegmon	7	—	—	—	1	—	—	—	—	—	1	1	1	—	
	2. Ulcer	3	—	—	—	1	—	—	—	—	—	—	—	—	—	
	3. Skin Disease, etc.	3	—	1	—	1	—	—	—	—	—	—	1	—	—	
	ORDER 1.															
	1. Premature Birth	95	93	2	—	—	—	—	—	—	—	—	—	—	—	
	2. Cyanosis	3	3	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Spina Bifida	3	3	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Other Malformations	8	7	—	1	—	—	—	—	—	—	—	—	—	—	
	5. Teething	33	—	2	11	19	1	—	—	—	—	—	—	—	—	
	ORDER 2.															
	1. Paramenia	3	—	—	—	—	—	—	—	—	—	—	—	—	2	
	2. Childbirth (see Puerperal Fever)	40	—	—	—	—	—	—	—	—	—	1	2	14	7	
	ORDER 3.															
	1. Old Age	340	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4.															
	1. Atrophy and Debility	221	125	13	14	13	11	2	2	3	3	1	3	—	—	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	17	—	1	—	—	2	1	—	2	1	—	—	—	—	
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Cut, Stab	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
	4. Burns and Scalds	9	—	—	—	1	2	—	1	2	1	—	—	—	—	
	5. Poison	5	1	—	—	—	—	—	—	—	—	—	1	—	—	
	6. Drowning	9	—	—	—	—	1	1	—	—	—	—	—	—	2	
	7. Suffocation	12	5	1	1	—	1	—	—	—	—	—	—	1	1	
	8. Otherwise	10	3	—	1	—	—	—	—	—	1	—	—	1	1	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Drowning	3	—	—	—	—	—	—	—	—	—	1	—	1	—	
	5. Hanging	4	—	—	—	—	—	—	—	—	—	—	—	1	—	
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sudden Deaths (cause unascertained)		7	—	—	1	—	—	—	—	—	—	—	—	—	—
	Causes not specified or ill-defined		40	16	3	3	1	2	—	1	1	—	—	1	3	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ulcer	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—
	3. Skin Disease, etc. . . .	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	1	11	26	36	37	41	21	6	—	—	—
	ORDER 4.															
	1. Atrophy and Debility	2	—	2	5	11	—	—	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	7	8	6	5	1	3	5	1	3	3	—	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	5. Poison	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	6. Drowning	4	3	4	2	1	2	—	2	1	—	—	—	—	—	—
	7. Suffocation	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	8. Otherwise	1	—	1	1	1	—	1	—	1	—	—	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	Causes not specified or ill-defined	—	1	2	5	1	1	3	2	1	—	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	2. Ulcer	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	1	23	30	66	79	75	38	12	10	—	1
	ORDER 4.															
	1. Atrophy and Debility	3	4	6	7	10	1	—	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	1	—	1	—	1	2	1	1	—	2	1	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	5. Poison	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	7. Suffocation	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	8. Otherwise	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	1	1	1	—	1	—	1	1	—	—	—	—	—	—	—
	Causes not specified or ill-defined	—	2	—	2	2	—	2	1	—	—	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes . . .	8052	899	296	554	641	297	183	127	341	239	274	300	262	209
	Specified Causes . .	7918	847	285	551	632	290	179	127	338	237	270	298	260	208
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1250	66	52	155	214	117	85	61	145	44	43	41	29	17
II.	CONSTITUTIONAL „	1463	21	46	85	114	60	38	18	95	97	111	132	122	83
III.	LOCAL „	3718	314	153	250	230	88	49	39	71	71	68	73	71	79
IV.	DEVELOPMENTAL „	996	428	28	59	63	7	2	1	2	3	2	2	-	1
V.	VIOLENT DEATHS .	491	18	6	2	11	18	5	8	25	22	46	50	38	28
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1183	55	50	153	212	115	85	61	143	44	43	39	25	12
	2. ENTHETIC „ .	14	4	1	1	1	-	-	-	-	-	-	-	-	-
	3. DIETIC „ .	48	5	-	1	-	1	-	-	2	-	-	2	4	5
	4. PARASITIC „ .	5	2	1	-	1	1	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „ .	171	3	-	-	5	3	1	-	4	1	1	5	1	2
	2. TUBERCULAR „ .	1292	18	46	85	109	57	37	18	91	96	110	127	121	81
III.	1. DISEASES OF NERVOUS SYSTEM . .	859	59	26	41	42	19	17	12	34	28	21	14	14	21
	2. „ OF ORGANS OF CIRCULATION .	582	6	-	1	2	2	-	2	-	6	10	16	6	14
	3. „ OF RESPIRATORY ORGANS . .	1502	157	99	171	169	60	22	16	13	17	13	25	27	18
	4. „ OF DIGESTIVE ORGANS . . .	521	83	28	35	16	6	6	4	10	11	11	11	14	12
	5. „ OF URINARY ORGANS . . .	208	7	-	1	-	-	2	2	10	4	6	6	7	12
	6. „ OF ORGANS OF GENERATION .	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ OF ORGANS OF LOCOMOTION . .	38	-	-	-	-	1	2	3	4	5	7	1	3	2
	8. „ OF INTEGUMENTARY SYSTEM . .	5	1	-	1	1	-	-	-	-	-	-	-	-	-
IV.	1. DEV. DIS. OF CHILDREN .	300	209	6	34	48	1	-	-	1	-	-	1	-	-
	2. „ OF ADULTS .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	380	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	316	219	22	25	15	6	2	1	1	3	2	1	-	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	8008	670	246	451	534	279	171	134	348	217	293	324	265	244
	Specified Causes . .	7883	626	234	448	523	276	171	134	347	216	292	320	263	240
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1393	58	51	125	195	137	104	70	183	57	39	41	33	28
II.	CONSTITUTIONAL „	1675	23	31	69	103	49	25	29	69	91	187	180	145	106
III.	LOCAL „	3352	193	123	209	160	74	39	33	78	64	52	81	59	78
IV.	DEVELOPMENTAL „	1298	333	28	41	56	10	1	1	6	2	10	15	23	23
V.	VIOLENT DEATHS .	165	19	1	4	9	6	2	1	11	2	4	3	3	5
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1347	47	46	120	194	137	104	70	179	57	39	41	32	28
	2. ENTHETIC „ .	16	4	3	2	1	-	-	-	1	-	-	-	-	-
	3. DIETIC „ .	24	6	1	2	-	-	-	-	1	-	-	-	1	-
	4. PARASITIC „ .	6	1	1	1	-	-	-	-	2	-	-	-	-	-
II.	1. DIATHETIC „ .	320	4	2	3	3	2	3	2	1	3	2	2	2	7
	2. TUBERCULAR „ .	1355	19	29	66	100	47	22	27	68	88	185	178	143	99
III.	1. DISEASES OF NERVOUS SYSTEM . .	822	37	26	37	25	20	14	9	31	16	12	15	6	11
	2. „ OF ORGANS OF CIRCULATION .	565	3	-	4	2	-	-	-	8	13	6	17	12	16
	3. „ OF RESPIRATORY ORGANS . .	1257	97	72	142	108	44	19	19	26	10	15	19	18	22
	4. „ OF DIGESTIVE ORGANS. . . .	529	51	25	23	20	6	5	4	9	12	10	18	16	17
	5. „ OF URINARY ORGANS. . . .	98	2	-	-	3	1	1	1	1	6	5	6	5	8
	6. „ OF ORGANS OF GENERATION .	35	-	-	-	-	-	-	-	-	-	1	1	-	3
	7. „ OF ORGANS OF LOCOMOTION . .	26	-	-	-	1	2	-	-	3	7	3	3	1	1
	8. „ OF INTEGUMENTARY SYSTEM . .	20	3	-	3	1	1	-	-	-	-	-	2	1	-
IV.	1. DEV. DIS. OF CHILDREN .	254	179	5	25	42	3	-	-	-	-	-	-	-	-
	2. „ OF ADULTS .	102	-	-	-	-	-	-	-	-	1	9	15	22	23
	3. „ OF OLD PEOPLE	686	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	256	154	23	16	14	7	1	1	6	1	1	-	1	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	458	18	6	2	11	18	5	8	25	22	45	50	35	27
	*														
	3. HOMICIDE	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	32	—	—	—	—	—	—	—	—	—	1	—	3	1
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		6	3	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		128	49	11	3	9	7	4	—	3	2	4	2	2	1
I.	ORDER 1.														
	1. Small-pox	6	—	—	1	—	—	—	—	—	1	1	1	—	1
	2. Measles	88	—	2	19	34	14	4	4	6	1	2	1	1	—
	3. Scarlatina	224	1	1	17	43	31	28	30	64	8	—	1	—	—
	4. Diphtheria	98	—	1	10	17	21	15	7	14	6	3	1	1	1
	5. Quinsy	8	—	1	3	—	—	1	1	—	—	—	—	—	—
	6. Croup	110	2	3	20	31	19	20	6	9	—	—	—	—	—
	7. Hooping-cough	133	6	12	43	41	19	6	3	3	—	—	—	—	—
	8. { Typhus Fever	25	—	—	—	1	—	—	—	1	3	1	7	2	1
	{ Enteric or Typhoid Fever	178	—	—	2	8	4	6	7	30	20	27	20	16	7
	{ Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ Simple Continued Fever	39	1	1	—	5	1	2	2	5	2	2	4	3	1
	9. Erysipelas	38	15	3	3	—	—	—	1	2	1	1	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	7	—	—	—	—	—	—	—	1	—	—	—	—	—
	13. Dysentery	16	—	—	3	1	1	1	—	—	—	—	—	—	—
	14. Diarrhoea	165	28	23	30	31	2	1	—	—	—	3	1	2	—
	15. Cholera	4	—	2	1	—	—	—	—	—	—	—	—	—	1
	16. Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	13	1	—	1	—	3	1	—	5	—	—	1	—	—
	18. Rheumatism	28	—	—	—	—	—	—	—	3	2	3	2	—	—
	19. Other Miasmatic Diseases,	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	8	4	1	1	1	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	6	5	—	1	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	7	—	—	—	—	1	—	—	2	—	—	1	1	—
	4. Alco- { a Del. Tremens	15	—	—	—	—	—	—	—	—	—	—	—	2	4
	holism { b Intemperance	18	—	—	—	—	—	—	—	—	—	—	1	1	1
	ORDER 4.														
	1. Thrush	4	2	1	—	1	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	1	—	—	—	—	1	—	—	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	42	2	—	—	4	2	1	—	3	—	—	2	1	1
	3. Cancer	113	—	—	—	—	1	—	—	—	—	1	2	—	1
	4. Cancrum Oris (Noma)	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	5. Mortification	14	1	—	—	1	—	—	—	—	1	—	1	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	149	18	1	4	9	6	2	1	11	2	3	3	3	3
	*														
	3. HOMICIDE	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE !	15	—	—	—	—	—	—	—	—	—	1	—	—	2
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	6	2	—	—	1	—	—	—	—	—	—	—	—	1
	CAUSES NOT SPECIFIED	119	42	12	3	10	3	—	—	1	1	1	4	2	3
I.	ORDER 1.														
	1. Small-pox	9	—	—	—	—	—	—	—	1	1	1	1	1	1
	2. Measles	95	—	3	19	26	19	10	8	8	1	1	—	—	—
	3. Scarletina	214	2	1	10	28	35	29	28	54	13	4	4	4	1
	4. Diphtheria	153	—	2	11	19	23	26	12	44	5	4	—	2	1
	5. Quinsy	2	—	—	—	1	—	—	—	—	—	—	—	—	—
	6. Croup	98	3	3	12	31	24	12	5	8	—	—	—	—	—
	7. Hooping-cough	142	13	12	26	44	16	16	3	11	—	—	—	—	—
	8. { Typhus Fever	18	—	—	1	1	1	—	—	3	—	1	—	3	1
	8. { Enteric or Typhoid Fever	229	—	1	2	6	9	7	9	38	24	24	20	9	10
	8. { Relapsing Fever	2	—	—	—	—	—	—	—	—	1	—	—	—	—
	8. { Simple Continued Fever	31	—	—	1	4	2	1	2	4	3	2	—	—	—
	9. Erysipelas	29	8	—	—	—	—	—	—	—	1	—	—	2	1
	10. Puerperal Fever (Metria)	44	—	—	—	—	—	—	—	—	—	1	12	7	8
	11. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	17	—	—	1	—	—	—	1	—	—	—	1	—	—
	13. Dysentery	18	—	—	1	—	1	—	—	1	—	—	1	—	1
	14. Diarrhoea	185	20	22	31	31	5	1	1	2	—	—	1	2	3
	15. Cholera	10	1	—	4	1	—	1	—	1	—	—	—	—	—
	16. Ague	3	—	—	—	—	—	—	—	1	—	—	—	—	—
	17. Remittent Fever	11	—	1	1	2	2	1	—	1	2	—	—	—	—
	18. Rheumatism	34	—	—	—	—	—	—	1	2	4	1	1	2	1
	19. Other Miasmatic Diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	16	4	3	2	1	—	—	—	1	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	2	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	8	6	1	1	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	4. Alco- { a Del. Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	9	—	—	—	—	—	—	—	—	—	—	—	1	—
	ORDER 4.														
	1. Thrush	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	4	—	—	1	—	—	—	—	2	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	57	3	2	3	1	2	1	1	1	1	2	2	1	—
	3. Cancer	248	—	—	—	1	—	1	—	—	2	—	—	1	7
	4. Cancrum Oris (Noma)	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	5. Mortification	11	1	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	33	25	24	17	22	19	16	9	4	7	1	—	—	—	9
	*															
	3. HOMICIDE	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	3	3	3	5	5	4	3	—	—	—	1	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		1	2	2	5	3	4	4	6	3	—	—	—	—	—	1
I.	ORDER 1.															
	1. Small-pox	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	1	—	1	1	2	2	—	1	1	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	3	1	8	5	4	4	1	2	2	1	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	1	—	3	—	1	3	—	2	—	—	—	—	—	—
	9. Erysipelas	—	1	—	1	3	1	2	2	1	—	1	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	1	—	2	—	3	—	—	—	—	—	—	—
	13. Dysentery	—	—	3	—	3	1	1	1	—	1	—	—	—	—	—
	14. Diarrhoea	1	3	—	1	1	3	7	13	8	6	1	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	3	1	1	2	1	2	2	2	2	2	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	1	1	1	—	—	1	—	—	1	—	1	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	2	2	1	1	3	—	—	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	1	5	—	2	1	1	4	—	—	1	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	—	—	3	4	7	1	2	2	4	1	2	—	—	—	—
	3. Cancer	7	3	7	9	14	22	18	14	6	7	1	—	—	—	—
	4. Cancerum Oris (Noma)	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	5. Mortification	—	1	—	—	—	—	—	2	3	4	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued).

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	6	6	2	8	12	5	8	9	8	14	2	1	—	1	1
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	2	2	—	1	3	2	1	1	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED	3	1	3	7	3	5	7	4	4	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	2	2	—	—	—	1	—	—	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	14	10	10	7	9	7	3	6	1	2	1	—	—	—	—
	8. { Relapsing Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	1	1	1	2	1	2	—	2	1	1	—	—	—	—	—
	9. Erysipelas	—	2	3	3	3	—	—	—	4	2	—	—	—	—	—
	10. Puerperal Fever (Metria)	10	5	1	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	12. Influenza	—	—	1	—	—	1	5	—	1	1	3	1	1	—	—
	13. Dysentery	—	1	—	—	3	1	1	2	1	3	—	1	—	—	—
	14. Diarrhoea	1	2	2	2	4	4	8	15	20	4	4	—	—	—	—
	15. Cholera	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	17. Remittent Fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	1	1	1	2	2	6	2	3	1	2	1	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	2	1	1	1	1	2	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—
	2. Dropsy	1	—	2	2	5	5	5	7	6	2	1	1	—	—	—
	3. Cancer	15	13	25	27	35	23	41	30	14	8	3	2	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	1	—	1	—	—	1	1	1	1	1	1	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
III.	ORDER 2.														
	1. Scrofula	85	3	4	2	3	2	4	1	10	11	9	10	8	4
	2. Tabes Mesenterica	151	3	12	24	37	20	10	4	15	13	5	2	2	—
	3. Phthisis	808	3	6	10	14	10	7	6	26	57	92	114	109	77
	4. Hydrocephalus	248	9	24	49	55	25	16	7	40	15	4	1	2	—
	ORDER 1.														
	1. Cephalitis	102	3	3	10	12	7	7	6	19	9	4	3	2	2
	2. Apoplexy	210	3	1	4	6	2	—	1	6	1	3	1	4	8
	3. Paralysis	212	—	2	—	—	—	3	—	1	—	3	2	—	—
	4. Insanity	6	—	—	—	—	—	—	—	—	—	—	—	—	2
	5. Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	6. Epilepsy	36	1	1	—	—	1	—	—	2	3	3	1	3	1
	7. Convulsions	126	45	18	23	18	7	4	4	2	—	—	1	1	1
	8. Brain Disease, etc.	166	7	1	4	6	2	3	1	4	14	8	6	4	7
	ORDER 2.														
	1. Pericarditis	14	—	—	—	1	—	—	2	—	—	1	1	—	1
	2. Aneurism	18	—	—	—	—	—	—	—	—	—	—	—	—	1
	3. Heart Disease, etc.	550	6	—	1	1	2	—	—	—	6	9	15	6	12
	ORDER 3.														
	1. Laryngitis	27	2	1	6	4	3	1	2	1	—	1	—	1	1
	2. Bronchitis	874	120	72	125	116	39	11	5	9	2	4	4	6	5
	3. Pleurisy	36	—	—	1	—	—	—	—	—	2	1	4	4	2
	4. Pneumonia	391	28	18	34	40	15	8	9	3	7	3	13	11	8
	5. Asthma	52	—	—	—	—	—	—	—	—	—	—	1	1	—
	6. Lung Disease, etc.	122	7	8	5	9	3	2	—	—	6	4	3	4	2
	ORDER 4.														
	1. Gastritis	23	2	1	3	—	—	—	—	—	—	—	—	2	1
	2. Enteritis	109	42	11	14	10	—	4	—	1	2	1	2	2	1
	3. Peritonitis	52	5	2	7	1	3	1	—	4	2	2	2	3	1
	4. Ascites	7	—	—	—	—	—	—	—	—	—	1	—	—	—
	5. Ulceration of Intestines . .	19	—	—	—	—	—	—	—	—	—	—	—	1	1
	6. Hernia	16	1	1	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	32	4	1	1	—	—	1	—	1	2	3	4	—	—
	8. Intussusception	8	—	2	—	—	—	—	—	1	—	—	1	—	—
	9. Stricture of Intestines . . .	8	—	—	—	—	—	—	—	—	—	1	—	—	—
	10. Fistula	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc. . . .	82	12	6	9	3	1	—	3	—	2	1	—	2	2
	12. Pancreas Disease, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	22	3	—	—	—	1	—	—	1	—	1	—	1	1
	14. Jaundice	29	11	3	1	1	1	—	—	—	—	—	—	—	—
	15. Liver Disease, etc.	106	2	1	—	1	—	—	1	1	2	1	1	3	4
	16. Spleen Disease, etc.	6	—	—	—	—	—	—	—	1	1	—	1	—	—
	ORDER 5.														
	1. Nephritis	19	3	—	—	—	—	1	2	3	—	1	—	1	2
	2. Ischuria	11	2	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease(Nephria)	60	1	—	—	—	—	1	—	2	2	3	4	2	4
	4. Diabetes	15	—	—	—	—	—	—	—	—	1	—	1	3	3
	5. Calculus (Stone)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	26	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	71	1	—	1	—	—	—	—	5	1	2	1	1	3
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	3	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.														
	1. Synovitis (Arthritis)	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	37	—	—	—	—	1	2	3	4	5	7	1	3	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	86	2	5	3	9	3	—	2	6	11	8	8	6	7
	2. Tabes Mesenterica	109	6	7	13	31	13	4	6	10	7	8	—	1	1
	3. Phthisis	967	3	3	6	11	10	6	6	32	64	166	169	136	89
	4. Hydrocephalus	193	8	14	44	49	21	12	13	20	6	3	1	—	2
	ORDER 1.														
	1. Cephalitis	90	2	6	9	6	6	3	4	18	9	5	1	1	4
	2. Apoplexy	237	2	3	7	5	3	2	3	3	1	—	1	1	2
	3. Paralysis	243	—	—	—	1	—	—	—	—	—	—	1	—	1
	4. Insanity	11	—	—	—	—	—	—	—	—	—	—	1	1	—
	5. Chorea	2	—	—	—	—	—	—	—	2	—	—	—	—	—
	6. Epilepsy	24	1	—	1	—	1	—	—	—	2	3	3	2	—
	7. Convulsions	94	30	15	16	9	8	8	1	2	—	—	—	—	—
	8. Brain Disease, etc.	121	2	2	4	4	2	1	1	6	4	3	8	1	4
	ORDER 2.														
	1. Pericarditis	11	—	—	—	—	—	—	—	1	—	—	1	1	—
	2. Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	550	3	—	4	2	—	—	—	7	13	6	16	11	16
	ORDER 3.														
	1. Laryngitis	15	3	2	1	3	1	1	1	1	—	—	—	—	1
	2. Bronchitis	847	68	59	110	75	28	9	11	10	5	5	5	5	11
	3. Pleurisy	29	1	—	—	—	—	—	—	2	—	1	1	3	2
	4. Pneumonia	242	11	6	28	26	14	7	6	13	4	6	10	7	4
	5. Asthma	35	—	—	—	1	—	—	—	—	—	—	—	—	1
	6. Lung Disease, etc.	89	14	5	3	3	1	2	1	—	1	3	3	3	3
	ORDER 4.														
	1. Gastritis	31	—	1	—	1	1	1	—	1	1	—	2	—	—
	2. Enteritis	108	28	16	15	12	4	2	—	2	3	—	2	3	—
3. Peritonitis	51	1	1	—	2	—	—	—	1	2	4	4	5	6	
4. Ascites	12	1	—	—	—	—	—	—	—	1	—	—	—	—	
5. Ulceration of Intestines	22	1	1	2	—	—	—	1	—	1	—	3	—	1	
6. Hernia	17	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Ileus	26	3	1	—	—	—	—	—	—	—	2	1	—	—	
8. Intussusception	12	1	1	—	—	—	1	—	1	1	—	1	—	—	
9. Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	1	—	—	
10. Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	1	
11. Stomach Disease, etc.	95	11	4	4	3	—	—	2	2	1	3	1	1	3	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	30	—	—	—	—	—	—	1	1	—	1	1	2	1	
14. Jaundice	31	5	—	1	—	—	1	—	1	—	—	—	—	1	
15. Liver Disease, etc.	89	—	—	1	2	1	—	—	—	2	—	2	5	4	
16. Spleen Disease, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
1. Nephritis	11	1	—	—	—	—	—	—	—	—	1	1	1	2	
2. Ischuria	1	—	—	—	—	—	—	—	—	—	1	—	—	—	
3. Bright's Disease(Nephria)	36	1	—	—	2	—	—	1	1	1	1	3	1	4	
4. Diabetes	12	—	—	—	—	—	—	—	—	1	—	—	2	—	
5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—	1	
7. Kidney Disease, etc.	34	—	—	—	1	1	1	—	—	4	2	2	1	1	
ORDER 6.															
1. Ovarian Dropsy	18	—	—	—	—	—	—	—	—	—	1	—	—	—	
2. Uterus Disease, etc.	17	—	—	—	—	—	—	—	—	—	—	1	—	3	
ORDER 7.															
1. Synovitis (Arthritis)	4	—	—	—	—	1	—	—	—	2	—	—	1	—	
2. Joint Disease, etc.	22	—	—	—	1	1	—	—	3	5	3	3	—	1	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	3	2	1	—	3	1	1	—	1	1	1	—	—	—	—
	2. Tabes Mesenterica	1	—	—	2	—	—	—	—	—	1	—	—	—	—	—
	3. Phthisis	55	47	41	46	23	30	17	8	2	3	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	3	4	—	1	1	1	1	2	2	—	—	—	—	—	—
	2. Apoplexy	7	7	5	10	21	25	22	28	24	14	7	—	—	—	—
	3. Paralysis	8	9	8	8	14	26	29	36	32	23	7	1	—	—	—
	4. Insanity	1	—	—	—	—	2	—	—	—	1	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	2	1	2	—	4	2	3	2	3	1	—	—	—	—	—
	7. Convulsions	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	8. Brain Disease, etc.	6	7	9	7	5	10	19	14	10	7	4	1	—	—	—
	ORDER 2.															
	1. Pericarditis	—	1	1	—	—	—	2	1	—	3	—	—	—	—	—
	2. Aneurism	2	1	2	3	2	4	2	—	1	—	—	—	—	—	—
	3. Heart Disease, etc.	24	25	31	38	46	71	84	78	58	24	9	4	—	—	—
	ORDER 3.															
	1. Laryngitis	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—
	2. Bronchitis	11	9	27	32	43	49	45	52	52	25	10	1	—	—	—
	3. Pleurisy	—	4	5	1	5	2	—	3	2	—	—	—	—	—	—
	4. Pneumonia	23	30	13	15	25	26	25	21	9	4	1	—	1	—	1
	5. Asthma	4	2	4	3	10	7	7	8	2	3	—	—	—	—	—
	6. Lung Disease, etc.	2	5	6	8	6	14	11	9	4	4	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	—	1	—	2	2	3	3	2	1	—	—	—	—	—	—
	2. Enteritis	1	—	4	1	1	2	3	2	1	3	1	—	—	—	—
	3. Peritonitis	—	2	2	4	4	1	2	1	1	—	2	—	—	—	—
	4. Ascites	—	1	1	2	—	—	—	1	—	1	—	—	—	—	—
	5. Ulceration of Intestines	—	—	3	5	3	2	1	1	1	—	1	—	—	—	—
	6. Hernia	—	2	—	3	—	1	2	—	1	4	—	—	—	—	—
	7. Ileus	1	—	—	2	—	1	4	1	5	1	—	—	—	—	—
	8. Intussusception	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	2	—	1	—	—	2	—	2	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	3	2	3	3	6	6	6	6	4	2	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	2	2	—	1	1	4	1	1	2	—	—	—	—	—	—
	14. Jaundice	—	1	—	2	—	2	1	3	2	—	1	—	—	—	—
	15. Liver Disease, etc.	3	9	8	12	13	11	10	13	9	1	—	—	—	—	—
	16. Spleen Disease, etc.	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	1	—	—	—	3	1	—	—	—	1	—	—	—	—	—
	2. Ischuria	—	—	—	—	1	—	1	1	4	2	—	—	—	—	—
	3. Bright's Disease (Nephria)	6	2	5	7	8	3	5	3	1	1	—	—	—	—	—
	4. Diabetes	2	—	—	—	1	—	2	1	—	1	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	1	—	—	2	—	2	1	—	—	—	—
	6. Cystitis	1	—	1	1	2	4	3	3	5	3	3	—	—	—	—
	7. Kidney Disease, etc.	2	2	2	3	2	4	7	11	14	6	3	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	—	1	1	2	1	3	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	3	2	1	2	1	1	3	—	2	—	—	1	—	—	—
	2. Tabes Mesenterica	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	3. Phthisis	81	59	34	33	25	18	10	3	1	2	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	4	—	1	2	4	2	—	1	—	1	1	—	—	—	—
	2. Apoplexy	3	14	6	18	26	19	30	36	28	14	5	5	—	—	—
	3. Paralysis	4	4	6	12	17	28	42	39	48	19	13	4	3	—	—
	4. Insanity	1	1	—	2	2	—	2	—	1	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	4	4	1	2	—	—	—	—	—	—	—	—	—	—	—
	7. Convulsions	2	—	—	1	1	—	—	1	—	—	—	—	—	—	—
	8. Brain Disease, etc.	2	4	7	5	8	9	12	12	11	7	2	—	—	—	—
	ORDER 2.															
	1. Pericarditis	1	—	1	—	3	1	—	1	—	1	—	—	—	—	—
	2. Aneurism	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	22	27	21	40	43	61	80	76	60	23	17	2	—	—	—
	ORDER 3.															
	1. Laryngitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	—	6	18	24	43	51	66	67	81	49	27	7	—	—	—
	3. Pleurisy	1	1	3	2	2	1	3	5	1	—	—	—	—	—	—
	4. Pneumonia	3	6	7	13	6	14	19	12	11	6	3	—	—	—	—
	5. Asthma	2	2	1	3	2	4	8	6	4	1	—	—	—	—	—
	6. Lung Disease, etc.	4	2	4	1	6	6	7	9	3	4	1	—	—	—	—
	ORDER 4.															
	1. Gastritis	3	2	4	2	3	3	2	1	1	2	—	—	—	—	—
	2. Enteritis	2	3	2	1	2	3	4	3	1	—	—	—	—	—	—
	3. Peritonitis	4	5	2	1	2	2	2	2	2	1	2	—	—	—	—
	4. Ascites	—	—	—	2	1	4	—	—	1	2	—	—	—	—	—
	5. Ulceration of Intestines	2	1	1	2	—	1	2	—	1	2	—	—	—	—	—
	6. Hernia	—	1	—	3	2	4	5	2	—	—	—	—	—	—	—
	7. Ileus	2	2	2	2	3	—	1	5	1	1	—	—	—	—	—
	8. Intussusception	—	1	2	1	—	1	—	—	—	1	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	1	4	5	9	7	4	8	6	10	2	3	1	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	1	5	3	3	4	—	5	1	1	—	—	—	—	—
	14. Jaundice	—	1	1	2	1	3	3	—	5	2	2	2	—	—	—
	15. Liver Disease, etc.	4	5	10	6	4	8	13	10	10	2	—	—	—	—	—
	16. Spleen Disease, etc.	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	3	—	2	3	5	2	2	2	—	2	—	—	—	—	—
	4. Diabetes	2	1	1	1	2	—	—	1	1	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—
	7. Kidney Disease, etc.	2	2	1	1	2	1	4	—	7	1	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	4	3	2	1	1	2	2	2	—	—	—	—	—	—
	2. Uterus Disease, etc.	2	2	2	2	—	1	1	2	—	1	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	1	—	1	—	—	2	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	MONTHS			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
IV.	ORDER 8.														
	1. Phlegmon	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	2	—	—	1	1	—	—	—	—	—	—	—	—	—
	ORDER 1.														
	1. Premature Birth	176	176	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	8	7	—	—	—	—	—	1	—	—	—	—	—	—
	3. Spina Bifida	4	4	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	24	22	—	—	1	—	—	—	—	—	—	1	—	—
	5. Teething	88	—	6	34	47	1	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Old Age	380	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	ORDER 4.														
	I. Atrophy and Debility	316	219	22	25	15	6	2	1	1	3	2	1	—	1
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	198	4	1	—	1	3	1	1	9	13	26	19	14	14
	2. Gunshot Wounds	2	—	—	—	—	—	—	—	—	—	—	—	1	1
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	33	—	—	—	4	8	—	4	3	—	5	4	—	1
	5. Poison	15	1	—	—	1	2	1	—	3	—	—	—	—	2
	6. Drowning	144	—	1	—	5	4	3	3	8	6	13	22	16	7
	7. Suffocation	31	11	4	2	—	1	—	—	—	—	1	1	1	1
	8. Otherwise	35	2	—	—	—	—	—	—	2	3	—	4	3	1
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	1	—	—	—	—	—	—	—	—	—	—	—	—	—
ORDER 4.															
(Suicide.)															
1. Gunshot Wounds	5	—	—	—	—	—	—	—	—	—	—	—	1	—	
2. Cut, Stab	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Poison	3	—	—	—	—	—	—	—	—	—	1	—	—	—	
4. Drowning	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Hanging	16	—	—	—	—	—	—	—	—	—	—	—	2	1	
6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
(Execution.)															
1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sudden Deaths (cause unascertained)	6	3	—	—	—	—	—	—	—	—	—	—	—	—	
Causes not specified or ill-defined	128	49	11	3	9	7	4	—	3	2	4	2	2	1	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	9	1	—	—	—	—	—	—	—	—	—	2	1	—
	2. Ulcer	4	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	7	2	—	2	1	1	—	—	—	—	—	—	—	—
	ORDER 1.														
	1. Premature Birth	147	147	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	6	5	1	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	10	10	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	17	17	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	74	—	4	25	42	3	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Paramenia	9	—	—	—	—	—	—	—	—	1	4	—	1	1
	2. Childbirth (see Puerperal Fever)	93	—	—	—	—	—	—	—	—	—	5	15	21	22
	ORDER 3.														
	1. Old Age	686	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	256	154	23	16	14	7	1	1	6	1	1	—	1	—
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	50	—	—	1	2	2	1	—	1	1	2	1	—	1
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	24	—	—	—	2	3	—	1	7	1	—	—	—	—
	5. Poison	5	—	—	—	2	1	—	—	—	—	—	—	—	—
	6. Drowning	20	—	—	—	2	—	—	—	1	—	1	2	2	—
	7. Suffocation	25	16	1	3	1	—	—	—	1	—	—	—	1	1
	8. Otherwise	25	2	—	—	—	—	1	—	1	—	—	—	—	1
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	5	—	—	—	—	—	—	—	—	—	—	—	—	2
	3. Poison	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	3	—	—	—	—	—	—	—	—	—	1	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)														
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		6	2	—	—	1	—	—	—	—	—	—	—	—	1
Causes not specified or ill-defined		119	42	12	3	10	3	—	—	1	1	1	4	2	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	18	34	47	92	92	59	31	5	2	-
V.	ORDER 4.															
	1. Atrophy and Debility .	-	1	4	5	8	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	15	11	14	9	13	11	8	5	3	2	1	-	-	-	-
	2. Gunshot Wounds . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds . .	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	5. Poison	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-
	6. Drowning	13	10	5	3	6	1	5	2	1	1	-	-	-	-	9
	7. Suffocation	3	1	1	-	1	2	-	1	-	-	-	-	-	-	-
	8. Otherwise	2	1	1	2	2	5	3	1	-	3	-	-	-	-	-
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds . .	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	3. Poison	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	5. Hanging	1	1	1	2	5	2	-	-	-	-	1	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)			1	1	-	1	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		1	2	2	5	3	4	4	6	3	-	-	-	-	-	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	2	—	1	1	—	—	—	1	—	—	—	—	—	—	—
	2. Ulcer	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	2. Skin Disease, etc.	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	ORDER 2.															
	1. Paramenia	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (<i>see</i> Puerperal Fever)	15	15	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	24	45	96	155	176	117	49	24	—	—
	ORDER 4.															
	1. Atrophy and Debility	3	2	4	6	16	—	—	—	—	—	—	—	—	—	—
	ORDER 1. (<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	1	3	1	3	6	—	5	4	5	5	2	1	—	1	1
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	1	—	—	2	1	—	—	1	5	—	—	—	—	—
	5. Poison	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	2	1	1	1	1	2	1	2	—	1	—	—	—	—	—
	7. Suffocation	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	8. Otherwise	1	1	—	4	3	2	1	3	2	3	—	—	—	—	—
	ORDER 3. (<i>Homicide.</i>)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (<i>Suicide.</i>)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
	3. Poison	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	1	—	—	2	2	—	—	—	—	—	—	—	—	—
	5. Hanging	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (<i>Execution.</i>)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		3	1	3	7	3	5	7	4	4	—	—	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	9383	932	284	461	464	228	150	125	350	281	387	402	309	228
	Specified Causes . .	9051	817	271	444	447	222	145	117	342	278	382	397	303	225
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1280	69	52	112	153	107	82	68	157	69	60	33	25	32
II.	CONSTITUTIONAL „	1525	23	33	66	64	37	21	20	73	73	131	188	147	84
III.	LOCAL „	4106	273	155	233	170	62	35	24	87	86	89	84	73	65
IV.	DEVELOPMENTAL „	1363	433	22	29	50	9	—	—	4	2	3	3	—	1
V.	VIOLENT DEATHS	777	19	9	4	10	7	7	5	21	48	99	89	58	43
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1209	54	50	109	152	107	81	68	156	69	59	31	21	27
	2. ENTHETIC „ .	14	5	1	1	—	—	1	—	—	—	—	—	2	—
	3. DIETIC „ .	53	7	1	2	1	—	—	—	1	—	1	2	2	5
	4. PARASITIC „ .	4	3	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	279	2	2	—	—	—	1	1	3	2	2	2	3	2
	2. TUBERCULAR „ .	1246	21	31	66	64	37	20	19	70	71	129	186	144	82
III.	1. DISEASES OF NERVOUS SYSTEM . .	991	64	39	46	34	15	15	10	31	29	25	21	12	22
	2. „ OF ORGANS OF CIRCULATION .	704	5	3	—	2	1	—	1	4	11	10	13	10	13
	3. „ OF RESPIRATORY ORGANS . .	1445	123	80	142	103	36	16	9	36	11	26	30	21	12
	4. „ OF DIGESTIVE ORGANS . . .	624	73	32	42	26	8	3	2	8	15	14	12	16	11
	5. „ OF URINARY ORGANS . . .	264	4	—	—	3	—	1	1	5	10	8	1	10	7
	6. „ OF ORGANS OF GENERATION .	2	—	—	—	—	—	—	—	—	—	—	1	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	46	—	—	—	—	—	—	1	2	9	6	4	3	—
	8. „ OF INTEGUMENTARY SYSTEM . .	30	4	1	3	2	2	—	—	1	1	—	2	1	—
IV.	1. DEV. DIS. OF CHILDREN	268	202	6	19	33	5	—	—	2	—	1	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	788	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	307	231	16	10	17	4	—	—	2	2	2	3	—	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	9092	705	227	375	413	197	133	125	367	235	289	306	282	245
	Specified Causes . . .	8810	624	209	355	403	195	129	122	360	232	286	299	276	241
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1351	60	40	82	143	102	70	71	195	84	57	62	37	29
II.	CONSTITUTIONAL „	1677	15	25	48	73	27	15	19	72	85	156	139	143	99
III.	LOCAL „	3810	192	107	182	140	47	38	27	82	56	62	75	78	94
IV.	DEVELOPMENTAL „	1796	339	30	42	34	8	3	—	4	1	5	18	15	16
V.	VIOLENT DEATHS .	176	18	7	1	13	11	3	5	7	6	6	5	3	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES „	1299	52	37	80	140	101	69	71	194	83	51	62	35	26
	2. ENTHETIC „ .	11	4	2	—	1	1	—	—	—	—	—	—	1	1
	3. DIETIC „ .	35	2	1	1	1	—	1	—	—	1	—	—	1	2
	4. PARASITIC „ .	6	2	—	1	1	—	—	—	1	—	—	—	—	—
II.	1. DIATHETIC „ .	448	1	—	1	—	—	—	—	—	2	2	1	5	4
	2. TUBERCULAR „ .	1229	14	25	47	73	27	15	19	72	83	154	138	138	95
III.	1. DISEASES OF NERVOUS SYSTEM . .	898	39	16	29	25	9	6	6	25	24	17	18	12	20
	2. „ OF ORGANS OF CIRCULATION .	740	4	1	2	—	1	1	2	7	5	9	16	24	17
	3. „ OF RESPIRATORY ORGANS . .	1284	88	69	125	86	32	22	12	28	12	15	13	10	25
	4. „ OF DIGESTIVE ORGANS . . .	640	57	21	25	26	4	7	6	14	6	10	13	20	9
	5. „ OF URINARY ORGANS . . .	131	1	—	—	—	1	1	—	3	6	4	9	7	6
	6. „ OF ORGANS OF GENERATION .	62	—	—	—	1	—	—	—	—	—	2	2	3	12
	7. „ OF ORGANS OF LOCOMOTION . .	31	1	—	—	1	—	1	1	2	3	4	3	1	3
	8. „ OF INTEGUMENTARY SYSTEM . .	24	2	—	1	1	—	—	—	3	—	1	1	1	2
IV.	1. DEV. DIS. OF CHILDREN	216	159	6	24	20	5	1	—	—	—	—	1	—	—
	2. „ OF ADULTS .	92	—	—	—	—	—	—	—	—	1	2	17	15	16
	3. „ OF OLD PEOPLE	1214	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	274	180	24	18	14	3	2	—	4	—	3	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	735	18	9	4	10	7	7	5	21	48	96	87	57	40
	*														
	3. HOMICIDE	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	41	-	-	-	-	-	-	-	-	-	3	2	1	3
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	9	2	-	1	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	323	113	13	16	17	6	5	8	8	3	5	5	6	3
I.	ORDER 1.														
	1. Small-pox	3	-	-	-	-	-	-	-	-	1	-	1	-	-
	2. Measles	76	2	1	13	24	13	3	4	10	4	-	-	-	1
	2. Scarlatina	246	2	4	21	34	35	35	28	61	15	6	1	-	1
	4. Diphtheria	119	-	2	7	17	12	14	9	36	10	5	4	-	1
	5. Quinsy	5	1	-	-	-	-	-	-	1	1	1	-	-	-
	6. Croup	94	2	2	11	19	16	15	11	16	2	-	-	-	-
	7. Hooping-cough	91	14	14	20	20	10	6	5	1	-	1	-	-	-
	8. { Typhus Fever	29	-	-	-	-	-	-	1	-	6	5	4	2	1
	8. { Enteric or Typhoid Fever	191	1	-	2	3	8	4	3	16	21	33	17	15	15
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	17	-	-	-	1	2	-	-	1	1	2	2	-	-
	9. Erysipelas	39	7	3	-	-	-	1	-	1	-	-	-	1	1
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	28	1	1	1	1	2	-	-	2	-	1	-	-	1
	13. Dysentery	23	-	1	4	2	1	-	-	-	-	-	1	-	2
	14. Diarrhoea	175	23	20	27	27	8	1	3	6	1	-	-	2	2
	15. Cholera	8	-	1	1	2	-	1	-	-	-	-	-	-	-
	16. Ague	3	-	-	-	-	-	-	-	1	1	-	-	-	-
	17. Remittent Fever	7	-	-	2	1	-	1	2	1	-	-	-	-	-
	18. Rheumatism	47	-	-	-	-	-	-	2	3	6	5	1	1	2
	19. Other Miasmatic Diseases	3	1	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	9	5	1	1	-	-	-	-	-	-	-	-	2	-
	2. Stricture of Urethra	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	3	1	-	-	1	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	6	4	-	2	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	9	2	1	-	-	-	-	-	1	-	1	-	-	-
	4. Alco- { a Del. Tremens	7	-	-	-	-	-	-	-	-	-	-	-	2	1
	4. holism { b Intemperance	28	-	-	-	-	-	-	-	-	-	-	2	-	4
	ORDER 4.														
	1. Thrush	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	46	1	2	-	-	-	1	1	1	1	1	-	-	-
	3. Cancer	216	-	-	-	-	-	-	-	2	1	1	2	3	2
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	17	1	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	162	18	7	1	13	11	3	5	7	5	6	4	3	3
	*														
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	4. SUICIDE	13	-	-	-	-	-	-	-	-	-	-	1	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	2	-	-	-	-	-	-	-	-	-	-	1	-
	CAUSES NOT SPECIFIED	278	79	18	20	10	2	4	3	7	3	3	7	5	4
I.	ORDER 1.														
	1. Small-pox	3	-	-	-	-	-	-	-	-	-	1	2	-	-
	2. Measles	68	1	2	8	23	15	2	2	11	1	1	1	-	-
	3. Scarlatina	232	-	1	6	26	41	25	27	66	25	5	3	3	2
	4. Diphtheria	128	3	-	4	14	10	15	15	37	14	3	2	3	1
	5. Quinsy	9	2	-	-	-	-	-	1	1	-	-	1	1	-
	6. Croup	76	4	-	8	19	17	10	7	11	-	-	-	-	-
	7. Hooping-cough	120	9	9	33	34	12	7	10	4	1	1	-	-	-
	8. { Typhus Fever	21	-	-	-	-	1	-	-	3	2	1	3	1	3
	{ Enteric or Typhoid Fever	230	3	-	4	4	1	8	8	42	29	35	27	12	6
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	22	-	1	-	2	-	1	-	2	2	1	5	-	-
	9. Erysipelas	37	10	-	2	-	-	-	1	5	-	-	1	-	-
	10. Puerperal Fever (Metria).	31	-	-	-	-	-	-	-	-	-	-	8	9	11
	11. Carbuncle	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	26	1	1	-	-	-	-	-	2	1	-	2	-	-
	13. Dysentery	37	-	2	2	-	-	-	-	1	1	-	2	1	1
	14. Diarrhœa	180	19	18	13	16	4	1	-	4	3	1	2	2	1
	15. Cholera	10	-	2	-	1	-	-	-	3	-	-	-	-	-
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	17. Remittent Fever	5	-	-	-	1	-	-	-	1	-	-	-	-	-
	18. Rheumatism	61	-	-	-	-	-	-	-	1	4	8	3	2	1
	19. Other Miasmatic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	11	4	2	-	1	1	-	-	-	-	-	-	1	1
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	4	2	-	1	1	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	11	-	1	-	-	-	1	-	-	1	-	-	1	2
	4. Alco- { a Del. Tremens	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	15	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	4	2	-	1	1	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	2	-	-	-	-	-	-	-	1	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	61	-	-	1	-	-	-	-	-	-	-	1	-	2
	3. Cancer	358	-	-	-	-	-	-	-	-	1	1	-	5	2
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	29	1	-	-	-	-	-	-	-	1	1	-	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
V.	1. ACCIDENT OR NEGLIGENCE	41	40	45	46	31	29	13	20	17	5	3	1	1	—	34	
	*																
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. SUICIDE	2	8	4	3	3	6	5	1	—	—	—	—	—	—	—	
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
SUDDEN DEATHS, CAUSE UNASCERTAINED		—	—	—	1	—	—	2	—	3	—	—	—	—	—	—	
CAUSES NOT SPECIFIED		7	3	8	4	11	10	22	20	22	3	1	—	—	—	4	
I.	ORDER 1.																
	1. Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Scarlatina	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
	4. Diphtheria	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	5. Quinsy	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	8. { Typhus Fever	2	2	3	1	—	—	—	1	—	1	—	—	—	—	—	
	8. { Enteric or Typhoid Fever	5	10	5	8	5	6	9	—	5	—	—	—	—	—	—	
	8. { Relapsing Fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	8. { Simple Continued Fever	1	—	1	2	1	—	2	1	—	—	—	—	—	—	—	
	9. Erysipelas	—	1	1	2	5	5	2	5	1	2	—	1	—	—	—	
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	11. Carbuncle	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	
	12. Influenza	—	—	—	—	3	1	2	4	1	2	3	2	—	—	—	
	13. Dysentery	3	1	1	2	—	1	—	1	3	—	—	—	—	—	—	
	14. Diarrhoea	1	—	1	4	2	6	4	10	18	4	4	1	—	—	—	
	15. Cholera	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
	16. Ague	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	18. Rheumatism	2	—	—	1	1	4	5	7	6	1	—	—	—	—	—	
	19. Other Miasmatic Diseases	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	ORDER 2.																
	1. Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Stricture of Urethra	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3.																
	1. Privation	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Purpura and Scurvy	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	
	4. Alcoholism { a Del. Tremens	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
	holism { b Intemperance	1	4	5	4	2	—	1	3	2	—	—	—	—	—	—	
	ORDER 4.																
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Worms, etc. . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.	ORDER 1.																
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Dropsy	—	1	3	3	2	4	3	4	7	8	3	—	—	—	—	
	3. Cancer	2	8	12	14	23	39	31	37	23	8	5	2	1	—	—	
	4. Cancerum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Mortification	—	—	—	1	—	2	1	—	2	8	2	—	—	—	—	

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	7	4	7	4	8	4	5	11	15	5	2	—	—	1
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	3	1	1	—	2	2	1	2	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED	5	8	6	12	12	14	14	13	28	—	1	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	1	1	—	4	1	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	—	2	—	2	1	1	1	—	—	—	—	—	—	—	—
	Enteric or Typhoid Fever	12	7	5	7	4	4	5	4	2	1	—	—	—	—	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple Continued Fever	1	—	—	—	1	1	2	1	—	1	1	—	—	—	—
	9. Erysipelas	—	3	—	—	—	2	3	4	3	2	—	1	—	—	—
	10. Puerperal Fever (Metria)	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	1	1	2	1	2	2	4	4	1	1	—	—	—
	13. Dysentery	—	1	—	3	2	3	4	6	5	2	1	—	—	—	—
	14. Diarrhoea	7	2	4	4	9	6	9	11	16	18	7	2	1	—	—
	15. Cholera	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	18. Rheumatism	2	3	2	2	2	6	6	4	7	3	3	1	1	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	1	—	1	1	1	—	—	1	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—
	holism { b Intemperance	2	2	4	3	2	1	1	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	—	3	2	2	1	13	6	10	14	3	3	—	—	—	—
	3. Cancer	14	19	28	24	52	46	55	45	37	19	9	1	—	—	—
	4. Cancerum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	2	—	—	1	9	4	2	6	1	1	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	91	3	3	3	6	8	2	3	12	6	13	10	6	3
	2. Tabes Mesenterica . . .	102	7	8	14	15	11	5	2	13	12	1	2	4	1
	3. Phthisis	876	3	1	7	14	3	6	3	20	42	110	172	133	78
	4. Hydrocephalus	177	8	19	42	29	15	7	11	25	11	5	2	1	—
	ORDER 1.														
	1. Cephalitis	101	5	7	7	9	7	6	5	12	9	5	4	3	6
	2. Apoplexy	241	4	2	11	6	3	2	—	1	1	3	3	2	3
	3. Paralysis	298	—	—	—	—	—	—	1	—	3	—	7	1	4
	4. Insanity	15	—	—	1	—	—	1	—	—	—	2	—	1	—
	5. Chorea	2	—	—	—	—	—	—	—	1	—	—	—	—	1
	6. Epilepsy	53	1	1	1	1	—	1	—	1	6	4	4	4	4
	7. Convulsions	131	47	27	22	18	3	3	4	5	1	—	—	—	—
	8. Brain Disease, etc. . .	150	7	2	4	—	2	2	—	11	9	11	3	1	4
	ORDER 2.														
	1. Pericarditis	16	—	—	—	—	—	—	—	3	3	—	—	—	—
	2. Aneurism	29	—	—	—	—	—	—	—	—	—	—	—	—	2
	3. Heart Disease, etc. . .	659	5	3	—	2	1	—	1	1	8	10	13	10	11
	ORDER 3.														
	1. Laryngitis	26	1	1	2	6	1	3	—	2	1	3	1	—	1
	2. Bronchitis	820	100	66	103	79	21	8	3	15	5	7	6	4	1
	3. Pleurisy	52	—	1	2	1	—	—	—	2	—	5	4	—	1
	4. Pneumonia	363	9	10	30	13	13	5	4	16	3	8	18	12	9
	6. Asthma	75	—	—	—	—	—	—	—	—	—	—	—	1	—
	6. Lung Disease, etc. . .	109	13	2	5	4	1	—	2	1	2	3	1	4	—
	ORDER 4.														
	1. Gastritis	38	2	1	3	4	—	—	—	—	—	3	2	—	2
	2. Enteritis	144	39	17	25	14	3	—	—	5	7	3	1	2	1
	3. Peritonitis	53	5	—	4	4	2	—	—	1	1	4	1	6	1
	4. Ascites	7	—	—	—	—	—	1	—	—	1	—	—	—	—
	5. Ulceration of Intestines .	40	1	—	—	—	—	—	—	1	—	1	1	—	—
	6. Hernia	25	2	—	—	—	—	—	—	—	—	1	—	—	—
	7. Ileus	52	3	1	1	—	—	—	—	—	3	1	1	1	1
	8. Intussusception	14	—	4	3	—	—	—	—	—	—	—	—	2	—
	19. Stricture of Intestines .	5	—	—	—	—	—	—	—	—	1	—	—	—	—
	10. Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc. .	93	7	6	4	3	1	2	1	—	1	—	2	2	1
	12. Pancreas Disease, etc. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	28	2	3	1	—	—	—	—	—	1	1	1	2	2
	14. Jaundice	26	12	—	—	—	2	—	—	1	—	—	—	—	—
	15. Liver Disease, etc. . .	94	—	—	1	1	—	—	1	—	—	—	2	1	2
	16. Spleen Disease, etc. . .	4	—	—	—	—	—	—	—	—	—	—	1	—	1
	ORDER 5.														
	1. Nephritis	18	2	—	—	—	—	—	—	2	1	1	—	1	—
	2. Ischuria	22	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	53	—	—	—	—	—	1	1	—	4	4	—	5	2
	4. Diabetes	15	—	—	—	—	—	—	—	1	2	2	1	3	—
	5. Calculus (Stone)	15	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	38	—	—	—	—	—	—	—	—	—	—	—	—	1
	7. Kidney Disease, etc. . .	103	1	—	—	3	—	—	—	2	3	1	—	1	4
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc. . .	2	—	—	—	—	—	—	—	—	—	—	1	—	—
	ORDER 7.														
	1. Synovitis (Arthritis)	6	—	—	—	—	—	—	—	—	1	—	1	1	—
	2. Joint Disease, etc. . . .	40	—	—	—	—	—	—	1	2	8	6	3	2	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	87	7	4	9	4	4	2	2	7	5	5	7	10	3
	2. Tabes Mesenterica	88	2	5	10	28	6	3	4	14	3	7	1	2	—
	3. Phthisis	929	2	4	11	12	5	3	5	30	64	139	130	125	92
	4. Hydrocephalus	125	3	12	17	29	12	7	8	21	11	3	—	1	—
III.	ORDER 1.														
	1. Cephalitis	71	3	2	6	8	2	3	2	11	12	6	1	1	3
	2. Apoplexy	240	3	1	6	3	1	—	3	2	2	1	3	4	4
	3. Paralysis	323	—	—	—	—	—	—	—	1	1	3	1	2	1
	4. Insanity	18	—	—	—	—	—	—	—	2	—	1	—	1	—
	5. Chorea	3	—	—	—	—	—	—	—	—	1	—	—	—	—
	6. Epilepsy	33	—	—	—	1	—	—	—	4	—	2	6	—	5
	7. Convulsions	83	30	12	13	11	6	2	1	1	—	1	1	—	—
	8. Brain Disease, etc.	127	3	1	4	2	—	1	—	4	8	3	5	3	6
	ORDER 2.														
	1. Pericarditis	16	—	—	—	—	—	1	1	2	—	—	2	—	2
	2. Aneurism	18	1	—	—	—	—	—	—	—	—	—	—	1	1
	3. Heart Disease, etc.	706	3	1	2	—	1	—	1	5	5	9	14	23	14
	ORDER 3.														
	1. Laryngitis	19	2	—	1	4	1	—	—	1	2	—	—	—	—
	2. Bronchitis	855	63	59	93	67	20	15	10	12	5	1	4	1	10
	3. Pleurisy	26	1	—	1	1	—	—	—	1	—	4	1	—	1
	4. Pneumonia	236	11	8	24	10	10	5	2	11	5	8	7	7	10
	5. Asthma	54	—	—	—	—	—	—	—	—	—	—	1	1	—
	6. Lung Disease, etc.	94	11	2	6	4	1	2	—	3	—	2	—	1	4
	ORDER 4.														
	1. Gastritis	45	4	2	1	2	—	1	1	1	1	1	1	2	3
	2. Enteritis	122	26	16	11	13	3	6	3	4	1	1	2	3	—
	3. Peritonitis	70	2	1	—	3	—	—	—	3	2	—	2	5	2
	4. Ascites	12	—	—	—	—	—	—	—	1	—	—	1	—	—
	5. Ulceration of Intestines	40	—	—	—	1	—	—	1	2	—	1	3	2	1
	6. Hernia	14	1	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	50	3	1	1	1	—	—	—	1	1	1	—	1	—
	8. Intussusception	7	—	—	3	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	3	—	—	—	1	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	94	9	1	6	3	—	—	—	1	—	2	1	—	1
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	29	—	—	—	—	—	—	—	—	—	—	—	2	—
	14. Jaundice	34	11	—	1	2	1	—	—	—	—	—	—	1	—
	15. Liver Disease, etc.	111	1	—	2	—	—	—	1	1	1	3	2	4	2
	16. Spleen Disease, etc.	5	—	—	—	—	—	—	—	—	—	1	1	—	—
	ORDER 5.														
	1. Nephritis	19	1	—	—	—	1	—	—	1	1	1	—	2	3
	2. Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	48	—	—	—	—	—	—	—	1	2	1	3	4	1
	4. Diabetes	21	—	—	—	—	—	—	—	1	—	1	2	—	1
	5. Calculus (Stone)	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	5	—	—	—	—	—	—	—	—	—	—	1	—	—
	7. Kidney Disease, etc.	35	—	—	—	—	—	1	—	—	3	1	3	1	1
	ORDER 6.														
	1. Ovarian Dropsy	26	—	—	—	—	—	—	—	—	—	—	1	—	5
	2. Uterus Disease, etc.	36	—	—	—	1	—	—	—	—	—	2	1	3	7
	ORDER 7.														
	1. Synovitis (Arthritis)	6	—	—	—	1	—	—	—	—	—	1	—	—	—
	2. Joint Disease, etc.	25	1	—	—	—	—	1	1	2	3	3	3	1	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	2	-	5	2	2	1	-	-	-	1	-	-	-	-	-
	2. Tabes Mesenterica	1	2	1	2	-	-	-	-	1	-	-	-	-	-	-
	3. Phthisis	71	43	32	37	28	27	21	17	7	1	-	-	-	-	-
	4. Hydrocephalus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	2	5	2	-	1	2	2	1	-	-	1	-	-	-	-
	2. Apoplexy	4	4	7	16	15	23	35	36	36	17	6	1	-	-	-
	3. Paralysis	10	8	8	8	15	24	46	37	62	39	21	2	2	-	-
	4. Insanity	-	1	1	1	-	-	2	2	2	1	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	3	5	3	-	1	2	8	2	1	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	8. Brain Disease, etc.	7	5	6	7	14	12	18	8	6	6	4	1	-	-	-
	ORDER 2.															
	1. Pericarditis	-	1	1	-	3	1	2	2	-	-	-	-	-	-	-
	2. Aneurism	3	1	3	2	4	4	3	3	3	1	-	-	-	-	-
	3. Heart Disease, etc.	23	14	23	39	43	60	93	125	93	54	22	4	-	-	1
	ORDER 3.															
	1. Laryngitis	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	7	17	17	26	35	47	52	55	72	42	26	6	-	-	-
	3. Pleurisy	1	3	1	6	3	4	5	3	8	2	-	-	-	-	-
	4. Pneumonia	17	11	19	25	22	36	29	28	16	6	3	-	-	-	1
	5. Asthma	3	1	5	3	5	9	9	12	18	8	1	-	-	-	-
	6. Lung Disease, etc.	1	2	4	5	14	12	5	12	9	7	-	-	-	-	-
ORDER 4.																
1. Gastritis	2	-	2	1	4	3	2	1	4	1	1	-	-	-	-	
2. Enteritis	3	-	3	-	1	4	3	5	3	2	2	1	-	-	-	
3. Peritonitis	1	2	2	5	1	4	2	4	2	-	1	-	-	-	-	
4. Ascites	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	
5. Ulceration of Intestines	2	1	2	4	5	5	6	5	5	1	-	-	-	-	-	
6. Hernia	-	1	-	4	2	2	3	1	3	5	1	-	-	-	-	
7. Ileus	1	-	3	3	5	3	5	9	5	5	1	-	-	-	-	
8. Intussusception	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	2	3	4	7	4	7	9	17	6	3	-	1	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	2	1	-	3	3	1	1	2	1	1	-	-	-	-	-	
14. Jaundice	-	-	-	2	2	4	-	1	-	1	1	-	-	-	-	
15. Liver Disease, etc.	1	3	8	8	9	22	21	4	4	6	-	-	-	-	-	
16. Spleen Disease, etc.	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.																
1. Nephritis	-	-	1	-	3	1	2	1	-	1	2	-	-	-	-	
2. Ischuria	-	-	-	1	-	1	2	2	7	5	2	1	-	-	-	
3. Bright's Disease (Nephria)	2	1	2	5	6	6	2	5	5	1	1	-	-	-	-	
4. Diabetes	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	
5. Calculus (Stone)	1	-	-	-	-	1	-	5	4	2	1	1	-	-	-	
6. Cystitis	1	-	-	-	-	3	7	11	7	5	3	-	-	-	-	
7. Kidney Disease, etc.	2	1	5	1	7	12	18	14	16	7	3	2	-	-	-	
ORDER 6.																
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
ORDER 7.																
1. Synovitis (Arthritis)	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	
2. Joint Disease, etc.	4	4	1	3	1	-	2	2	1	-	-	-	-	-	-	

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	6	2	2	1	3	—	2	2	—	—	—	—	—	—	—
	2. Tabes Mesenterica	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	78	56	43	47	25	22	15	8	11	2	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	4	1	1	1	2	—	1	—	—	1	—	—	—	—	—
	2. Apoplexy	5	8	8	16	20	24	20	32	43	21	8	2	—	—	—
	3. Paralysis	5	6	7	6	24	21	50	55	64	44	26	5	1	—	—
	4. Insanity	1	1	—	2	1	2	—	2	1	2	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	6. Epilepsy	1	1	2	—	1	3	4	2	1	—	—	—	—	—	—
	7. Convulsions	—	2	1	—	—	—	1	—	—	1	—	—	—	—	—
	8. Brain Disease, etc.	5	5	7	10	6	5	12	10	14	4	7	2	—	—	—
	ORDER 2.															
	1. Pericarditis	1	—	2	—	2	1	1	—	—	1	—	—	—	—	—
	2. Aneurism	—	—	—	4	2	1	4	3	1	—	—	—	—	—	—
	3. Heart Disease, etc.	20	29	37	34	50	72	79	106	110	64	20	6	1	—	—
	ORDER 3.															
	1. Laryngitis	—	1	—	1	1	3	1	1	—	—	—	—	—	—	—
	2. Bronchitis	13	14	12	27	11	56	58	98	106	64	24	10	2	—	—
	3. Pleurisy	2	—	—	2	1	1	1	5	3	1	—	—	—	—	—
	4. Pneumonia	7	14	7	5	6	12	21	18	14	10	1	2	1	—	—
	5. Asthma	2	—	2	3	3	12	6	11	10	1	2	—	—	—	—
	6. Lung Disease, etc.	2	1	2	5	3	6	7	12	10	5	4	1	—	—	—
	ORDER 4.															
	1. Gastritis	1	1	2	2	3	1	4	5	1	4	1	—	—	—	—
	2. Enteritis	3	4	3	4	4	2	3	5	3	1	1	—	—	—	—
	3. Peritonitis	7	1	2	5	5	8	5	5	6	5	—	1	—	—	—
	4. Ascites	—	—	1	1	—	1	1	1	3	2	—	—	—	—	—
	5. Ulceration of Intestines	3	2	1	4	3	2	5	6	3	—	—	—	—	—	—
	6. Hernia	—	2	1	—	1	1	3	1	4	—	—	—	—	—	—
	7. Ileus	1	—	2	4	8	2	3	7	8	2	1	1	—	1	—
	8. Intussusception	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—
	10. Fistula	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	3	2	6	7	6	9	11	14	4	5	1	1	1	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	2	2	5	1	3	3	4	2	4	—	1	—	—	—	—
	14. Jaundice	1	—	—	1	—	—	5	3	5	2	1	—	—	—	—
	15. Liver Disease, etc.	6	1	10	4	14	14	21	14	7	3	—	—	—	—	—
	16. Spleen Disease, etc.	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	1	—	3	1	—	1	1	1	1	—	—	—	—	—
	2. Ischuria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	5	4	3	—	4	4	3	6	6	—	1	—	—	—	—
	4. Diabetes	—	1	2	4	2	1	3	2	1	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—
	7. Kidney Disease, etc.	3	4	—	5	1	3	5	2	1	—	1	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	1	2	4	3	3	1	3	2	2	1	—	—	—	—	—
	2. Uterus Disease, etc.	3	—	3	2	—	—	—	—	—	2	2	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	1	—	—	—	—	2	—	1	—	—	—	—	—	—
	2. Joint Disease, etc.	—	1	—	—	—	4	2	—	—	—	—	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	16	-	-	2	-	1	-	-	1	1	-	2	-	-
	2. Ulcer	5	1	1	-	-	-	-	-	-	-	-	-	1	-
	3. Skin Disease, etc. . . .	9	3	-	1	2	1	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	171	170	1	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	13	9	-	1	1	1	-	-	1	-	-	-	-	-
	3. Spina Bifida	6	5	-	-	-	1	-	-	-	-	-	-	-	-
	4. Other Malformations	18	15	1	-	-	-	-	-	1	-	1	-	-	-
	5. Teething	60	3	4	18	32	3	-	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	788	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	307	231	16	10	17	4	-	-	2	2	2	3	-	1
	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	222	1	-	-	-	-	1	1	9	16	18	23	15	15
	2. Gunshot Wounds	8	-	-	-	-	-	-	-	-	2	3	1	-	-
3. Cut, Stab	5	-	-	-	-	-	-	-	-	-	1	-	-	-	
4. Burns and Scalds	241	1	-	1	6	2	5	1	3	26	49	48	23	17	
5. Poison	4	1	-	-	-	1	-	-	1	-	-	-	-	-	
6. Drowning	171	-	-	-	4	4	1	3	4	2	20	15	14	4	
7. Suffocation	40	15	8	3	-	-	-	-	1	-	3	-	1	-	
8. Otherwise	44	-	1	-	-	-	-	-	3	2	2	-	4	4	
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	11	-	-	-	-	-	-	-	-	1	-	-	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	11	-	-	-	-	-	-	-	-	1	2	-	1	-
	5. Hanging	17	-	-	-	-	-	-	-	-	1	-	1	2	-
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)														
1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		9	2	-	1	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		323	113	13	16	17	6	5	8	8	3	5	5	6	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	ALL AGES.	FEMALES.												
			AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	9	1	-	-	-	-	-	-	1	-	1	1	1	2
	2. Ulcer	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	4	-	-	1	1	-	-	-	2	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	132	130	1	1	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	11	8	1	-	-	1	-	-	-	-	-	1	-	-
	3. Spina Bifida	6	5	1	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	17	16	1	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	50	-	2	23	20	4	1	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	11	-	-	-	-	-	-	-	-	1	2	-	1	2
	2. Childbirth (see Puerperal Fever)	81	-	-	-	-	-	-	-	-	-	-	17	14	14
	ORDER 3.														
	1. Old Age	1214	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	274	180	24	18	14	3	2	-	4	-	3	-	-	-
V.	ORDER 1.														
	Accident or Negligence.)														
	1. Fractures and Contusions	38	-	-	-	1	1	-	-	1	1	1	2	-	-
	2. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	38	1	1	-	5	7	3	3	2	3	-	-	-	-
	5. Poison	3	-	-	-	-	1	-	-	-	-	-	-	1	-
	6. Drowning	37	-	-	-	6	2	-	2	3	1	1	2	1	3
	7. Suffocation	28	16	6	1	1	-	-	-	-	-	2	-	-	-
	8. Otherwise	17	1	-	-	-	-	-	-	1	-	2	-	1	-
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	5. Hanging	6	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
(Execution.)															
1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		4	2	-	-	-	-	-	-	-	-	-	-	1	-
Causes not specified or ill-defined		278	79	18	20	10	2	4	3	7	3	3	7	5	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	2	1	—	1	—	2	—	—	2	—	—	1	—	—	—
	2. Ulcer	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	3. Skin Disease, etc.	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	20	41	102	162	214	159	66	18	5	1
	ORDER 4.															
	1. Atrophy and Debility	2	1	4	5	7	—	—	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	8	15	21	23	13	13	7	9	8	2	2	—	—	—	2
	2. Gunshot Wounds	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—
	4. Burns and Scalds	18	10	8	7	6	2	—	2	3	—	1	1	1	—	—
	5. Poison	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	12	10	9	11	6	6	4	6	3	1	—	—	—	—	32
	7. Suffocation	—	1	2	2	1	2	1	—	—	—	—	—	—	—	—
	8. Otherwise	2	3	4	1	5	6	1	2	3	1	—	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	1	2	2	—	1	2	2	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	3	—	1	—	1	1	1	—	—	—	—	—	—	—
	5. Hanging	1	3	2	1	1	3	2	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	—	—	—	1	—	—	2	—	3	—	—	—	—	—	—
	Causes not specified or ill-defined	7	3	8	4	11	10	22	20	22	3	1	—	—	—	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Ulcer	—	—	1	1	2	—	1	2	1	2	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	ORDER 2.															
	1. Paramenia	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (<i>see</i> Puerperal Fever)	21	13	2	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	33	40	150	249	309	271	112	36	14	—
	ORDER 4.															
	1. Atrophy and Debility	1	3	2	6	14	—	—	—	—	—	—	—	—	—	—
	ORDER 1. (<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	1	3	1	—	1	2	1	4	6	6	4	2	—	—	—
	2. Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	—	—	1	2	1	2	1	2	4	—	—	—	—	—
	5. Poison	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	6. Drowning	—	4	1	4	—	2	1	—	2	1	—	—	—	—	1
	7. Suffocation	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	8. Otherwise	—	—	2	2	1	2	—	—	1	3	1	—	—	—	—
	ORDER 3. (<i>Homicide.</i>)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (<i>Suicide.</i>)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—
	3. Poison	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	5. Hanging	2	1	—	—	1	1	—	1	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (<i>Execution.</i>)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Causes not specified or ill-defined	5	8	6	12	12	14	14	13	28	—	1	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	1027	101	16	34	30	10	8	5	19	30	46	52	37	27
	Specified Causes	864	44	12	22	23	8	6	5	16	24	40	49	34	26
	(CLASSES.)														
I.	ZYMOTIC DISEASES	80	6	3	4	5	4	3	1	5	4	8	2	3	-
II.	CONSTITUTIONAL „	172	1	-	2	3	2	-	1	2	7	14	32	19	10
III.	LOCAL „	310	20	8	12	7	2	2	1	5	8	9	7	7	7
IV.	DEVELOPMENTAL „	222	17	1	4	6	-	-	1	-	-	-	-	-	1
V.	VIOLENT DEATHS	80	-	-	-	2	-	1	1	4	5	9	8	5	8
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	77	6	3	4	5	4	3	1	4	4	7	2	3	-
	2. ENTHETIC „ .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. DIETIC „ .	3	-	-	-	-	-	-	-	1	-	1	-	-	-
	4. PARASITIC „ .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „ .	28	-	-	-	-	1	-	-	-	-	-	-	-	-
	2. TUBERCULAR „ .	144	1	-	2	3	1	-	1	2	7	14	32	19	10
III.	1. DISEASES OF NERVOUS SYSTEM .	69	7	1	2	1	1	-	-	3	4	2	2	-	4
	2. „ OF ORGANS OF CIRCULATION .	31	-	-	-	-	-	-	-	-	-	1	1	2	-
	3. „ OF RESPIRATORY ORGANS .	131	13	6	9	6	1	1	1	1	-	3	2	3	3
	4. „ OF DIGESTIVE ORGANS .	58	-	1	-	-	-	-	-	1	3	1	2	2	-
	5. „ OF URINARY ORGANS .	18	-	-	-	-	-	1	-	-	-	2	-	-	-
	6. „ OF ORGANS OF GENERATION .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ OF ORGANS OF LOCOMOTION .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. „ OF INTEGUMENTARY SYSTEM .	2	-	-	1	-	-	-	-	-	1	-	-	-	-
IV.	1. DEV. DIS. OF CHILDREN	19	11	-	4	4	-	-	-	-	-	-	-	-	-
	2. „ OF ADULT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	190	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	13	6	1	-	2	-	-	1	-	-	-	-	-	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES.

[illegible]

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	80	-	-	-	2	-	1	1	4	5	9	8	5	8
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	161	57	4	12	7	2	1	-	3	6	6	3	3	1
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	7	-	-	1	2	-	1	-	-	2	1	-	-	-
	3. Scarletina	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	4. Diphtheria	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	12	4	2	1	3	1	-	1	-	-	-	-	-	-
	7. Hooping-cough	7	1	1	2	-	2	-	-	1	-	-	-	-	-
	8. { Typhus Fever	2	-	-	-	-	-	-	-	-	-	1	-	-	-
	{ Enteric or Typhoid Fever	13	-	-	-	-	-	-	-	1	-	3	2	2	-
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	3	-	-	-	-	-	-	-	1	1	1	-	-	-
	9. Erysipelas	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	5	-	-	-	-	-	-	-	-	1	-	-	-	-
	13. Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	9	1	-	-	-	-	-	-	-	-	1	-	1	-
	15. Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	10	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Cancer	17	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52. note *

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	MONTHS.			AGE UNDER										
			3	6	12	2	3	4	5	10	15	20	25	30	35	
V.	1. ACCIDENT OR NEGLIGENCE	10	-	1	-	1	1	-	2	1	-	-	-	-	1	
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	CAUSES NOT SPECIFIED	194	41	4	3	10	1	-	4	8	5	3	4	5	4	
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	12	-	-	1	5	1	-	-	-	1	1	2	-	-	
	3. Scarlatina	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Diphtheria	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
	5. Quinsy	2	-	-	-	-	-	-	-	1	-	-	-	-	-	
	6. Croup	15	-	-	2	6	2	2	2	-	1	-	-	-	-	
	7. Hooping-cough	7	1	1	4	-	-	-	-	1	-	-	-	-	-	
	8. { Typhus Fever	5	-	-	-	-	-	-	-	-	1	-	-	-	1	
	Enteric or Typhoid Fever	8	-	-	-	-	1	-	-	-	1	-	3	1	-	
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Simple Continued Fever	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	9. Erysipelas	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10. Puerperal Fever (Metria)	4	-	-	-	-	-	-	-	-	-	-	1	-	1	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	5	-	-	-	-	-	-	-	-	1	-	-	-	-	
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhoea	7	-	1	-	-	-	-	-	-	-	-	-	-	1	
	15. Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
	18. Rheumatism	15	-	-	-	-	-	-	-	-	-	-	-	-	-	
	19. Other <i>Miasmatic</i> Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Alco- { <i>a</i> Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	holism { <i>b</i> Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Thrush	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
II.	ORDER 1.															
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	23	-	-	-	-	-	-	-	2	-	-	-	-	2	
	3. Cancer	22	-	-	-	-	-	-	-	-	-	-	-	-	1	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	4	1	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	9	5	1	6	4	1	3	1	1	4	1	—	—	—	1
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED	5	—	—	7	8	3	9	10	13	—	—	—	—	—	1
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric or Typhoid Fever	1	—	—	—	—	1	1	—	1	1	—	—	—	—	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	1	—	1	—	1	1	—	—	—	—	—
	13. Dysentery	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhoea	—	—	—	—	—	—	1	1	2	2	—	—	—	—	—
	15. Cholera	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	1	—	—	—	1	1	3	1	1	2	1	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	4. Alco- (a Del. Tremens holism b Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. Cancer	1	—	2	1	3	2	1	5	2	—	—	—	—	—	—
	4. Cancer Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
V.	1. ACCIDENT OR NEGLIGENCE	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—
	*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—
	8. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED	5	3	8	4	12	14	21	15	20	—	—	—	—	—	—	—
I.	ORDER 1.																
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
	Enteric or Typhoid Fever	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—
	13. Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhoea	—	—	—	—	—	1	—	—	2	1	—	1	—	—	—	—
	15. Cholera	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	1	—	2	1	—	2	2	3	2	1	1	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.																
	1. Syphilis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.																
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.																
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.																
	1. Gout	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	2. Dropsy	1	1	—	—	1	1	4	2	7	1	1	—	—	—	—	—
	3. Cancer	1	—	1	1	2	5	1	5	3	1	1	—	—	—	—	—
	4. Cancerum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	2	-	-	-	-	-	-	-	1	-	1	-	-	-
	2. Tabes Mesenterica	3	-	1	-	1	-	-	-	-	-	-	-	1	-
	3. Phthisis	100	1	-	-	2	-	-	1	-	6	13	14	16	9
	4. Hydrocephalus	5	-	-	1	-	-	-	1	2	-	1	-	-	-
	ORDER 1.														
	1. Cephalitis	3	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Apoplexy	9	-	-	-	-	-	-	-	-	-	-	1	-	1
	3. Paralysis	25	-	-	-	-	-	-	1	-	-	-	-	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	7. Convulsions	6	3	1	-	2	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	9	1	-	-	-	-	-	1	-	2	1	-	1	1
	ORDER 2.														
	1. Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	29	-	-	-	-	-	-	-	1	1	-	1	1	-
	ORDER 3.														
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	1	1	-
	2. Bronchitis	88	3	1	7	5	1	1	1	-	-	1	1	2	2
	3. Pleurisy	11	6	-	-	1	1	-	-	1	1	-	-	3	1
	4. Pneumonia	18	-	-	-	-	-	-	-	-	-	1	-	-	-
	5. Asthma	16	-	-	-	-	-	-	-	-	-	-	1	-	-
	6. Lung Disease, etc.	11	4	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Gastritis	7	-	-	-	1	-	1	1	-	-	-	1	-	-
	2. Enteritis	5	-	1	-	-	-	-	-	-	-	-	-	1	-
	3. Peritonitis	8	1	-	-	-	-	-	-	-	-	-	2	1	-
	4. Ascites	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	14	1	-	-	-	-	-	-	2	-	-	-	1	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
14. Jaundice	3	1	-	-	-	-	-	-	-	-	-	1	-	-	
15. Liver Disease, etc.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	
16. Spleen Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
4. Diabetes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 6.															
1. Ovarian Dropsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	3	-	-	-	-	-	-	-	-	-	1	-	-	-	
ORDER 7.															
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Class.

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	7	9	3	3	2	5	4	3	2	-	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	2. Apoplexy	-	1	-	-	1	1	2	1	-	-	1	-	-	-	-
	3. Paralysis	-	-	-	2	-	3	-	4	8	2	4	1	-	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	3	1	2	1	-	2	3	7	1	4	1	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Bronchitis	1	2	-	4	4	5	9	8	18	9	2	-	1	-	-	
3. Pleurisy	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
4. Pneumonia	1	2	-	-	2	2	1	1	1	-	-	-	-	-	-	
5. Asthma	1	-	-	-	2	1	4	3	2	2	-	-	-	-	-	
6. Lung Disease, etc.	-	-	1	-	1	-	1	2	-	-	-	-	-	1	-	
ORDER 4.																
1. Gastritis	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	
2. Enteritis	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
3. Peritonitis	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	
4. Ascites	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
5. Ulceration of Intestines	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Ileus	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
8. Intussusception	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
11. Stomach Disease, etc.	-	1	1	-	-	2	1	2	1	1	-	1	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
14. Jaundice	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
15. Liver Disease, etc.	-	-	1	1	2	3	-	-	2	1	-	-	-	-	-	
16. Spleen Disease, etc.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
ORDER 5.																
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	
ORDER 6.																
1. Ovarian Dropsy	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.																
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	2. Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	ORDER 1.														
	1. Premature Birth	7	7	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	4. Other Malformations	3	3	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	7	—	—	4	3	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Old Age	190	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	13	6	1	—	2	—	—	1	—	—	—	—	—	1
V.	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	8	—	—	—	—	—	—	—	1	1	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	7	—	—	—	2	—	1	1	2	—	—	—	—	—
	5. Poison	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	57	—	—	—	—	—	—	—	1	3	9	7	5	7
	7. Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Otherwise	7	—	—	—	—	—	—	—	—	1	—	1	—	1
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
(Execution.)															
1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sudden Deaths (cause unascertained)		2	—	—	—	—	—	1	—	—	—	—	—	—	—
Causes not specified or ill-defined		161	57	4	12	7	2	1	—	3	6	6	3	3	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	ORDER 1.														
	1. Premature Birth	6	6	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	4	—	—	3	1	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Paramenia	3	—	—	—	—	—	—	—	—	2	—	—	—	—
	2. Childbirth (see Puerperal Fever)	13	—	—	—	—	—	—	—	—	—	2	2	3	—
	ORDER 3.														
	1. Old Age	295	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	7	2	1	—	—	—	—	—	—	—	—	—	—	—
	V.	ORDER 1.													
	(Accident or Negligence.)														
	1. Fractures and Contusions	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Burns and Scalds	5	—	—	—	—	1	—	2	—	—	—	—	—	—	
5. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Drowning	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
7. Suffocation	1	—	—	—	—	—	—	—	—	—	—	—	—	1	
8. Otherwise	2	—	1	—	1	—	—	—	—	—	—	—	—	—	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5.														
	(Execution.)														
1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		1	—	—	—	1	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		194	41	4	3	10	1	—	4	8	5	3	4	5	4

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
V.	1. Old Age	-	-	-	-	-	2	4	11	39	65	45	15	8	1	-
	ORDER 4.															
	1. Atrophy and Debility	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	-	2	-	-	1	-	-	1	1	1	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	5. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	7	3	1	6	3	-	1	-	-	3	-	-	-	-	1
	7. Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Causes not specified or ill-defined		5	-	-	7	8	3	9	10	13	-	-	-	-	-	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (<i>see</i> Puerperal Fever)	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	10	9	31	47	99	58	22	13	6	—
	ORDER 4.															
	1. Atrophy and Debility	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—
V.	ORDER 1. (<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	5. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Otherwise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2. (<i>Homicide.</i>)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (<i>Suicide.</i>)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	5. Hanging	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (<i>Execution.</i>)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Causes not specified or ill-defined	5	3	8	4	12	14	21	15	20	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	ALL AGES.	MALES.												
			AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	7068	769	302	665	905	378	199	148	317	158	208	267	237	261
	Specified Causes . .	6994	750	299	663	808	377	198	148	313	156	206	264	234	260
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1058	61	46	153	235	126	73	54	72	18	16	28	24	21
II.	CONSTITUTIONAL „	1425	19	34	106	154	92	44	44	122	70	118	125	99	102
III.	LOCAL „	3527	295	184	349	426	142	75	46	97	56	56	80	78	112
IV.	DEVELOPMENTAL „	665	365	30	53	77	13	3	1	3	1	—	—	—	2
V.	VIOLENT DEATHS .	319	10	5	2	6	4	3	3	19	11	16	31	33	23
	(ORDERS.)														
I.	1. Miasmatic Diseases .	963	41	35	150	232	126	69	53	71	18	16	26	17	17
	2. Enthetic „ .	37	15	9	2	3	—	1	—	—	—	—	1	1	—
	3. Dietic „ .	53	5	1	—	—	—	1	1	—	—	—	1	6	4
	4. Parasitic „ .	5	—	1	1	—	—	2	—	1	—	—	—	—	—
II.	1. Diathetic „ .	97	2	—	2	—	3	2	2	3	—	—	1	1	5
	2. Tubercular „ .	1328	17	34	104	154	89	42	42	119	70	118	124	98	97
III.	1. Diseases of Nervous System . .	687	85	35	62	67	30	18	11	30	17	10	14	6	14
	2. „ of Organs of Circulation . .	336	1	1	—	—	—	1	—	4	7	8	8	17	24
	3. „ of Respiratory Organs . .	1971	146	132	257	338	104	50	26	38	11	24	35	33	43
	4. „ of Digestive Organs . . .	371	63	15	29	19	3	6	7	13	13	5	16	11	16
	5. „ of Urinary Organs . . .	111	—	—	—	1	3	—	1	4	1	3	6	8	14
	6. „ of Organs of Generation .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ of Organs of Locomotion . .	33	—	—	—	—	2	—	1	6	7	6	1	1	—
	8. „ of Integumentary System . .	18	—	1	1	1	—	—	—	2	—	—	—	2	1
IV.	1. Dev. Dis. of Children	325	213	9	31	64	8	—	—	—	—	—	—	—	—
	2. „ of Adults .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ of Old People	109	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diseases of Nutrition	231	152	21	22	13	5	3	1	3	1	—	—	—	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	6755	600	230	540	808	337	188	145	311	159	268	259	250	239
	Specified Causes	6684	581	227	535	805	337	187	145	308	158	268	259	246	236
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1082	48	40	127	245	121	86	55	94	29	24	25	35	16
II.	CONSTITUTIONAL „	1568	14	36	76	144	58	36	38	106	82	176	154	127	94
III.	LOCAL „	3160	223	121	281	344	143	60	49	102	41	63	66	67	102
IV.	DEVELOPMENTAL „	771	286	24	49	62	10	2	—	2	2	5	13	14	19
V.	VOILENT DEATHS .	103	10	6	2	10	5	3	3	4	4	—	1	3	5
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1013	41	34	118	242	120	85	54	94	28	24	22	30	11
	2. ENTHETIC „ .	38	7	5	7	3	1	1	—	—	1	—	1	2	1
	3. DIETIC „ .	31	—	1	2	—	—	—	1	—	—	—	2	3	4
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ „ .	195	2	1	1	2	1	3	—	2	3	2	3	5	6
	2. TUBERCULAR „ .	1373	12	35	75	142	57	33	38	104	79	174	151	122	88
III.	1. DISEASES OF NERVOUS SYSTEM . . .	564	57	17	44	56	18	16	14	28	7	11	11	5	12
	2. „ OF ORGANS OF CIRCULATION .	318	2	—	—	—	—	—	1	4	5	8	11	14	20
	3. „ OF RESPIRATORY ORGANS . . .	1793	98	89	220	264	115	35	29	44	16	20	24	27	44
	4. „ OF DIGESTIVE ORGANS . . .	348	62	15	17	21	7	8	5	14	5	12	12	9	16
	5. „ OF URINARY ORGANS . . .	76	—	—	—	—	3	—	—	3	4	5	6	4	8
	6. „ OF ORGANS OF GENERATION .	22	—	—	—	—	—	—	—	—	—	1	1	6	1
	7. „ OF ORGANS OF LOCOMOTION . .	29	—	—	—	2	—	1	—	8	4	6	1	—	1
	8. „ OF INTEGUMENTARY SYSTEM . .	10	4	—	—	1	—	—	—	1	—	—	—	2	—
IV.	1. DEV. DIS. OF CHILDREN	235	139	5	37	50	4	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	74	—	—	—	—	—	—	—	—	—	5	11	14	19
	3. „ OF OLD PEOPLE	238	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	224	147	19	12	12	6	2	—	2	2	—	2	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	255	246	282	255	303	276	252	208	171	106	44	13	8	1	1
	Specified Causes	252	244	281	250	297	274	246	205	171	106	44	13	8	1	—
	(CLASSES.)															
I.	ZYMOTIC DISEASES	22	24	19	15	17	14	13	7	3	2	1	—	—	—	—
II.	CONSTITUTIONAL „	92	82	98	35	47	29	16	11	9	8	—	—	—	—	—
III.	LOCAL „	117	119	157	186	219	212	188	133	100	40	19	6	1	1	—
IV.	DEVELOPMENTAL „	15	13	3	3	10	16	26	50	57	53	23	7	7	—	—
V.	VIOLENT DEATHS	6	6	4	11	4	3	3	4	2	3	1	—	—	—	—
	(ORDERS.)															
I.	1. MIASMATIC DISEASES	17	14	15	12	16	13	12	5	3	2	1	—	—	—	—
	2. ENTHETIC „	—	5	4	—	—	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „	5	5	—	3	1	1	1	2	—	—	—	—	—	—	—
	4. PARASITIC „	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „	16	15	35	17	25	19	11	10	8	8	—	—	—	—	—
	2. TUBERCULAR „	76	67	63	18	22	10	5	1	1	—	—	—	—	—	—
III.	1. DISEASES OF NERVOUS SYSTEM	9	17	16	42	36	40	33	27	31	9	4	3	—	1	—
	2. „ OF ORGANS OF CIRCULATION	28	27	27	29	36	37	26	23	16	4	—	—	—	—	—
	3. „ OF RESPIRATORY ORGANS	52	55	84	82	117	112	112	68	44	26	12	3	1	—	—
	4. „ OF DIGESTIVE ORGANS	13	13	20	21	23	20	11	13	8	1	2	—	—	—	—
	5. „ OF URINARY ORGANS	8	4	8	9	5	2	5	1	1	—	—	—	—	—	—
	6. „ OF ORGANS OF GENERATION	5	2	—	2	1	1	—	1	—	—	1	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION	2	1	1	—	1	—	1	—	—	—	—	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS	13	10	2	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	—	—	—	—	—	16	25	50	57	53	23	7	7	—	—
	4. DISEASES OF NUTRITION	2	3	1	3	10	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	MONTHS.			AGE UNDER										
			3	6	12	2	3	4	5	10	15	20	25	30	35	
V.	1. ACCIDENT OR NEGLIGENCE	298	8	5	2	6	4	3	3	19	11	16	29	28	20	
	*															
	3. HOMICIDE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	19	-	-	-	-	-	-	-	-	-	-	2	5	3	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS, CAUSE UNASCERTAINED		21	2	1	-	-	-	-	-	-	-	1	1	1	1	
CAUSES NOT SPECIFIED		53	17	2	2	7	1	1	-	4	2	1	2	2	-	
I.	ORDER 1.															
	1. Small-pox	9	-	-	2	1	-	-	-	1	-	1	1	3	-	
	2. Measles	186	-	4	36	73	41	12	11	8	1	-	-	-	-	
	3. Scarlatina	66	-	-	3	14	15	11	9	8	3	2	1	-	-	
	4. Diphtheria	71	1	-	12	17	14	11	6	8	-	1	-	-	1	
	5. Quinsy	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
	6. Croup	91	3	5	13	23	20	11	8	8	-	-	-	-	-	
	7. Hooping-cough	214	8	9	62	66	29	17	11	11	1	-	-	-	-	
	8. { Typhus Fever	35	-	-	-	1	1	-	2	2	1	-	4	-	5	
	8. { Enteric or Typhoid Fever	83	1	-	2	2	-	2	3	16	10	6	15	9	5	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	6	-	-	-	-	1	1	-	1	-	1	-	-	-	
	9. Erysipelas	24	5	1	1	1	1	-	-	-	-	1	1	2	1	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	4	-	-	-	-	-	-	1	-	1	-	-	-	-	
	13. Dysentery	8	-	-	2	-	1	-	-	1	-	-	1	-	1	
	14. Diarrhoea	132	23	15	16	32	3	2	1	4	1	2	1	1	3	
	15. Cholera	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
	16. Ague	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	6	-	-	-	1	-	2	1	2	-	-	-	-	-	
	18. Rheumatism	16	-	-	-	-	-	-	-	1	-	2	2	2	1	
	19. Other Miasmatic Diseases	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis	33	15	9	2	3	-	1	-	-	-	-	1	-	-	
	2. Stricture of Urethra	4	-	-	-	-	-	-	-	-	-	-	-	1	-	
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Privation	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Want of Breast Milk	4	3	1	-	-	-	-	-	-	-	-	-	-	-	
	3. Purpura and Scurvy	6	1	-	-	-	-	1	1	-	-	-	1	1	1	
	4. Alco- { a Del. Tremens	8	-	-	-	-	-	-	-	-	-	-	-	1	1	
	holism { b Intemperance	34	-	-	-	-	-	-	-	-	-	-	-	4	2	
	ORDER 4.															
	1. Thrush	2	-	1	1	-	-	-	-	-	-	-	-	-	-	
	2. Worms, etc. . . .	3	-	-	-	-	-	2	-	1	-	-	-	-	-	
II.	ORDER 1.															
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	26	-	-	-	-	2	2	1	3	-	-	-	-	1	
	3. Cancer	62	2	-	2	-	-	-	1	-	-	-	1	1	4	
	4. Cancrum Oris (Noma)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
	5. Mortification	7	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	97	7	6	2	10	5	3	3	4	4	—	1	3	3
	*														
	3. HOMICIDE	3	3	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	3	—	—	—	—	—	—	—	—	—	—	—	—	2
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		20	3	2	1	1	—	—	—	—	—	—	—	—	2
CAUSES NOT SPECIFIED		51	16	1	4	2	—	1	—	3	1	—	—	4	1
I.	ORDER 1.														
	1. Small-pox	4	—	—	—	—	—	—	—	—	—	2	1	—	1
	2. Measles	169	—	3	28	66	29	18	9	14	1	—	1	—	—
	3. Scarlatina	71	—	—	5	14	12	7	11	16	4	—	—	—	1
	4. Diphtheria	82	—	1	5	20	13	16	7	15	2	1	—	2	—
	5. Quinsy	6	1	—	1	—	2	—	—	1	—	—	—	—	—
	6. Croup	87	5	2	12	25	12	16	6	9	—	—	—	—	—
	7. Hooping-cough	233	9	10	45	87	37	16	13	16	—	—	—	—	—
	8. { Typhus Fever	35	—	—	—	1	—	1	—	—	2	—	—	—	—
	8. { Enteric or Typhoid Fever	101	—	2	1	6	7	5	3	17	14	14	4	12	1
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	8	—	—	—	—	—	—	1	3	—	1	—	1	—
	9. Erysipelas	25	7	4	—	1	—	1	—	—	—	—	1	3	—
	10. Puerperal Fever (Metria)	31	—	—	—	—	—	—	—	—	—	1	10	9	4
	11. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	3	—	—	—	—	—	—	—	1	1	—	—	—	—
	13. Dysentery	6	—	1	1	—	1	—	—	—	—	—	—	1	—
	14. Diarrhoea	114	17	11	19	20	5	4	2	—	2	—	—	—	1
	15. Cholera	4	2	—	1	1	—	—	—	—	—	—	—	—	—
	16. Ague	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	6	—	—	—	1	2	1	2	—	—	—	—	—	—
	18. Rheumatism	25	—	—	—	—	—	—	—	2	2	2	1	1	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	36	7	5	7	3	1	1	—	—	—	—	1	1	1
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	2	—	—	—	—	—	—	—	—	1	—	—	1	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	4	—	—	—	—	—	—	1	—	—	—	—	—	1
	2. Want of Breast Milk	2	—	1	1	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	5	—	—	1	—	—	—	—	—	—	—	1	—	—
	4. Alco- { a Del. Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—	1
	holism { b Intemperance	19	—	—	—	—	—	—	—	—	—	—	1	3	2
	ORDER 4.														
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Dropsy	37	1	1	—	—	—	2	—	1	3	—	1	2	—
	3. Cancer	143	1	—	—	1	—	1	—	1	—	2	2	3	6
	4. Cancrum Oris (Noma)	3	—	—	1	1	1	—	—	—	—	—	—	—	—
	5. Mortification	11	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	34	28	26	13	17	7	10	5	3	1	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	1	1	2	1	1	1	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		2	2	1	1	3	1	3	1	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	3	3	1	-	1	3	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	3	3	3	6	2	2	-	-	-	-	-	-	-	-	-
	{ Enteric or Typhoid Fever	5	1	1	2	1	2	-	-	-	-	-	-	-	-	-
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	1	-	2	1	-	3	2	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-
	12. Influenza	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	14. Diarrhoea	2	5	-	3	5	6	2	3	1	1	-	-	-	-	-
	15. Cholera	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	3	-	2	1	-	1	-	-	-	-	1	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	7	2	8	5	4	-	1	1	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	2	-	3	-	2	1	2	2	4	1	-	-	-	-	-
	3. Cancer	3	4	4	7	13	6	10	1	2	1	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	3	2	1	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	6	6	3	11	4	3	3	4	2	3	1	—	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	—	—	—	4	3	1	2	1	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED	3	2	1	1	3	1	4	2	—	—	—	—	—	—	1
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	4	7	5	2	2	—	—	—	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	2	2	2	2	2	2	1	1	1	—	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	1	—	—	4	1	—	1	1	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	12. Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
	14. Diarrhœa	1	2	3	2	5	7	8	2	1	1	1	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	—	1	4	1	4	3	1	1	1	1	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	5	4	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	4	4	—	2	1	—	1	1	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. Dropsy	3	3	4	—	6	3	2	3	1	1	—	—	—	—	—
	3. Cancer	13	12	29	17	19	13	8	7	4	4	—	—	—	—	—
	4. Cancerum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	2	—	—	3	1	—	3	2	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	82	2	3	6	12	11	4	4	13	13	4	4	4	1
	2. Tabes Mesenterica	206	9	11	18	59	24	17	12	29	11	6	2	2	1
	3. Phthisis	793	2	8	16	20	19	8	10	47	40	105	117	92	95
	4. Hydrocephalus	247	4	12	64	63	35	13	16	30	6	3	1	—	—
	ORDER 1.														
	1. Cephalitis	115	5	10	22	19	12	11	4	15	7	1	2	2	2
	2. Apoplexy	152	2	7	3	5	6	2	3	3	5	2	2	2	4
	3. Paralysis	107	—	—	1	1	—	—	—	2	—	1	1	—	1
	4. Insanity	1	—	—	—	—	—	—	—	—	—	—	1	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	15	—	—	—	1	—	1	—	—	—	2	1	1	2
	7. Convulsions	175	74	16	30	33	10	2	1	3	—	—	2	—	—
	8. Brain Disease, etc.	122	4	2	6	8	2	2	3	7	5	4	5	1	5
	ORDER 2.														
	1. Pericarditis	6	—	—	—	—	—	—	—	—	1	—	—	—	—
	2. Aneurism	15	—	—	—	—	—	—	—	—	—	1	—	—	4
	3. Heart Disease, etc.	315	1	1	—	—	—	1	—	4	6	7	8	15	20
	ORDER 3.														
	1. Laryngitis	29	—	3	5	8	3	1	—	2	—	—	2	—	—
2. Bronchitis	1261	108	101	183	224	68	29	16	22	6	8	9	4	13	
3. Pleurisy	31	—	—	—	—	—	—	—	2	—	2	4	2	2	
4. Pneumonia	487	20	23	52	86	25	12	7	9	4	12	17	23	23	
5. Asthma	17	—	—	—	—	—	—	—	—	—	—	—	1	—	
6. Lung Disease, etc.	146	18	5	17	20	8	8	3	3	1	2	3	3	5	
ORDER 4.															
1. Gastritis	26	5	3	2	1	1	—	2	—	1	2	1	—	—	
2. Enteritis	87	24	9	14	9	1	4	2	7	3	3	1	4	3	
3. Peritonitis	35	3	—	1	—	1	—	1	3	—	1	—	—	—	
4. Ascites	8	—	—	—	1	—	—	—	—	1	—	1	—	—	
5. Ulceration of Intestines . .	8	—	—	—	—	—	—	—	—	—	—	3	—	1	
6. Hernia	11	2	—	—	1	—	—	—	—	—	—	—	—	—	
7. Ileus	19	2	2	1	1	—	—	—	—	2	—	3	—	1	
8. Intussusception	2	—	—	—	—	—	—	—	—	1	—	—	—	—	
9. Stricture of Intestines . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	1	
11. Stomach Disease, etc. . . .	53	16	1	7	3	—	—	1	—	—	1	—	1	2	
12. Pancreas Disease, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	19	—	—	1	1	—	—	—	—	—	—	1	1	1	
14. Jaundice	10	7	—	—	—	—	—	—	1	—	—	—	—	—	
15. Liver Disease, etc.	88	4	—	2	2	—	2	1	2	2	1	2	5	8	
16. Spleen Disease, etc.	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
1. Nephritis	9	—	—	—	1	1	—	—	1	—	—	—	—	—	
2. Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease (Nephria)	40	—	—	—	—	—	—	—	1	1	1	4	5	8	
4. Diabetes	8	—	—	—	—	—	—	—	—	—	1	—	1	1	
5. Calculus (Stone)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Cystitis	10	—	—	—	—	1	—	—	—	—	—	—	—	—	
7. Kidney Disease, etc.	40	—	—	—	—	1	—	1	2	—	1	2	2	5	
ORDER 6.															
1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 7.															
1. Synovitis (Arthritis) . . .	2	—	—	—	—	—	—	—	—	1	—	—	—	—	
2. Joint Disease, etc.	31	—	—	—	—	2	—	1	6	6	6	1	1	—	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	73	2	2	1	14	3	3	4	15	6	10	4	—	1
	2. Tabes Mesenterica	132	6	4	12	39	16	8	11	20	4	2	4	1	3
	3. Phthisis	957	1	9	14	29	14	10	12	49	59	160	142	121	84
	4. Hydrocephalus	211	3	20	48	60	24	12	11	20	10	2	1	—	—
	ORDER 1.														
	1. Cephalitis	89	2	5	16	18	3	11	9	15	3	2	2	1	—
	2. Apoplexy	144	7	3	7	12	1	1	1	3	1	4	1	1	1
	3. Paralysis	125	—	—	1	—	1	2	—	1	—	—	2	—	3
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	11	—	—	—	—	—	—	1	—	2	1	—	1	3
	7. Convulsions	104	45	8	14	18	8	2	—	3	—	1	1	—	2
	8. Brain Disease, etc. . . .	91	3	1	6	8	5	—	3	6	1	3	5	2	3
	ORDER 2.														
	1. Pericarditis	8	—	—	—	—	—	—	—	1	—	1	1	—	3
	2. Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc. . . .	307	2	—	—	—	—	—	1	3	5	7	10	14	17
	ORDER 3.														
	1. Laryngitis	33	2	1	2	10	6	1	—	2	1	1	1	2	—
	2. Bronchitis	1272	77	66	150	179	74	23	19	24	6	5	13	10	23
	3. Pleurisy	21	—	—	—	1	1	—	—	1	1	1	1	1	—
	4. Pneumonia	321	9	12	49	58	24	9	8	12	7	6	4	6	16
	5. Asthma	12	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc. . . .	134	10	10	19	16	10	2	2	5	1	7	5	8	5
	ORDER 4.														
	1. Gastritis	25	3	1	2	—	—	1	3	1	2	1	1	—	—
	2. Enteritis	89	35	9	6	16	3	1	1	3	—	4	—	1	1
	3. Peritonitis	31	2	—	1	1	1	2	—	2	1	2	4	3	2
	4. Ascites	5	—	—	—	—	—	1	—	1	1	—	—	—	—
	5. Ulceration of Intestines .	4	—	—	—	—	—	—	—	1	—	—	—	—	2
	6. Hernia	15	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	17	5	1	—	—	—	—	—	1	—	1	—	—	1
	8. Intussusception	9	—	—	3	—	—	—	—	1	—	2	1	1	—
	9. Stricture of Intestines .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc. . .	53	15	2	4	2	—	2	—	1	—	—	3	2	2
	12. Pancreas Disease, etc. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	26	1	—	1	2	—	1	—	1	—	—	—	—	4
	14. Jaundice	9	1	—	—	—	—	—	—	—	—	1	1	—	—
	15. Liver Disease, etc. . . .	59	—	2	—	—	1	—	1	2	1	1	1	2	4
	16. Spleen Disease, etc. . .	4	—	—	—	—	2	—	—	—	—	—	1	—	—
	ORDER 5.														
	1. Nephritis	10	—	—	—	—	2	—	—	1	—	1	1	1	1
	2. Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	1	—
	3. Bright's Disease (Nephria)	32	—	—	—	—	—	—	—	1	2	4	3	1	4
	4. Diabetes	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc. . . .	28	—	—	—	—	1	—	—	1	2	—	2	1	3
	ORDER 6.														
	1. Ovarian Dropsy	8	—	—	—	—	—	—	—	—	—	—	—	1	—
	2. Uterus Disease, etc. . . .	14	—	—	—	—	—	—	—	—	—	1	1	5	1
	ORDER 7.														
	1. Synovitis (Arthritis) . . .	4	—	—	—	1	—	—	—	—	1	—	—	—	—
	2. Joint Disease, etc.	25	—	—	—	1	—	1	—	8	3	6	1	—	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	2	1	—	—	—	2	—	—	—	—	—	—	—	—	—
	3. Phthisis	58	66	43	23	13	6	3	—	1	1	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Apoplexy	4	3	11	11	17	24	14	12	5	2	3	—	—	—	—
	3. Paralysis	6	3	6	7	9	22	14	10	19	2	1	1	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	1	—	—	1	2	1	1	—	1	—	—	—	—	—	—
	7. Convulsions	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	6	5	9	8	7	12	11	6	4	—	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	2	4	2	—	1	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	25	28	25	33	42	34	38	18	5	1	2	1	—	—	—
	ORDER 3.															
	1. Laryngitis	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	27	38	55	70	62	76	62	42	28	5	5	—	—	—	—
	3. Pleurisy	3	4	3	2	2	4	1	—	—	—	—	—	—	—	—
	4. Pneumonia	26	28	26	31	19	22	10	6	4	1	1	—	—	—	—
	5. Asthma	2	1	2	3	2	3	1	1	1	—	—	—	—	—	—
	6. Lung Disease, etc.	7	4	12	8	5	3	5	2	3	1	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	2	—	1	—	1	1	—	1	1	1	—	—	—	—	—
	2. Enteritis	4	3	2	2	—	—	—	1	—	—	—	—	—	—	—
	3. Peritonitis	4	2	1	2	1	2	1	—	—	—	—	—	—	—	—
	4. Ascites	—	—	—	3	—	1	1	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—
	6. Hernia	1	—	1	1	2	—	1	2	—	—	—	—	—	—	—
	7. Ileus	1	1	1	1	—	1	—	2	—	—	—	—	—	—	—
	8. Intussusception	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	2	3	3	3	1	4	2	3	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	1	1	4	1	—	5	2	—	—	—	—	—	—	—	—
	14. Jaundice	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	15. Liver Disease, etc.	1	5	8	12	13	9	5	2	1	1	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	2	2	—	—	1	—	—	—	—	1	—	—	—	—	—
	2. Ischuria	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	1	2	2	2	3	5	3	2	—	—	—	—	—	—	—
	4. Diabetes	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	6. Cystitis	—	1	1	—	1	2	3	1	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	2	1	6	5	1	1	4	2	3	1	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	2	1	1	2	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	2	1	1	2	1	1	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
	3. Phthisis	74	66	61	16	21	9	4	1	1	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Apoplexy	3	11	10	17	11	14	7	10	14	2	2	—	—	—	—
	3. Paralysis	1	2	4	13	18	19	19	13	15	6	1	3	—	1	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
	7. Convulsions	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	4	3	2	10	7	6	5	4	2	1	1	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
	2. Aneurism	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	28	26	26	29	35	37	25	23	15	4	—	—	—	—	—
	ORDER 3.															
	1. Laryngitis	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—
	2. Bronchitis	33	35	64	72	96	91	90	58	35	18	8	3	—	—	—
	3. Pleurisy	2	3	3	—	1	1	3	—	—	1	—	—	—	—	—
	4. Pneumonia	14	11	14	8	10	12	11	6	5	7	3	—	—	—	—
	5. Asthma	—	1	1	—	2	5	2	1	—	—	—	—	—	—	—
	6. Lung Disease, etc.	2	4	2	1	8	2	6	3	4	—	1	—	1	—	—
	ORDER 4.															
	1. Gastritis	3	2	1	2	1	1	—	—	—	—	—	—	—	—	—
	2. Enteritis	—	—	4	2	2	—	1	—	—	—	—	—	—	—	—
	3. Peritonitis	3	1	1	2	2	—	1	—	—	—	—	—	—	—	—
	4. Ascites	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
	5. Ulceration of Intestines	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	6. Hernia	—	1	1	2	3	3	2	2	1	—	—	—	—	—	—
	7. Ileus	—	—	—	1	1	1	1	2	2	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	11. Stomach Disease, etc.	2	2	3	1	2	3	3	3	1	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	3	1	2	3	2	1	—	1	1	1	1	—	—	—	—
	14. Jaundice	—	—	—	—	2	2	1	1	—	—	—	—	—	—	—
	15. Liver Disease, etc.	2	6	6	8	7	8	1	4	1	—	1	—	—	—	—
	16. Spleen Disease, etc.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	1	2	5	3	2	1	2	1	—	—	—	—	—	—	—
	4. Diabetes	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	4	1	2	5	2	1	3	—	—	—	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	2	1	—	1	1	—	—	1	—	—	1	—	—	—	—
	2. Uterus Disease, etc.	3	1	—	1	—	1	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	8	-	-	-	-	-	-	-	1	-	-	-	1	-
	2. Ulcer	4	-	-	-	-	-	-	-	1	-	-	-	-	1
	3. Skin Disease, etc. . . .	6	-	1	1	1	-	-	-	-	-	-	-	1	-
	ORDER 1.														
	1. Premature Birth	196	196	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cyanosis	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	7	5	1	-	1	-	-	-	-	-	-	-	-	-
	4. Other Malformations . .	10	9	-	-	1	-	-	-	-	-	-	-	-	-
	5. Teething	110	1	8	31	62	8	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	109	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility . .	231	152	21	22	13	5	3	1	3	1	-	-	-	2
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	141	-	-	-	1	-	2	2	10	4	10	18	11	9
	2. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	4	-	-	-	-	-	-	-	-	1	-	-	-	1
	4. Burns and Scalds	25	1	-	1	3	2	1	-	3	-	3	3	2	1
	5. Poison	8	1	-	-	1	-	-	1	-	1	-	-	1	-
	6. Drowning	58	1	-	-	-	-	-	-	2	2	1	4	9	4
	7. Suffocation	23	5	5	1	1	-	-	-	1	-	-	-	2	3
	8. Otherwise	38	-	-	-	-	2	-	-	3	3	2	4	3	2
	ORDER 3. (Homicide.)														
	I. Murder and Manslaughter	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	6	-	-	-	-	-	-	-	-	-	-	1	2	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Drowning	2	-	-	-	-	-	-	-	-	-	-	1	1	-
	5. Hanging	7	-	-	-	-	-	-	-	-	-	-	-	2	1
	6. Otherwise and undefined	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 5. (Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		21	2	1	-	-	-	-	-	-	-	1	1	1	1
Causes not specified or ill-defined		53	17	2	2	7	1	1	-	4	2	1	2	2	-

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
			3	6	12											
IV.	ORDER 8.															
	1. Phlegmon	4		—	—	—	—	—	—	—	—	—	—	2	—	
	2. Ulcer	2		—	—	1	—	—	—	—	—	—	—	—	—	
	3. Skin Disease, etc.	4	2	—	—	—	—	—	—	1	—	—	—	—	—	
	ORDER 1.															
	1. Premature Birth	125	124	1	—	—	—	—	—	—	—	—	—	—	—	
	2. Cyanosis	4	4	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Spina Bifida	5	4	—	—	—	1	—	—	—	—	—	—	—	—	
	4. Other Malformations	11	7	—	1	3	—	—	—	—	—	—	—	—	—	
	5. Teething	90	—	4	36	47	3	—	—	—	—	—	—	—	—	
	ORDER 2.															
	1. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1	—	
	2. Childbirth (see Puerperal Fever)	73	—	—	—	—	—	—	—	—	—	5	11	13	19	
	ORDER 3.															
	1. Old Age	238	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4.															
	1. Atrophy and Debility	224	147	19	12	12	6	2	—	2	2	—	2	—	—	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	39	1	—	—	4	2	3	1	1	1	—	1	1	1	
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Burns and Scalds	17	—	—	—	3	3	—	1	3	2	—	—	—	—	
	5. Poison	4	—	—	—	—	—	—	1	—	—	—	—	1	1	
	6. Drowning	8	—	—	—	1	—	—	—	—	—	—	—	1	1	
	7. Suffocation	24	6	6	2	1	—	—	—	—	1	—	—	—	—	
	8. Otherwise	5	—	—	—	1	—	—	—	—	—	—	—	—	—	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	3	3	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Cut, Stab	1	—	—	—	—	—	—	—	—	—	—	—	—	1	
	3. Poison	1	—	—	—	—	—	—	—	—	—	—	—	—	1	
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Hanging	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sudden Deaths (cause unascertained)		20	3	2	1	1	—	—	—	—	—	—	—	—	2
	Causes not specified or ill-defined		51	16	1	4	2	—	1	—	3	1	—	—	4	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	7	14	19	37	16	11	5	-	-	-
	ORDER 4.															
	1. Atrophy and Debility	-	1	-	5	2	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	15	14	15	6	8	4	5	4	2	1	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-
	5. Poison	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	6. Drowning	7	12	5	4	4	1	2	-	-	-	-	-	-	-	-
	7. Suffocation	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	7	1	3	2	2	2	1	-	1	-	-	-	-	-	-
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		2	2	1	1	3	1	3	1	-	-	-	-	-	-	-
Causes not specified or ill-defined		1	3	3	1	-	1	3	-	-	-	-	-	-	-	-

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	13	10	2	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	16	25	50	57	53	23	7	7	—	—
	ORDER 4.															
	1. Atrophy and Debility	2	3	1	3	10	—	1	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	5	1	2	7	1	—	1	3	1	1	1	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	—	—	—	1	—	1	1	1	1	—	—	—	—	—
	5. Poison	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	—	1	1	2	1	—	—	—	—	—	—	—	—	—	—
	7. Suffocation	1	3	—	—	1	3	—	—	—	—	—	—	—	—	—
	8. Otherwise	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	—	—	—	4	3	1	2	1	—	—	—	—	—	—	—
	Causes not specified or ill-defined	3	2	1	1	3	1	4	2	—	—	—	—	—	—	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	2340	268	104	185	210	80	54	27	90	51	60	91	62	108
	Specified Causes	2328	263	103	185	210	80	54	27	90	51	60	91	62	107
	(CLASSES.)														
I.	ZYMOTIC DISEASES	374	34	22	48	77	41	18	8	28	13	8	11	1	11
II.	CONSTITUTIONAL „	469	9	8	27	27	10	15	10	18	16	32	43	33	40
III.	LOCAL „	1171	101	62	90	94	24	18	9	38	20	14	29	23	43
IV.	DEVELOPMENTAL „	193	105	8	17	11	3	1	—	—	—	—	—	—	—
V.	VIOLENT DEATHS .	121	14	3	3	1	2	2	—	6	2	6	8	5	13
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	328	23	20	45	77	41	18	8	27	12	8	9	1	6
	2. ENTHETIC „ .	13	6	1	3	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	31	4	1	—	—	—	—	—	—	1	—	2	—	5
	4. PARASITIC „ .	2	1	—	—	—	—	—	—	1	—	—	—	—	—
II.	1. DIATHETIC „ .	79	—	—	—	2	—	—	—	1	—	—	1	3	1
	2. TUBERCULAR „ .	390	9	8	27	25	10	15	10	17	16	32	42	30	39
III.	1. DISEASES OF NERVOUS SYSTEM . .	258	29	11	17	23	8	6	4	14	6	3	5	2	4
	2. „ OF ORGANS OF CIRCULATION .	189	1	—	—	—	—	1	1	3	—	5	6	5	10
	3. „ OF RESPIRATORY ORGANS . . .	482	53	38	60	55	13	7	2	6	5	4	12	10	18
	4. „ OF DIGESTIVE ORGANS	131	18	11	10	9	2	2	1	5	4	1	4	4	6
	5. „ OF URINARY ORGANS	80	—	—	—	1	1	2	1	2	1	—	2	2	4
	6. „ OF ORGANS OF GENERATION .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	23	—	—	2	4	—	—	—	8	4	1	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	8	—	2	1	2	—	—	—	—	—	—	—	—	1
IV.	1. DEV. DIS. OF CHILDREN	90	69	3	9	7	1	1	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	47	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	56	36	—	8	4	2	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	2304	212	71	153	155	80	61	38	77	35	76	63	83	70
	Specified Causes	2297	209	71	153	154	79	61	38	77	35	76	63	82	69
	(CLASSES.)														
I.	ZYMOTIC DISEASES	358	23	19	40	58	39	25	19	33	8	7	12	6	6
II.	CONSTITUTIONAL „	505	4	14	29	25	15	14	6	20	14	48	30	38	26
III.	LOCAL „	1117	70	25	68	64	24	21	11	23	12	19	19	32	31
IV.	DEVELOPMENTAL „	270	104	10	14	7	—	1	—	—	—	1	1	6	5
V.	VIOLENT DEATHS	47	8	3	2	—	1	—	2	1	1	1	1	—	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES	328	17	16	39	56	38	25	18	33	8	7	12	6	6
	2. ENTHETIC „	9	3	1	—	2	1	—	—	—	—	—	—	—	—
	3. DIETIC „	19	2	2	1	—	—	—	—	—	—	—	—	—	—
	4. PARASITIC „	2	1	—	—	—	—	—	1	—	—	—	—	—	—
II.	1. DIATHETIC „	124	—	—	—	—	—	—	—	—	1	—	—	—	1
	2. TUBERCULAR „	381	4	14	29	25	15	14	6	20	13	48	30	38	25
III.	1. DISEASES OF NERVOUS SYSTEM	256	20	4	18	11	3	6	4	7	2	4	—	1	6
	2. „ OF ORGANS OF CIRCULATION	215	2	—	1	—	—	—	—	3	2	6	3	11	6
	3. „ OF RESPIRATORY ORGANS	454	31	16	47	48	18	15	5	10	6	4	8	13	7
	4. „ OF DIGESTIVE ORGANS	125	15	3	2	4	3	—	2	1	1	4	7	3	6
	5. „ OF URINARY ORGANS	38	1	—	—	—	—	—	—	—	1	—	—	1	3
	6. „ OF ORGANS OF GENERATION	16	—	—	—	—	—	—	—	—	—	1	—	2	2
	7. „ OF ORGANS OF LOCOMOTION	7	—	—	—	1	—	—	—	2	—	—	1	1	—
	8. „ OF INTEGUMENTARY SYSTEM	6	1	2	—	—	—	—	—	—	—	—	—	—	1
IV.	1. DEV. DIS. OF CHILDREN	92	74	5	7	6	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS	23	—	—	—	—	—	—	—	—	—	1	1	6	5
	3. „ OF OLD PEOPLE	105	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	50	30	5	7	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	MONTHS.			AGE UNDER										
			3	6	12	2	3	4	5	10	15	20	25	30	35	
V.	1. ACCIDENT OR NEGLIGENCE	110	14	3	3	1	2	2	-	6	2	6	7	4	11	
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	11	-	-	-	-	-	-	-	-	-	-	1	1	2	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS, CAUSE UNASCERTAINED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		11	5	1	-	-	-	-	-	-	-	-	-	-	1	
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	14	-	1	2	9	1	-	-	1	-	-	-	-	-	
	3. Scarlatina	11	1	1	-	2	2	1	1	3	-	-	-	-	-	
	4. Diphtheria	39	-	-	2	6	9	7	3	9	1	1	-	-	1	
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup	37	1	-	9	16	6	1	2	2	-	-	-	-	-	
	7. Hooping-cough	95	7	7	21	29	19	6	-	6	-	-	-	-	-	
	8. { Typhus Fever	7	-	-	-	-	-	-	-	-	2	-	2	-	-	
	8. { Enteric or Typhoid Fever	39	-	-	-	-	1	1	1	4	8	6	7	1	3	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	3	-	-	-	-	1	-	1	-	-	-	-	-	-	
	9. Erysipelas	6	3	-	-	-	-	-	-	-	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	4	-	1	-	1	-	-	-	-	-	-	-	-	-	
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhoea	61	10	8	10	14	2	2	-	1	-	1	-	-	1	
	15. Cholera	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	7	-	-	-	-	-	-	-	1	1	-	-	-	1	
	19. Other Miasmatic Diseases	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis	10	6	1	3	-	-	-	-	-	-	-	-	-	-	
	2. Stricture of Urethra	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Want of Breast Milk	5	4	1	-	-	-	-	-	-	-	-	-	-	-	
	3. Purpura and Scurvy	3	-	-	-	-	-	-	-	-	1	-	1	-	-	
	4. Alco- { a Del. Tremens	8	-	-	-	-	-	-	-	-	-	-	1	-	2	
	holism { b Intemperance	15	-	-	-	-	-	-	-	-	-	-	-	-	3	
	ORDER 4.															
	1. Thrush	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Worms, etc.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	6	-	-	-	1	-	-	-	-	-	-	1	-	-	
	3. Cancer	65	-	-	-	1	-	-	-	1	-	-	-	3	1	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	8	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See page 52, note *

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	46	8	3	2	-	1	-	2	1	1	1	1	-	1
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	7	3	-	-	1	1	-	-	-	-	-	-	1	1
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	13	-	1	1	8	1	1	-	1	-	-	-	-	-
	3. Scarlatina	7	-	1	-	-	1	1	1	2	-	-	-	-	-
	4. Diphtheria	42	1	-	2	9	8	8	4	7	1	-	1	1	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	31	1	1	2	5	6	6	4	6	-	-	-	-	-
	7. Hooping-cough	103	4	8	24	26	19	5	7	10	-	-	-	-	-
	8. { Typhus Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	35	-	1	-	1	1	1	1	2	5	4	7	4	3
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	8. { Simple Continued Fever	12	-	-	-	-	-	1	-	1	1	1	-	-	-
	9. Erysipelas	7	-	-	1	1	-	-	-	1	1	-	1	-	-
	10. Puerperal Fever (Metria)	3	-	-	-	-	-	-	-	-	-	-	1	1	1
	11. Carbuncle	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	13. Dysentery	4	-	-	-	-	-	1	-	-	-	-	-	-	-
	14. Diarrhoea	40	10	3	6	6	2	-	1	-	-	-	-	-	1
	15. Cholera	7	1	-	3	-	-	-	-	-	-	-	1	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	18	-	-	-	-	-	-	-	2	-	2	-	-	1
	19. Other Miasmatic Diseases	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	9	3	1	-	2	1	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	5	2	2	1	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	1	-	-	-	-	-	-	1	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	108	-	-	-	-	-	-	-	-	1	-	-	-	1
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	9	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	15	5	9	4	6	4	5	1	—	—	—	—	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	1	2	—	1	—	2	1	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		—	1	1	—	1	—	—	—	1	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	2	2	1	—	1	1	—	—	—	—	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	9. Erysipelas	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
	13. Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhoea	2	—	—	1	—	—	2	4	1	2	—	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	2	1	—	2	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	3	5	—	1	2	1	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	1	—	1	—	—	—	1	1	—	—	—	—	—	—	—
	3. Cancer	3	6	5	8	6	10	12	6	1	2	—	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	1	—	1	—	—	—	2	2	1	1	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	1	4	3	6	3	5	1	1	—	1	—	—	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	CAUSES NOT SPECIFIED	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarletina	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	2	—	—	1	—	1	—	1	—	—	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	1	—	1	3	2	1	—	—	—	—	—	—	—
	9. Erysipelas	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
	14. Diarrhœa	—	—	2	1	3	—	1	3	—	—	1	—	—	—	—
	15. Cholera	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	—	1	1	1	1	2	3	1	1	1	1	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	4. Alcoholism { a. Del. Tremens	1	1	1	3	4	—	1	1	—	—	—	—	—	—	—
	4. Alcoholism { b. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	2. Dropsy	—	—	—	—	2	2	—	1	—	—	—	—	—	—	—
	3. Cancer	6	8	11	15	19	13	24	5	2	3	—	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	—	1	—	—	2	4	1	1	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	19	2	-	2	-	2	1	1	2	1	-	3	2	1
	2. Tabes Mesenterica	28	1	2	6	4	1	4	1	2	4	1	1	-	-
	3. Phthisis	261	1	-	2	3	-	2	1	2	9	30	38	28	38
	4. Hydrocephalus	82	5	6	17	18	7	8	7	11	2	1	-	-	-
	ORDER 1.														
	1. Cephalitis	38	1	2	2	7	4	2	2	7	1	1	2	-	1
	2. Apoplexy	51	1	-	1	-	1	1	-	2	1	-	-	-	-
	3. Paralysis	45	1	-	-	-	-	-	-	-	-	-	-	-	1
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	6. Epilepsy	11	-	-	-	1	-	-	-	-	1	1	1	1	1
	7. Convulsions	63	24	8	11	13	-	3	2	1	1	-	-	-	-
	8. Brain Disease, etc.	49	2	1	3	1	3	-	-	4	2	1	2	1	1
	ORDER 2.														
	1. Pericarditis	2	-	-	-	-	-	-	-	-	-	1	-	-	-
	2. Aneurism	12	-	-	-	-	-	-	-	-	-	-	-	1	-
	3. Heart Disease, etc.	175	1	-	-	-	-	1	1	3	-	4	6	4	10
	ORDER 3.														
	1. Laryngitis	10	-	1	2	2	-	-	-	1	-	-	2	-	-
	2. Bronchitis	287	40	29	45	36	9	5	1	4	3	-	2	3	7
	3. Pleurisy	19	-	1	-	-	1	1	-	-	-	1	4	-	2
	4. Pneumonia	128	10	4	11	15	2	1	1	1	1	3	3	6	8
	5. Asthma	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	35	3	3	2	2	1	-	-	-	1	-	1	1	1
	ORDER 4.														
	1. Gastritis	72	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Enteritis	32	9	6	4	4	-	2	-	2	1	-	-	1	-
	3. Peritonitis	16	-	1	1	1	1	-	-	1	1	1	2	2	-
	4. Ascites	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	12	-	-	-	-	-	-	-	1	-	-	1	1	1
	6. Hernia	3	1	-	-	1	-	-	-	-	-	-	-	-	-
	7. Ileus	13	-	1	1	-	1	-	1	-	-	-	-	-	1
	8. Intussusception	3	1	1	1	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	15	2	2	3	1	-	-	-	-	-	-	-	-	1
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	3	1	-	-	-	-	-	-	-	-	-	-	-	2
	14. Jaundice	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	22	1	-	-	1	-	-	-	-	2	-	1	-	1
	16. Spleen Disease, etc.	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	7	-	-	-	-	-	1	-	1	-	-	-	-	-
	2. Ischuria	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	26	-	-	-	-	-	-	1	-	1	-	1	1	3
	4. Diabetes	10	-	-	-	1	-	-	-	-	-	-	-	1	-
	5. Calculus (Stone)	6	-	-	-	-	-	1	-	-	-	-	-	-	-
	6. Cystitis	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	27	-	-	-	-	1	-	-	1	-	-	1	-	1
	ORDER 6.														
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.														
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	23	-	-	2	4	-	-	-	8	4	1	-	-	-

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.--FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	15	-	-	2	3	-	1	-	-	2	3	-	1	1
	2. Tabes Mesenterica . . .	34	1	3	7	6	3	3	2	3	3	1	-	-	-
	3. Phthisis	247	-	-	4	4	1	1	-	7	6	43	28	35	23
	4. Hydrocephalus	85	3	11	16	12	11	9	4	10	2	1	2	2	1
	ORDER 1.														
	1. Cephalitis	26	1	1	7	2	1	1	1	3	2	1	-	-	1
	2. Apoplexy	78	-	-	2	2	-	-	2	-	-	1	-	-	1
	3. Paralysis	71	-	-	-	-	-	1	1	-	-	-	-	-	1
	4. Insanity	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	7. Convulsions	44	19	3	9	6	2	2	-	1	-	-	-	-	-
	8. Brain Disease, etc. . .	33	-	-	-	1	-	2	-	3	-	2	-	1	2
	ORDER 2.														
	1. Pericarditis	3	-	-	-	-	-	-	-	1	1	-	1	-	-
	2. Aneurism	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc. . .	209	2	-	1	-	-	-	-	2	1	6	2	11	6
	ORDER 3.														
	1. Laryngitis	7	1	-	3	-	1	-	-	-	-	-	-	-	2
	2. Bronchitis	298	20	12	33	35	14	7	1	4	3	-	2	2	-
	3. Pleurisy	9	-	-	-	-	-	1	-	-	1	1	-	1	3
	4. Pneumonia	103	8	2	7	11	2	5	4	6	1	3	4	9	1
	5. Asthma	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc. . .	32	2	2	4	2	1	2	-	-	1	-	2	1	1
	ORDER 4.														
1. Gastritis	3	-	-	-	-	-	-	1	-	-	-	-	-	1	
2. Enteritis	17	5	1	1	2	1	-	-	1	-	-	1	1	-	
3. Peritonitis	16	2	-	-	-	1	-	-	-	1	-	3	1	-	
4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines .	7	-	-	-	-	-	-	-	-	-	1	1	1	1	
6. Hernia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Ileus	15	3	-	1	-	1	-	-	-	-	2	-	-	-	
8. Intussusception	2	-	-	-	-	-	-	-	-	-	-	1	-	-	
9. Stricture of Intestines .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc. .	27	2	-	-	2	-	-	1	-	-	1	-	-	-	
12. Pancreas Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	4	-	-	-	-	-	-	-	-	-	-	-	-	1	
14. Jaundice	9	2	2	-	-	-	-	-	-	-	-	-	-	1	
15. Liver Disease, etc. . .	21	1	-	-	-	-	-	-	-	-	-	1	-	1	
16. Spleen Disease, etc. . .	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
ORDER 5.															
1. Nephritis	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease(Nephria)	14	-	-	-	-	-	-	-	-	1	-	-	1	1	
4. Diabetes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc. . .	17	-	-	-	-	-	-	-	-	-	-	-	-	2	
ORDER 6.															
1. Ovarian Dropsy	5	-	-	-	-	-	-	-	-	-	-	-	1	-	
2. Uterus Disease, etc. . .	11	-	-	-	-	-	-	-	-	-	1	-	1	2	
ORDER 7.															
1. Synovitis (Arthritis) . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc. . . .	7	-	-	-	1	-	-	-	2	-	-	1	1	-	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	33	19	22	10	8	8	3	4	—	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	3	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	2. Apoplexy	4	3	—	4	6	5	6	7	5	3	1	—	—	—	—
	3. Paralysis	1	2	1	3	5	3	5	11	6	4	2	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	1	—	1	—	1	1	—	1	—	—	—	—	—	—	—
	7. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	3	1	4	1	7	—	3	2	—	4	1	2	—	—	—
	ORDER 2.															
	1. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	4	3	1	—	2	—	—	1	—	—	—	—	—	—	—
	3. Heart Disease, etc.	14	14	19	7	20	28	12	12	12	3	3	1	—	—	—
	ORDER 3.															
	1. Laryngitis	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	7	1	5	16	9	13	17	15	10	6	4	—	—	—	—
	3. Pleurisy	2	1	1	1	—	1	1	2	—	—	—	—	—	—	—
	4. Pneumonia	5	8	9	12	7	6	4	4	5	2	—	—	—	—	—
	5. Asthma	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—
	6. Lung Disease, etc.	1	1	3	2	2	1	5	—	1	1	2	1	—	—	—
	ORDER 4.															
	1. Gastritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. Enteritis	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Peritonitis	1	—	—	1	—	—	3	—	—	—	—	—	—	—	—
	4. Ascites	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	—	—	—	3	3	—	1	1	—	—	—	—	—	—
	6. Hernia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	7. Ileus	—	1	1	1	1	2	—	2	—	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	1	—	—	—	2	2	1	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Jaundice	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—
	15. Liver Disease, etc.	5	—	2	1	1	2	2	1	1	—	1	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	1	1	—	—	1	1	—	1	—	—	—	—	—	—
	2. Ischuria	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	3	1	5	4	2	—	3	1	—	—	—	—	—	—	—
	4. Diabetes	3	—	—	3	—	1	—	1	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	1	—	—	—	3	—	—	1	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	1	2	3	1	—	1	2	2	7	3	—	—	1	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	7	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—	1	
	3. Skin Disease, etc.	4	1	2	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 1.															
	1. Premature Birth	67	66	1	—	—	—	—	—	—	—	—	—	—	—	
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Spina Bifida	5	4	1	—	—	—	—	—	—	—	—	—	—	—	
	4. Other Malformations	5	4	—	—	1	—	—	—	—	—	—	—	—	—	
	5. Teething	15	—	3	7	5	—	—	—	—	—	—	—	—	—	
	ORDER 2.															
	1. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Childbirth (see Puerperal Fever)	22	—	—	—	—	—	—	—	—	—	1	1	6	5	
	ORDER 3.															
	1. Old Age	105	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4.															
	1. Atrophy and Debility	50	30	5	7	1	—	1	—	—	—	—	—	—	—	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	17	—	—	1	—	—	—	—	—	—	1	—	—	1	
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Burns and Scalds	8	—	—	—	—	1	—	1	1	—	—	—	—	—	
	5. Poison	2	—	—	—	—	—	—	—	—	—	—	1	—	—	
	6. Drowning	2	—	—	—	—	—	—	1	—	—	—	—	—	—	
	7. Suffocation	11	7	3	1	—	—	—	—	—	—	—	—	—	—	
	8. Otherwise	6	1	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Hanging	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sudden Deaths (cause unascertained)		—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Causes not specified or ill-defined		7	3	—	—	1	1	—	—	—	—	—	—	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Ulcer	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	1	3	13	14	10	5	1	—	—	—
	ORDER 4.															
	1. Atrophy and Debility	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	11	3	7	2	4	4	4	—	—	—	—	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	5. Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	7. Suffocation	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	8. Otherwise	1	—	1	1	1	—	—	1	—	—	—	—	—	—	—
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	3. Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	ORDER 5.															
	(Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		—	1	1	—	1	—	—	—	1	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	1622	180	65	116	141	51	33	25	50	27	48	65	50	62
	Specified Causes . . .	1613	180	65	115	141	51	33	25	50	27	47	63	50	62
	(CLASSES.)														
I.	ZYMOTIC DISEASES	219	24	15	30	43	17	13	7	11	8	7	6	7	5
II.	CONSTITUTIONAL „	344	2	8	15	21	4	6	7	14	12	32	38	27	29
III.	LOCAL „	784	43	32	62	68	28	13	10	22	6	6	14	12	20
IV.	DEVELOPMENTAL „	224	99	5	6	6	—	—	—	1	—	—	5	3	6
V.	VIOLENT DEATHS .	42	12	5	2	3	2	1	1	2	1	2	—	1	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	205	18	12	30	43	17	13	7	11	7	7	6	7	4
	2. ENTHETIC „ .	8	5	2	—	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	6	1	1	—	—	—	—	—	—	1	—	—	—	1
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	64	1	—	—	2	—	1	—	1	—	—	—	—	4
	2. TUBERCULAR „ .	280	1	8	15	19	4	5	7	13	12	32	38	27	25
III.	1. DISEASES OF NERVOUS SYSTEM . . .	139	10	9	8	9	5	3	2	5	3	—	2	—	2
	2. „ OF ORGANS OF CIRCULATION .	127	—	—	—	1	—	—	—	3	—	2	2	5	9
	3. „ OF RESPIRATORY ORGANS . . .	418	30	21	51	55	19	9	7	10	1	1	5	3	5
	4. „ OF DIGESTIVE ORGANS . . .	61	3	2	3	2	2	—	1	1	1	2	1	—	1
	5. „ OF URINARY ORGANS . . .	23	—	—	—	1	1	1	—	2	—	1	2	2	2
	6. „ OF ORGANS OF GENERATION .	9	—	—	—	—	1	—	—	—	—	—	1	1	—
	7. „ OF ORGANS OF LOCOMOTION . .	3	—	—	—	—	—	—	—	—	1	—	1	1	—
	8. „ OF INTEGUMENTARY SYSTEM . . .	4	—	—	—	—	—	—	—	1	—	—	—	—	1
IV.	1. DEV. DIS. OF CHILDREN	70	60	1	4	5	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	22	—	—	—	—	—	—	—	—	—	—	5	3	6
	3. „ OF OLD PEOPLE	84	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	48	39	4	2	1	—	—	—	1	—	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	25
V.	1. ACCIDENT OR NEGLIGENCE	61	9	3	4	1	2	3	1	1	1	4	6	3	1
	*														
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	8	—	—	—	—	—	—	—	—	—	—	—	—	1
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		1	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		3	—	—	—	1	—	—	—	1	—	—	—	1	—
I.	ORDER 1.														
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	13	—	1	3	7	1	1	—	—	—	—	—	—	—
	3. Scarlatina	10	—	—	3	1	2	—	—	4	—	—	—	—	—
	4. Diphtheria	5	1	—	—	1	—	1	—	2	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	14	1	1	1	6	2	1	1	1	—	—	—	—	—
	7. Hooping-cough	38	3	5	6	11	6	5	—	1	1	—	—	—	—
	8. { Typhus Fever	6	—	—	—	—	—	—	—	—	1	1	—	1	2
	8. { Enteric or Typhoid Fever	14	—	—	—	1	1	1	2	1	2	1	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	9. Erysipelas	6	3	—	—	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—	1
	14. Diarrhoea	47	11	10	5	11	—	1	—	1	—	1	—	—	1
	15. Cholera	2	—	1	—	1	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	3	—	—	—	—	—	—	1	1	—	—	—	—	—
	18. Rheumatism	5	—	—	—	—	—	—	—	—	—	1	—	—	1
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	12	7	4	—	1	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	4	—	—	—	—	—	—	—	—	—	—	—	—	1
	3. Cancer	16	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—	—

* See page 52, note *.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	42	12	5	2	3	2	1	1	2	1	2	-	1	2
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		9	-	-	1	-	-	-	-	-	-	1	2	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	22	-	-	5	9	4	2	1	1	-	-	-	-	-
	3. Scarlatina	8	-	-	1	1	2	-	1	1	-	-	-	2	-
	4. Diphtheria	9	-	-	-	2	1	2	1	3	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	11	-	1	2	3	2	2	-	1	-	-	-	-	-
	7. Hooping-cough	50	-	3	10	21	6	6	3	-	1	-	-	-	-
	8. { Typhus Fever	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	Enteric or Typhoid Fever	18	-	-	-	-	-	1	1	5	4	3	3	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9 Erysipelas	6	2	1	1	1	-	-	-	-	-	-	-	1	-
	10. Puerperal Fever (Metria)	12	-	-	-	-	-	-	-	-	-	2	2	2	2
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	55	16	7	11	6	2	-	-	-	1	-	-	1	1
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	10	-	-	-	-	-	-	-	-	1	2	-	1	1
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	8	5	2	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	13	-	-	-	2	-	1	-	1	-	-	-	-	-
	3. Cancer	44	-	-	-	-	-	-	-	-	-	-	-	-	4
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	7	1	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
V.	1. ACCIDENT OR NEGLIGENCE	2	6	5	4	2	2	1	-	-	-	-	-	-	-	-	
	*																
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	1	4	-	-	-	1	-	1	-	-	-	-	-	-	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Typhus Fever	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Enteric or Typhoid Fever	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9. Erysipelas	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhœa	-	-	1	-	-	4	-	1	-	-	-	-	-	-	-	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17. Remittent Fever	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
18. Rheumatism	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-		
19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 2.																	
1. Syphilis		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Stricture of Urethra		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Hydrophobia		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Glanders		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 3.																	
1. Privation		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Want of Breast Milk		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Purpura and Scurvy		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Alco- { a Del. Tremens		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
holism { b Intemperance		-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	
ORDER 4.																	
1. Thrush		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Worms, etc. . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 1.																	
1. Gout		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
2. Dropsy		-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	
3. Cancer		-	-	2	3	2	7	1	1	-	-	-	-	-	-	-	
4. Cancerum Oris (Noma)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Mortification		-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	

* See page 52, note *.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	-	3	1	-	1	2	-	1	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	2	2	-	1	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	14. Diarrhoea	1	-	1	2	-	1	-	3	1	1	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-
	19 Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	1	1	1	1	1	3	1	-	-	-	-	-	-	-
	3. Cancer	5	7	5	7	3	1	7	3	-	1	1	-	-	-	-
	4. Cancerum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	18	1	1	1	—	2	—	1	4	4	2	—	1	—
	2. Tabes Mesenterica . . .	13	1	1	3	2	—	1	2	2	1	—	—	—	—
	3. Phthisis	154	—	1	4	5	1	2	1	8	9	15	15	19	18
	4. Hydrocephalus	35	—	1	6	14	5	4	2	2	1	—	—	—	—
	ORDER 1.														
	1. Cephalitis	31	—	2	5	7	—	2	1	6	2	2	1	—	1
	2. Apoplexy	58	—	—	3	7	2	—	—	1	—	—	—	—	—
	3. Paralysis	38	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	4	—	—	—	—	—	—	—	—	1	—	—	—	2
	7. Convulsions	34	10	10	5	4	1	1	2	—	—	—	—	—	—
	8. Brain Disease, etc. . .	18	—	—	1	—	1	—	2	2	—	—	—	1	—
	ORDER 2.														
	1. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc. . .	92	—	—	1	—	—	—	—	—	1	2	3	3	2
	ORDER 3.														
	1. Laryngitis	4	—	—	—	2	1	—	—	—	—	—	—	—	1
	2. Bronchitis	230	39	31	41	28	14	3	2	5	1	—	—	—	1
	3. Pleurisy	1	—	—	—	—	—	—	—	—	—	1	—	—	—
	4. Pneumonia	92	2	8	6	10	5	4	—	2	—	1	2	2	2
	5. Asthma	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc. . .	13	1	1	—	—	—	—	—	—	—	1	—	1	—
	ORDER 4.														
	1. Gastritis	3	2	1	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	14	3	—	1	1	2	1	—	1	—	1	—	2	—
	3. Peritonitis	10	1	—	—	—	1	—	—	—	1	3	1	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines .	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Hernia	4	—	—	—	—	—	—	—	—	—	—	—	1	—
	7. Ileus	4	—	—	1	—	—	—	—	—	—	—	1	1	—
	8. Intussusception	5	—	—	2	1	—	—	—	1	1	—	—	—	—
	9. Stricture of Intestines .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Stomach Disease, etc.	8	2	1	—	2	—	—	—	—	—	—	—	—	—	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
14. Jaundice	2	1	1	—	—	—	—	—	—	—	—	—	—	—	
15. Liver Disease, etc. . .	14	—	—	—	—	—	1	—	—	—	—	1	—	1	
16. Spleen Disease, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
1. Nephritis	2	—	—	—	—	—	—	—	1	—	—	—	—	—	
2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease (Nephria)	10	—	—	—	—	—	—	—	—	2	—	—	—	—	
4. Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—	2	
7. Kidney Disease, etc. . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 6.															
1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 7.															
1. Synovitis (Arthritis) . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Joint Disease, etc. . . .	5	—	—	—	—	—	—	—	1	1	1	1	1	—	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER										25	30	35
			MONTHS.			2	3	4	5	10	15	20			
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	7	-	1	-	-	-	-	1	2	1	-	-	-	-
	2. Tabes Mesenterica	24	-	2	7	9	-	1	2	3	-	-	-	-	-
	3. Phthisis	222	1	1	4	3	2	1	2	4	11	32	38	27	24
	4. Hydrocephalus	27	-	4	4	7	2	3	2	4	-	-	-	-	1
	ORDER 1.														
	1. Cephalitis	15	-	-	3	3	2	1	-	3	1	-	-	-	-
	2. Apoplexy	37	1	1	-	-	2	1	-	1	-	-	-	-	1
	3. Paralysis	37	-	-	-	-	-	-	-	-	-	-	1	-	1
	4. Insanity	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	5	-	-	-	-	-	-	1	-	-	-	1	-	-
	7. Convulsions	29	9	8	5	4	1	1	-	-	-	-	-	-	-
	8. Brain Disease, etc. . . .	15	-	-	-	2	-	-	1	1	2	-	-	-	-
	ORDER 2.														
	1. Pericarditis	2	-	-	-	-	-	-	-	-	-	1	-	-	-
	2. Aneurism	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc. . . .	123	-	-	-	1	-	-	-	3	-	1	2	5	9
	ORDER 3.														
	1. Laryngitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	306	26	21	35	44	14	7	4	7	-	1	1	1	1
	3. Pleurisy	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	92	1	-	13	10	5	2	2	3	1	-	2	1	4
	5. Asthma	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc. . . .	15	3	-	3	1	-	-	1	-	-	-	2	-	-
	ORDER 4.														
	1. Gastritis	5	-	-	-	-	1	-	-	-	-	-	-	-	-
	2. Enteritis	9	1	1	1	-	1	-	-	1	-	-	-	-	-
	3. Peritonitis	12	-	-	-	-	-	-	1	-	1	2	-	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines .	3	-	-	-	-	-	-	-	-	-	-	1	-	-
	6. Hernia	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. . .	6	-	1	1	1	-	-	-	-	-	-	-	-	-
	12. Pancreas Disease, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Jaundice	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc. . . .	12	1	-	-	1	-	-	-	-	-	-	-	-	1
	16. Spleen Disease, etc. . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	5	-	-	-	1	1	1	-	1	-	-	1	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	14	-	-	-	-	-	-	-	1	-	1	1	2	2
	4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc. . . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 6.														
	1. Ovarian Dropsy	3	-	-	-	-	1	-	-	-	-	-	1	-	-
	2. Uterus Disease, etc. . . .	6	-	-	-	-	-	-	-	-	-	-	-	1	-
	ORDER 7.														
	1. Synovitis (Arthritis) . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	2. Joint Disease, etc. . . .	2	-	-	-	-	-	-	-	-	-	-	1	1	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—FEMALES. (*Continued*).

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	59	59	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	9	9	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	12	-	2	2	7	1	-	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	49	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	56	45	1	4	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	26	-	-	1	-	1	1	1	1	-	2	3	2	1
2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	4	-	-	-	1	-	2	-	-	-	-	-	-	-	
5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Drowning	14	-	-	-	-	1	-	-	-	1	2	3	1	-	
7. Suffocation	13	7	3	3	-	-	-	-	-	-	-	-	-	-	
8. Otherwise	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	5. Hanging	4	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5.														
	(Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	3	-	-	-	1	-	-	-	1	-	-	-	1	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—FEMALES.(Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	4	-	-	-	-	-	-	-	1	-	-	-	-	1
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	51	51	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	8	8	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	10	-	1	4	5	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Childbirth (see Puerperal Fever).	21	-	-	-	-	-	-	-	-	-	-	5	3	6	
ORDER 3.															
1. Old Age	84	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 4.															
1. Atrophy and Debility	48	39	4	2	1	-	-	-	1	-	-	-	-	-	
V.	ORDER 1.														
	(Accident or Negligence).														
	1. Fractures and Contusions	8	-	-	-	1	1	1	-	-	-	1	-	-	1
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	4. Burns and Scalds	7	-	1	-	1	-	-	-	1	1	1	-	-	-
	5. Poison	2	-	-	-	-	1	-	-	-	-	-	-	-	1
	6. Drowning	4	1	-	-	-	-	-	1	-	-	-	-	-	-
	7. Suffocation	19	11	4	2	1	-	-	-	-	-	-	-	-	-
	8. Otherwise	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	ORDER 3.														
	(Homicide)														
1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 4.															
(Suicide)															
1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
(Execution)															
1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Causes not specified or ill-defined	9	-	-	1	-	-	-	-	-	-	1	2	-	-	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	ORDER 2.															
	1. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	11	13	18	19	16	5	2	—	—	—
	ORDER 4.															
	1. Atrophy and Debility	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	(Accident or Negligence).															
	1. Fractures and Contusions	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	5. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	7. Suffocation	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	8. Otherwise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	(Suicide)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	(Execution)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		—	—	—	2	2	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	40	4	1	—	3	—	2	1	1	3	1	3	4	3
	*	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		—	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		10	5	—	1	1	—	—	—	—	1	1	—	—	—
I.	ORDER 1.														
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	6	—	—	1	2	—	1	1	1	—	—	—	—	—
	3. Scarlatina	32	—	—	—	5	5	5	5	11	—	—	—	—	—
	4. Diphtheria	18	—	1	2	2	4	2	2	3	1	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	6. Croup	13	—	—	1	6	3	—	2	1	—	—	—	—	—
	7. Hooping-cough	14	2	2	4	4	—	—	2	—	—	—	—	—	—
	8. { Typhus Fever	11	—	—	—	—	—	—	—	2	—	—	—	—	—
	Enteric or Typhoid Fever	20	—	—	—	—	—	—	1	—	2	2	1	1	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	2	2	6	4	1
	Simple Continued Fever	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	9. Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	12. Influenza	2	—	—	—	—	—	—	—	—	—	—	1	—	—
	13. Dysentery	8	—	—	1	—	—	—	—	—	—	1	1	—	1
	14. Diarrhoea	22	2	4	1	2	—	—	—	—	1	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	6	—	—	—	—	—	2	2	—	—	1	—	—	—
	18. Rheumatism	7	—	—	—	—	—	—	—	—	1	—	—	—	1
	19. Other Miasmatic Diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	6	—	3	1	—	—	—	—	—	—	—	—	—	1
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	2	1	—	—	—	—	—	—	1	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Thrush	7	5	2	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cancer	21	—	—	—	—	—	—	—	—	—	—	—	—	1
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—	—

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	16	1	-	-	-	-	-	-	1	2	1	2	-	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	3	-	-	-	-	-	-	-	-	-	1	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	8	2	-	-	1	-	-	-	-	-	-	-	-	1
I.	ORDER 1.														
	1. Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	2. Measles	5	-	-	-	3	1	-	-	-	1	-	-	-	-
	3. Scarlatina	27	-	1	2	-	3	5	2	10	3	-	1	-	-
	4. Diphtheria	15	-	-	1	3	1	5	3	1	1	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	11	-	-	3	3	1	3	1	-	-	-	-	-	-
	7. Hooping-cough	8	1	3	1	2	1	-	-	-	-	-	-	-	-
	8. { Typhus Fever	11	-	-	-	-	-	-	-	2	-	-	-	1	1
	{ Enteric or Typhoid Fever	26	-	-	-	-	-	-	1	4	2	2	4	4	3
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	3	-	-	-	-	-	-	-	1	-	-	-	1	-
	9. Erysipelas	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	4	-	-	-	-	-	-	-	-	-	1	-	2	1
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	3	-	-	-	-	-	-	-	1	-	-	-	-	-
	14. Diarrhœa	26	3	2	3	2	2	1	-	-	-	-	-	-	-
	15. Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	2	-	-	1	-	-	-	-	-	-	-	-	1	-
	18. Rheumatism	5	-	-	-	-	-	-	-	-	-	1	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	4	1	-	-	2	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	8	-	-	-	-	-	-	-	-	-	1	-	-	-
	3. Cancer	36	-	-	-	-	-	-	-	-	-	1	-	-	1
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	3	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
V.	1. ACCIDENT OF NEGLIGENCE	4	2	3	-	-	2	1	1	1	-	-	-	-	-	-	
	*																
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Scarlatina	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	4. Diphtheria	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Typhus Fever	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	
	8. { Enteric or Typhoid Fever	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9. Erysipelas	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	13. Dysentery	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	
	14. Diarrhoea	-	1	-	-	-	-	1	3	4	2	1	-	-	-	-	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	18. Rheumatism	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		ORDER 2.															
		1. Syphilis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ORDER 3.															
		1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		holism { b Intemperance	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		ORDER 4.															
		1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.		ORDER 1.															
		1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cancer	-	2	5	1	2	5	-	4	1	-	-	-	-	-	-	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	—	—	1	1	—	2	1	1	1	1	1	—	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		—	—	1	—	1	—	—	—	2	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	2	1	1	—	2	—	—	—	1	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	—	—	—	—	3	1	—	—	2	—	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	9. Erysipelas	—	—	—	—	—	1	—	1	1	—	1	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	13. Dysentery	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
	14. Diarrhoea	1	—	—	—	—	—	1	4	2	3	1	—	1	—	—
	15. Cholera	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 2.															
	1. Syphilis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	—	1	—	—	—	—	—	2	4	—	—	—	—	—	—
	3. Cancer	1	4	3	2	2	9	5	2	6	—	—	—	—	—	—
	4. Cancerum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	13	-	-	1	2	1	-	-	1	2	3	1	1	-
	2. Tabes Mesenterica	6	1	-	-	1	-	2	1	-	-	1	-	-	-
	3. Phthisis	100	-	1	1	3	1	3	-	1	7	13	21	11	8
	4. Hydrocephalus	31	-	3	7	9	5	2	-	5	-	-	-	-	-
	ORDER I.														
	1. Cephalitis	15	-	1	1	1	1	-	2	1	6	-	1	1	-
	2. Apoplexy	15	-	-	-	-	1	-	-	1	-	-	1	1	-
	3. Paralysis	31	-	-	1	-	-	-	-	-	-	2	-	1	-
	4. Insanity	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	4	-	-	-	-	-	-	-	-	-	-	1	-	1
	7. Convulsions	26	11	6	4	3	1	1	-	-	-	-	-	-	-
	8. Brain Disease, etc.	22	1	-	-	-	2	-	-	-	-	1	-	1	4
	ORDER 2.														
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	3. Heart Disease, etc.	53	-	-	-	-	-	-	-	1	-	-	2	2	-
	ORDER 3.														
	1. Laryngitis	7	-	-	-	-	4	-	-	-	-	-	1	-	1
	2. Bronchitis	131	14	9	18	15	4	-	3	4	-	-	1	1	2
	3. Pleurisy	6	-	-	-	-	-	-	-	-	-	1	-	2	-
	4. Pneumonia	35	-	-	6	-	-	-	-	1	2	1	1	-	1
	5. Asthma	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	13	1	-	-	1	-	-	-	1	-	-	1	1	1
	ORDER 4.														
	1. Gastritis	5	1	-	1	1	-	-	-	-	-	-	-	-	-
	2. Enteritis	4	1	1	1	1	-	-	-	-	-	-	-	-	-
	3. Peritonitis	11	1	1	1	-	-	-	-	-	-	-	1	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines . .	4	-	-	-	-	-	-	-	1	-	-	-	-	-
	6. Hernia	4	-	-	-	-	-	-	-	1	-	-	-	-	-
	7. Ileus	5	1	-	-	-	-	-	-	-	-	-	-	1	1
	8. Intussusception	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	9. Stricture of Intestines . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. . . .	25	1	5	2	1	-	1	-	-	-	1	-	1	-
	12. Pancreas Disease, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Jaundice	7	6	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	11	-	-	-	-	-	-	-	-	1	-	2	-	1
	16. Spleen Disease, etc.	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	5	-	-	-	-	-	-	-	-	1	-	-	-	1
	2. Ischuria	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	7	-	-	-	-	-	-	-	-	-	-	-	1	1
	4. Diabetes	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Cystitis	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	14	-	-	-	-	-	-	-	1	-	-	1	1	-
	ORDER 6.														
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.														
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	5	-	-	-	-	-	-	-	1	-	1	-	1	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	17	-	-	2	-	1	-	1	2	2	2	-	4	1
	2. Tabes Mesenterica	6	1	1	-	1	1	-	-	-	1	1	-	-	-
	3. Phthisis	120	-	1	1	1	-	1	-	4	11	19	9	22	16
	4. Hydrocephalus	32	1	3	9	4	5	1	2	7	-	-	-	-	-
	ORDER 1.														
	1. Cephalitis	16	-	1	-	1	2	2	-	4	2	-	-	2	-
	2. Apoplexy	29	-	-	-	-	-	-	1	-	1	-	-	1	-
	3. Paralysis	38	-	-	-	-	-	-	-	1	-	-	-	1	1
	4. Insanity	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	10	1	-	-	-	-	-	-	1	-	1	1	1	-
	7. Convulsions	15	7	2	2	3	1	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	14	1	2	-	-	-	-	-	2	-	1	-	-	-
	ORDER 2.														
	1. Pericarditis	2	-	-	-	-	-	-	-	1	-	1	-	-	-
	2. Aneurism	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	3. Heart Disease, etc.	80	-	-	-	-	-	-	-	-	2	2	2	2	4
	ORDER 3.														
	1. Laryngitis	3	-	-	-	-	1	-	1	-	-	-	1	-	-
	2. Bronchitis	125	8	5	13	8	2	1	-	1	-	1	1	2	-
	3. Pleurisy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	26	1	2	-	4	2	-	-	1	1	1	1	1	-
	5. Asthma	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	8	-	-	-	-	-	1	-	1	1	-	2	-	-
	ORDER 4.														
	1. Gastritis	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	10	2	-	-	-	1	1	-	-	-	1	-	1	1
	3. Peritonitis	5	-	-	-	-	-	-	1	1	-	1	-	-	-
	4. Ascites	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	5	-	1	-	-	-	-	-	-	1	-	-	1	-
	6. Hernia	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	19	-	-	2	1	1	-	-	-	-	1	-	-	1
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Jaundice	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	5	-	-	-	-	-	1	-	-	-	-	-	-	1
	16. Spleen Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	10	-	-	-	-	-	-	1	1	-	-	-	-	1
	4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	14	1	-	-	-	1	-	-	-	1	-	-	-	1
	ORDER 6.														
	1. Ovarian Dropsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	3	-	-	-	-	-	-	-	-	-	-	-	1	1
	ORDER 7.														
	1. Synovitis (Arthritis)	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Joint Disease, etc.	8	-	-	1	-	-	-	-	1	3	-	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	10	8	3	2	2	2	—	2	1	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Apoplexy	—	1	—	—	2	1	2	—	3	—	2	—	—	—	—
	3. Paralysis	4	—	1	2	3	1	5	3	3	4	1	—	—	—	—
	4. Insanity	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
	7. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	1	2	1	—	1	3	2	2	1	—	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	3. Heart Disease, etc.	2	3	3	6	4	7	7	5	5	3	2	—	1	—	—
	ORDER 3.															
	1. Laryngitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	2. Bronchitis	—	3	2	3	8	9	9	11	9	5	1	—	—	—	—
	3. Pleurisy	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
	4. Pneumonia	1	1	6	3	5	1	2	3	1	—	—	—	—	—	—
	5. Asthma	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	1	1	—	—	1	4	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	2. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Peritonitis	—	1	1	1	2	—	—	1	—	1	—	—	—	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
	6. Hernia	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
	7. Ileus	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	2	2	1	3	1	1	3	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	14. Jaundice	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	15. Liver Disease, etc.	—	—	2	1	1	1	1	—	1	—	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	—	1	1	—	—	2	1	—	—	—	—	—	—	—	—
	4. Diabetes	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—
	7. Kidney Disease, etc.	3	2	—	2	—	1	—	1	2	—	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	14	8	7	1	2	2	-	1	-	-	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Apoplexy	1	-	-	2	2	6	8	2	1	3	1	-	-	-	-
	3. Paralysis	1	1	2	3	3	1	4	5	7	5	3	-	-	-	-
	4. Insanity	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-
	5. Chorea	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	1	-	1	-	1	2	-	1	2	-	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	5	3	4	11	8	6	10	8	9	3	1	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Bronchitis	-	1	1	4	8	8	11	14	16	13	4	3	-	-	-	
3. Pleurisy	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
4. Pneumonia	3	2	1	2	1	2	-	1	-	-	-	-	-	-	-	
5. Asthma	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	
6. Lung Disease, etc.	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	
ORDER 4.																
1. Gastritis	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	
2. Enteritis	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	
3. Peritonitis	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
4. Ascites	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
6. Hernia	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	
7. Ileus	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	
8. Intussusception	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	1	1	2	-	-	-	3	3	-	2	1	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14. Jaundice	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
15. Liver Disease, etc.	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	
16. Spleen Disease, etc.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
ORDER 5.																
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	1	3	1	-	-	-	1	-	1	-	-	-	-	-	-	
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	-	1	-	2	1	1	1	2	2	-	-	-	-	-	-	
ORDER 6.																
1. Ovarian Dropsy	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.																
1. Synovitis (Arthritis)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	ALL AGES	MALES.												
			MONTHS.	AGE UNDER											
				3	6	12	2	3	4	5	10	15	20	25	30
IV.	ORDER 8.														
	1. Phlegmon	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Ulcer	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	31	30	1	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	6	-	1	5	-	-	-	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	36	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	24	16	5	1	1	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	13	-	-	-	1	-	1	-	-	1	-	1	-	2
2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	7	1	-	-	2	-	1	1	-	-	1	-	-	-	
5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Drowning	11	-	-	-	-	-	-	-	-	2	-	2	3	-	
7. Suffocation	4	3	1	-	-	-	-	-	-	-	-	-	-	-	
8. Otherwise	5	-	-	-	-	-	-	-	1	-	-	-	1	1	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, stab	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5.														
	(Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	10	5	-	1	1	-	-	-	-	1	1	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
	2. Ulcer	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	21	21	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	5	5	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	11	-	-	6	4	1	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (<i>see</i> Puerperal Fever).	17	-	-	-	-	-	-	-	-	-	-	2	7	4	
	ORDER 3.															
	1. Old Age	90	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 4.																
1. Atrophy and Debility	24	15	1	1	3	-	-	-	-	-	-	-	-	-		
V.	ORDER 1. (<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	6	-	-	-	-	-	-	-	1	-	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Poison	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
	6. Drowning	3	-	-	-	-	-	-	-	-	-	2	-	-	-	
	7. Suffocation	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	3	-	-	-	-	-	-	1	1	-	-	-	-	-	
	ORDER 3. (<i>Homicide.</i>)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (<i>Suicide.</i>)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, stab	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (<i>Execution.</i>)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		2	-	-	-	-	-	-	1	-	-	-	-	-	-
	Causes not specified or ill-defined		8	2	-	-	1	-	-	-	-	-	-	-	-	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	2	5	6	13	5	3	1	1	-	-
	ORDER 4.															
	1. Atrophy and Debility	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	1	1	2	-	-	1	-	1	1	-	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	7. Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	5	8	12	18	16	20	8	3	-	-
	ORDER 4.															
	1. Atrophy and Debility	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	7. Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		-	-	1	-	1	-	-	-	2	-	-	-	-	-	-

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	828	91	40	85	79	27	20	15	30	21	21	30	34	27
	Specified Causes	817	85	39	85	79	27	20	14	29	21	21	30	34	27
	(CLASSES.)														
I.	ZYMOTIC DISEASES	120	17	8	20	23	11	4	4	7	3	—	1	5	2
II.	CONSTITUTIONAL „	174	4	4	11	17	5	6	4	11	7	12	15	14	10
III.	LOCAL „	368	18	20	39	32	10	5	6	9	9	8	6	11	12
IV.	DEVELOPMENTAL „	104	41	7	15	7	1	2	—	1	—	—	1	—	—
V.	VIOLENT DEATHS . .	51	5	—	—	—	—	3	—	1	2	1	7	4	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	107	14	6	18	23	11	4	4	7	3	—	1	4	2
	2. ENTHETIC „ .	7	3	2	1	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	6	—	—	1	—	—	—	—	—	—	—	—	1	—
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	17	—	—	—	1	—	1	—	1	—	—	—	—	—
	2. TUBERCULAR „ .	157	4	4	11	16	5	5	4	10	7	12	15	14	10
III.	1. DISEASES OF NERVOUS SYSTEM . .	86	5	3	10	5	4	—	3	4	3	—	2	1	5
	2. „ OF ORGANS OF CIRCULATION .	54	—	—	—	—	—	—	1	—	1	—	—	3	3
	3. „ OF RESPIRATORY ORGANS . .	147	6	15	28	21	6	4	2	2	1	3	3	4	2
	4. „ OF DIGESTIVE ORGANS . .	50	6	3	1	6	—	—	—	1	2	2	1	1	1
	5. „ OF URINARY ORGANS . .	12	—	—	—	—	—	—	—	1	—	1	—	1	1
	6. „ OF ORGANS OF GENERATION .	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	11	—	—	—	—	—	1	—	1	2	2	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	7	1	—	—	—	—	—	—	—	—	—	—	1	—
IV.	1. DEV. DIS. OF CHILDREN	40	24	1	9	5	—	1	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	29	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION .	35	17	6	6	2	1	1	—	1	—	—	1	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	735	57	29	58	70	43	14	14	33	24	21	29	25	30
	Specified Causes . .	725	55	28	58	70	42	14	14	33	24	21	28	24	28
	(CLASSES.)														
I.	ZYMOTIC DISEASES	122	9	7	17	24	14	6	5	13	3	1	1	1	3
II.	CONSTITUTIONAL „	192	—	5	7	13	7	5	4	12	13	18	17	16	12
III.	LOCAL „	292	17	14	24	22	13	3	5	7	8	2	8	4	9
IV.	DEVELOPMENTAL „	106	27	2	10	10	8	—	—	1	—	—	2	3	3
V.	VIOLENT DEATHS . .	13	2	—	—	1	—	—	—	—	—	—	—	—	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	109	6	4	15	24	14	6	5	13	3	1	1	1	2
	2. ENTHETIC „ .	9	3	3	2	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	4	—	—	—	—	—	—	—	—	—	—	—	—	1
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	21	—	—	—	—	—	—	—	—	—	—	—	1	—
	2. TUBERCULAR „ .	171	—	5	7	13	7	5	4	12	13	18	17	15	12
III.	1. DISEASES OF NERVOUS SYSTEM . .	75	1	3	8	3	3	—	2	4	6	—	3	2	1
	2. „ OF ORGANS OF CIRCULATION .	38	—	—	—	—	—	—	—	—	—	—	2	1	2
	3. „ OF RESPIRATORY ORGANS . .	131	11	7	14	18	9	2	1	—	1	1	1	1	3
	4. „ OF DIGESTIVE ORGANS . .	39	4	4	2	1	1	1	2	1	1	1	1	—	2
	5. „ OF URINARY ORGANS . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. „ OF ORGANS OF GENERATION .	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	2	—	—	—	—	—	—	—	2	—	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	4	1	—	—	—	—	—	—	—	—	—	1	—	1
IV.	1. DEV. DIS. OF CHILDREN	27	11	1	6	7	2	—	—	—	—	—	—	—	—
	2. „ OF ADULTS.	12	—	—	—	—	—	—	—	—	—	—	2	3	3
	3. „ OF OLD PEOPLE	32	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	35	16	1	4	3	6	—	—	1	—	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE	49	5	—	—	—	—	3	—	1	2	1	7	4	3	
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. SUICIDE	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
SUDDEN DEATHS, CAUSE UNASCERTAINED		2	—	—	—	—	—	—	—	—	—	—	—	—	—	
CAUSES NOT SPECIFIED		9	6	1	—	—	—	—	1	1	—	—	—	—	—	
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Measles	8	—	1	1	4	—	1	—	1	—	—	—	—	—	
	3. Scarlatina	7	—	—	1	2	2	1	—	—	1	—	—	—	—	
	4. Diphtheria	16	2	—	1	3	4	1	3	2	—	—	—	—	—	
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	6. Croup	16	—	1	5	6	4	—	—	—	—	—	—	—	—	
	7. Hooping-cough	14	4	2	4	2	—	1	1	—	—	—	—	—	—	
	8. {	Typhus Fever	1	—	—	—	—	—	—	—	—	—	—	—	1	—
		Enteric or Typhoid Fever	15	—	—	—	—	1	—	—	4	2	—	1	2	2
		Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	3	3	—	—	—	—	—	—	—	—	—	—	—	—	
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	11. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12. Influenza	2	—	—	—	—	—	—	—	—	—	—	—	1	—	
	13. Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	14. Diarrhoea	20	5	2	6	5	—	—	—	—	—	—	—	—	—	
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	17. Remittent Fever	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
	18. Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 2.															
	1. Syphilis	6	3	2	1	—	—	—	—	—	—	—	—	—	—	
	2. Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Alco- {	a Del. Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—	
		holism { b Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	1	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Dropsy	4	—	—	—	1	—	1	—	1	—	—	—	—	—	
	3. Cancer	13	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	12	2	-	-	1	-	-	-	-	-	-	-	-	1
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	10	2	1	-	-	1	-	-	-	-	-	1	1	2
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	6	-	1	-	2	2	-	1	-	-	-	-	-	-
	3. Scarlatina	3	-	-	1	1	-	-	1	-	-	-	-	-	-
	4. Diphtheria	17	-	-	-	4	3	1	3	5	1	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	19	2	-	4	6	5	1	-	1	-	-	-	-	-
	7. Hooping-cough	23	1	1	6	7	2	3	-	3	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	9	-	-	-	1	2	1	-	3	1	1	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	5	-	-	-	-	-	-	-	-	-	-	-	-	2
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	15	2	-	4	3	-	-	-	1	-	-	1	-	-
	15. Cholera	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	5	-	-	-	-	-	-	-	-	1	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	9	3	3	2	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	4	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	16	-	-	-	-	-	-	-	-	-	-	-	1	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	6	3	5	5	1	—	—	1	1	—	1	—	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	13. Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhœa	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. Cancer	—	1	1	3	3	2	2	—	—	1	—	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* See page 52, note *.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														?
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	
V.	1. ACCIDENT OR NEGLIGENCE	—	—	1	—	1	3	—	—	1	1	—	1	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ Enteric or Typhoid Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhoea	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—
	3. Cancer	4	—	—	4	2	3	2	—	1	—	—	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	12	1	1	3	1	1	-	1	1	1	1	-	-	-
	2. Tabes Mesenterica	9	2	-	2	2	1	-	1	-	-	-	-	-	-
	3. Phthisis	113	-	2	1	6	1	3	1	7	4	11	14	14	10
	4. Hydrocephalus	23	1	1	5	7	2	2	1	2	2	-	-	-	-
	ORDER 1.														
	1. Cephalitis	12	-	-	3	1	-	-	-	3	1	-	-	1	1
	2. Apoplexy	19	1	-	2	-	-	-	-	-	-	-	-	-	2
	3. Paralysis	18	-	-	-	-	-	-	-	-	1	-	1	-	1
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Epilepsy	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
7. Convulsions	16	4	2	3	2	2	-	1	-	-	-	-	-	1	
8. Brain Disease, etc.	20	-	-	1	2	2	-	2	1	1	-	1	-	-	
ORDER 2.															
1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Aneurism	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Heart Disease, etc.	52	-	-	-	-	-	-	1	-	1	-	-	3	3	
ORDER 3.															
1. Laryngitis	2	-	-	-	1	-	-	1	-	-	-	-	-	-	
2. Bronchitis	74	3	12	20	12	5	2	-	2	-	-	-	-	-	
3. Pleurisy	8	-	-	1	-	-	1	-	-	-	1	-	-	1	
4. Pneumonia	51	2	3	6	8	-	1	-	-	1	2	3	4	1	
5. Asthma	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Lung Disease, etc.	7	1	-	1	-	1	-	1	-	-	-	-	-	-	
ORDER 4.															
1. Gastritis	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
2. Enteritis	14	4	3	1	4	-	-	-	-	1	-	-	-	-	
3. Peritonitis	4	-	-	-	-	-	-	-	-	1	-	-	1	-	
4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Hernia	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Ileus	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
8. Intussusception	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
9. Stricture of Intestines	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	4	2	-	-	1	-	-	-	-	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	3	-	-	-	-	-	-	-	-	-	-	-	-	1	
14. Jaundice	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc.	12	-	-	-	-	-	-	-	-	-	2	-	-	-	
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Diabetes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	7	-	-	-	-	-	-	-	-	-	1	-	1	1	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.															
1. Synovitis (Arthritis)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	10	-	-	-	-	-	1	-	1	2	2	-	-	-	

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
III.	ORDER 2.														
	1. Scrofula	15	—	—	1	3	1	2	—	—	1	1	—	1	1
	2. Tabes Mesenterica	4	—	—	—	—	1	—	—	2	1	—	—	—	—
	3. Phthisis	133	—	—	1	7	3	3	3	8	10	17	17	14	11
	4. Hydrocephalus	19	—	5	5	3	2	—	1	2	1	—	—	—	—
	ORDER 1.														
	1. Cephalitis	17	—	1	4	2	—	—	2	2	5	—	—	—	—
	2. Apoplexy	18	—	—	—	—	—	—	—	—	—	—	1	1	1
	3. Paralysis	18	—	—	—	—	—	—	—	—	—	—	—	1	—
	4. Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Convulsions	9	1	2	2	1	1	—	—	1	—	—	—	—	—
	8. Brain Disease, etc.	10	—	—	2	—	2	—	—	1	1	—	2	—	—
	ORDER 2.														
	1. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	1	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	37	—	—	—	—	—	—	—	—	—	—	1	1	2
	ORDER 3.														
	1. Laryngitis	3	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Bronchitis	88	8	6	11	11	3	2	1	—	1	1	—	—	2
	3. Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Pneumonia	30	2	1	2	6	5	—	—	—	—	—	1	1	1
	5. Asthma	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	7	1	—	1	—	1	—	—	—	—	—	—	—	—
	ORDER 4.														
1. Gastritis	4	—	—	2	—	—	—	—	—	—	—	—	—	1	
2. Enteritis	12	4	3	—	1	1	—	1	—	—	—	—	—	—	
3. Peritonitis	6	—	1	—	—	—	1	—	—	—	1	—	—	—	
4. Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Stomach Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12. Pancreas Disease, etc.	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
13. Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14. Jaundice	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
15. Liver Disease, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	
16. Spleen Disease, etc.	10	—	—	—	—	—	—	—	—	1	—	1	—	—	
ORDER 5.															
1. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease (Nephria)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Kidney Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 6.															
1. Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 7.															
1. Synovitis (Arthritis)	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
2. Joint Disease, etc.	1	—	—	—	—	—	—	—	1	—	—	—	—	—	

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	10	10	3	8	2	5	1	—	—	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Apoplexy	—	2	—	2	3	1	2	3	1	—	—	—	—	—	—
	3. Paralysis	3	—	—	3	2	1	2	3	1	—	—	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Convulsions	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	—	1	1	1	3	2	—	1	1	—	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	7	5	4	3	6	3	4	4	4	4	—	—	—	—	—
	ORDER 3.															
	1. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	1	—	3	1	3	4	2	3	1	—	—	—	—	—	—
	3. Pleurisy	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—
	4. Pneumonia	5	—	3	1	7	1	2	1	—	—	—	—	—	—	—
	5. Asthma	1	—	1	—	1	2	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	3. Peritonitis	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Hernia	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—
	7. Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	10. Fistula	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
	14. Jaundice	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	15. Liver Disease, etc.	1	4	1	—	—	—	2	1	1	—	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	4. Diabetes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—

Class.	CAUSES OF DEATH.	FEMALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
III.	ORDER 2.																
	1. Scrofula	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Phthisis	11	12	5	1	4	1	3	1	-	-	1	-	-	-	-	
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.																
	1. Cephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Apoplexy	-	1	1	2	4	3	1	2	-	-	-	1	-	-	-	
	3. Paralysis	-	1	1	2	1	2	4	1	5	-	-	-	-	-	-	
	4. Insanity	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Epilepsy	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
	7. Convulsions	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. <i>Brain Disease, etc.</i>	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.																
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. <i>Heart Disease, etc.</i>	3	3	3	5	2	5	3	3	3	2	1	-	-	-	-	
	ORDER 3.																
	1. Laryngitis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	2. Bronchitis	1	5	3	4	3	8	6	7	5	-	-	-	-	-	-	
	3. Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Pneumonia	3	3	1	2	1	1	-	-	-	-	-	-	-	-	-	
	5. Asthma	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
	6. <i>Lung Disease, etc.</i>	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	
	ORDER 4.																
1. Gastritis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
2. Enteritis	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
3. Peritonitis	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
4. Ascites	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-		
5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7. Ileus	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11. <i>Stomach Disease, etc.</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12. <i>Pancreas Disease, etc.</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14. Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
15. <i>Liver Disease, etc.</i>	-	-	2	-													

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	6	-	-	-	-	-	-	-	-	-	-	-	1	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	21	21	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	16	-	1	9	5	-	1	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	29	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	35	17	6	6	2	1	1	-	1	-	-	1	-	-
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	25	-	-	-	-	-	1	-	1	2	-	2	2	2
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	3	-	-	-	-	-	1	-	-	-	1	-	-	-
	5. Poison	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	13	-	-	-	-	-	-	-	-	-	-	5	1	1
	7. Suffocation	4	3	-	-	-	-	1	-	-	-	-	-	-	-
	8. Otherwise	3	1	-	-	-	-	-	-	-	-	-	-	1	-
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		2	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		9	6	1	-	-	-	-	1	1	-	-	-	-	-

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	4	1	-	-	-	-	-	-	-	-	-	1	-	1
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	9	9	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	16	-	1	6	7	2	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	11	-	-	-	-	-	-	-	-	-	-	2	3	3
ORDER 3.															
1. Old Age	32	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 4.															
1. Atrophy and Debility	35	16	1	4	3	6	-	-	1	-	-	-	-	-	
V.	ORDER 1.														
	Accident or Negligence.)														
	1. Fractures and Contusions	7	-	-	-	-	-	-	-	-	-	-	-	-	1
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Suffocation	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORDER 4.															
(Suicide.)															
1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Hanging	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
(Execution.)															
1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		10	2	1	-	-	1	-	-	-	-	-	1	1	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1877.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—MALES.

Class	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	667	58	17	48	61	23	16	9	29	24	19	29	18	14
	Specified Causes . . .	664	56	17	48	61	23	16	9	29	24	19	29	18	14
	(CLASSES.)														
I.	ZYMOTIC DISEASES	113	7	6	12	24	7	7	4	10	3	1	1	1	2
II.	CONSTITUTIONAL „	125	1	3	10	7	5	4	2	13	9	11	13	8	7
III.	LOCAL „	305	14	7	17	19	6	4	2	5	11	4	12	7	5
IV.	DEVELOPMENTAL „	92	33	1	8	10	4	—	—	—	—	—	—	—	—
V.	VIOLENT DEATHS . .	29	1	—	1	1	1	1	1	1	1	3	3	2	—
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	100	5	5	12	23	7	7	4	10	3	1	1	—	—
	2. ENTHETIC „ .	5	2	—	—	1	—	—	—	—	—	—	—	—	2
	3. DIETIC „ .	8	—	1	—	—	—	—	—	—	—	—	—	1	—
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	9	—	—	—	—	—	—	—	—	—	1	—	1	—
	2. TUBERCULAR „ .	116	1	3	10	7	5	4	2	13	9	10	13	7	7
III.	1. DISEASES OF NERVOUS SYSTEM . .	83	6	1	3	8	—	2	2	2	4	1	2	—	1
	2. „ OF ORGANS OF CIRCULATION .	36	1	—	—	—	—	—	—	—	—	2	1	1	—
	3. „ OF RESPIRATORY ORGANS . . .	128	5	5	9	10	6	2	—	2	1	—	5	4	2
	4. „ OF DIGESTIVE ORGANS . . .	34	2	1	2	1	—	—	—	—	3	—	2	2	1
	5. „ OF URINARY ORGANS . . .	16	—	—	—	—	—	—	—	1	—	1	2	—	1
	6. „ OF ORGANS OF GENERATION .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	3	—	—	—	—	—	—	—	—	3	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	5	—	—	3	—	—	—	—	—	—	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN	29	14	1	7	7	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	36	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	27	19	—	1	3	4	—	—	—	—	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	658	44	15	41	60	26	14	6	24	12	35	31	27	22
	Specified Causes	651	42	15	39	60	26	14	6	24	12	35	31	27	21
	(CLASSES.)														
I.	ZYMOTIC DISEASES	107	6	3	8	28	9	5	3	5	—	6	7	2	
II.	CONSTITUTIONAL „	162	—	3	12	7	5	3	2	12	7	21	15	14	9
III.	LOCAL „	259	15	6	12	19	10	6	1	5	4	8	6	7	6
IV.	DEVELOPMENTAL „	117	21	3	6	6	2	—	—	1	1	—	3	4	3
V.	VIOLENT DEATHS	6	—	—	1	—	—	—	—	1	—	—	—	—	—
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	105	5	3	8	28	9	5	3	5	—	6	7	2	3
	2. ENTHETIC „	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	4. PARASITIC „	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „	23	—	—	1	—	—	—	—	—	—	1	—	—	—
	2. TUBERCULAR „	139	—	3	11	7	5	3	2	12	7	20	15	14	9
III.	1. DISEASES OF NERVOUS SYSTEM .	75	2	1	—	5	1	1	1	2	2	3	—	3	1
	2. „ OF ORGANS OF CIRCULATION .	26	—	—	—	—	—	—	—	—	—	1	2	1	—
	3. „ OF RESPIRATORY ORGANS .	112	8	4	10	13	8	4	—	3	—	4	2	—	4
	4. „ OF DIGESTIVE ORGANS .	32	5	1	1	1	—	1	—	—	1	—	1	1	1
	5. „ OF URINARY ORGANS .	4	—	—	—	—	—	—	—	—	—	—	—	2	—
	6. „ OF ORGANS OF GENERATION .	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION .	5	—	—	1	—	1	—	—	—	1	—	1	—	—
	8. „ OF INTEGUMENTARY SYSTEM .	2	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN	20	11	—	4	5	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	14	—	—	—	—	—	—	—	—	—	—	3	4	3
	3. „ OF OLD PEOPLE	58	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	25	10	3	2	1	2	—	—	1	1	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	27	1	—	1	1	1	1	1	1	1	3	3	2	—
	*														
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS, CAUSE UNASCERTAINED		1	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		2	2	—	—	—	—	—	—	—	—	—	—	—	—
I.	ORDER 1.														
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	12	—	1	1	8	—	—	1	—	1	—	—	—	—
	3. Scarlatina	8	—	—	—	1	—	1	1	5	—	—	—	—	—
	4. Diphtheria	3	—	—	—	1	—	1	—	—	—	—	—	—	—
	5. Quinsy	2	—	—	1	1	—	—	—	—	—	—	—	—	—
	6. Croup	8	—	1	1	2	1	2	—	1	—	—	—	—	—
	7. Hooping-cough	29	3	2	8	7	4	3	—	2	—	—	—	—	—
	8. { Typhus Fever	9	—	—	—	—	—	—	—	1	—	1	1	—	—
	8. { Enteric or Typhoid Fever	4	—	—	—	1	—	—	—	1	1	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	4	1	—	—	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhoea	10	1	1	1	2	—	—	—	—	1	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	4	—	—	—	—	2	—	2	—	—	—	—	—	—
	18. Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	5	2	—	—	1	—	—	—	—	—	—	—	—	2
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	1	—
	ORDER 4.														
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	5	—	—	—	—	—	—	—	—	—	1	—	1	—
	3. Cancer	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Cancerum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* See page 52, note *.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	5	-	-	1	-	-	-	-	1	-	-	-	-	-
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	5	1	-	2	-	-	-	-	-	-	-	-	-	1
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	11	-	-	2	8	1	-	-	-	-	-	-	-	-
	3. Scarlatina	4	-	-	-	1	-	-	-	3	-	-	-	-	-
	4. Diphtheria	4	-	-	-	3	-	1	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	11	-	-	1	2	4	2	2	-	-	-	-	-	-
	7. Hooping-cough	25	4	2	2	11	4	1	-	1	-	-	-	-	-
	8. { Typhus Fever	11	-	-	1	-	-	-	-	-	-	3	4	-	2
	8. { Enteric or Typhoid Fever	5	-	-	-	1	-	-	-	-	-	1	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	9. Erysipelas	4	1	-	-	-	-	-	-	-	-	-	1	1	-
	10. Puerperal Fever (Metria)	3	-	-	-	-	-	-	-	-	-	-	1	-	1
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	17	-	-	2	2	-	-	-	-	-	-	1	-	-
	15. Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	2	-	-	-	-	-	1	-	1	-	-	-	-	-
	18. Rheumatism	5	-	-	-	-	-	-	-	-	-	2	-	1	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	7	-	-	1	-	-	-	-	-	-	1	-	-	-
	3. Cancer	15	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	2	-	2	3	2	2	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	2	-	1	2	-	-	1	-	-	-	-	-	-	-	-
	{ Enteric or Typhoid Fever	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	14. Diarrhoea	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	3. Cancer	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	1	-	1	-	-	1	2	3	3	-	1	-	-	-	-
	15. Cholera	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	3. Cancer	2	2	2	3	3	1	1	1	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Mortification	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	9	—	—	—	1	2	—	—	1	2	1	1	1	—
	2. Tabes Mesenterica	7	—	1	1	—	1	2	—	2	—	—	—	—	—
	3. Phthisis	74	—	1	1	1	—	1	—	5	7	9	12	6	7
	4. Hydrocephalus	26	1	1	8	5	2	1	2	5	—	—	—	—	—
	ORDER 1.														
	1. Cephalitis	2	—	—	—	—	—	—	1	—	1	—	—	—	—
	2. Apoplexy	29	1	—	3	3	—	1	—	1	1	—	—	—	1
	3. Paralysis	21	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	5	—	—	—	—	—	—	—	—	1	—	1	—	—
	7. Convulsions	13	5	1	—	5	—	1	1	—	—	—	—	—	—
	8. Brain Disease, etc.	13	—	—	—	—	—	—	—	1	1	1	1	—	—
	ORDER 2.														
	1. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	36	1	—	—	—	—	—	—	—	—	2	1	1	—
	ORDER 3.														
	1. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	83	5	5	8	7	6	2	—	—	—	—	—	—	—
	3. Pleurisy	3	—	—	—	—	—	—	—	1	—	—	—	—	—
	4. Pneumonia	37	—	—	1	3	—	—	—	1	1	—	5	4	2
	5. Asthma	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	5	2	1	2	—	—	—	—	—	—	—	—	—	—
	3. Peritonitis	9	—	—	—	1	—	—	—	—	2	—	1	1	1
	4. Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	1	—	—	—	—	—	—	—	—	—	—	1	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Stomach Disease, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	5	—	—	—	—	—	—	—	—	1	—	—	—	—	
14. Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
15. Liver Disease, etc.	9	—	—	—	—	—	—	—	—	—	—	—	1	—	
16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
1. Nephritis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease (Nephria)	7	—	—	—	—	—	—	—	—	—	—	1	—	1	
4. Diabetes	2	—	—	—	—	—	—	—	—	—	1	1	—	—	
5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Kidney Disease, etc.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 6.															
1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 7.															
1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Joint Disease, etc.	3	—	—	—	—	—	—	—	—	3	—	—	—	—	

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	8	10	8	2	1	2	-	-	-	-	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Apoplexy	-	2	1	1	2	2	3	2	-	1	-	-	-	-	-
	3. Paralysis	1	1	2	3	3	3	7	7	4	-	-	-	-	-	-
	4. Insanity	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	3	3	1	6	-	2	3	3	1	-	-	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	2	4	1	4	5	7	7	8	4	1	1	-	-	-	-
	3. Pleurisy	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	-	2	-	1	1	-	1	1	-	-	-	-	-	-	-
	5. Asthma	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6. Lung Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 4.																
1. Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Enteritis	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	
3. Peritonitis	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Ileus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. Intussusception	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
14. Jaundice	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc.	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	
16. Spleen Disease, etc.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.																
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
4. Diabetes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 6.																
1. Ovarian Dropsy	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.																
1. Synovitis (Arthritis)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc. . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.														
	1. Premature Birth	9	9	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	9	—	—	4	5	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	13	—	—	—	—	—	—	—	—	—	—	3	4	3
	ORDER 3.														
	1. Old Age	58	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility . .	25	10	3	2	1	2	—	—	1	1	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Poison	2	—	—	1	—	—	—	—	—	—	—	—	—	—
	6. Drowning	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Otherwise	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)														
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		2	1	—	—	—	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		5	1	—	2	—	—	—	—	—	—	—	—	—	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
IV.	ORDER 8.																
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	ORDER 1.																
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.																
	1. Paramenia	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (<i>see</i> Puerperal Fever)	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.																
	1. Old Age	-	-	-	-	-	2	8	12	19	8	8	1	-	-	-	
ORDER 4.																	
1. Atrophy and Debility	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-		
V.	ORDER 1.																
	(<i>Accident or Negligence.</i>)																
	1. Fractures and Contusions	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Poison	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	6. Drowning	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	7. Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.																
	(<i>Homicide.</i>)																
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.																
	(<i>Suicide.</i>)																
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5.																
	(<i>Execution.</i>)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes	584	65	33	53	48	19	12	5	28	9	18	18	15	19
	Specified Causes	581	64	33	53	48	19	12	5	28	9	18	18	15	19
	(CLASSES.)														
I.	ZYMOTIC DISEASES	86	6	2	12	11	5	7	2	11	4	1	2	4	2
II.	CONSTITUTIONAL „	116	2	6	11	13	3	2	2	8	2	7	8	5	8
III.	LOCAL „	287	25	18	29	21	8	3	1	8	2	3	7	3	6
IV.	DEVELOPMENTAL „	51	27	5	—	3	1	—	—	1	—	—	—	—	—
V.	VIOLENT DEATHS .	41	4	2	1	—	2	—	—	—	1	7	1	3	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	84	6	2	11	11	5	7	2	11	4	1	2	4	2
	2. ENTHETIC „ .	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	13	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. TUBERCULAR „ .	103	2	6	11	13	3	2	2	7	2	7	8	5	8
III.	1. DISEASES OF NERVOUS SYSTEM . .	69	9	4	5	5	3	—	1	5	—	—	2	—	—
	2. „ OF ORGANS OF CIRCULATION .	40	—	—	1	—	—	—	—	1	—	—	1	2	2
	3. „ OF RESPIRATORY ORGANS . .	126	10	12	22	13	4	3	—	—	—	—	2	—	1
	4. „ OF DIGESTIVE ORGANS . .	33	4	2	1	2	—	—	—	1	1	2	2	—	2
	5. „ OF URINARY ORGANS . .	15	1	—	—	—	1	—	—	—	1	1	—	1	1
	6. „ OF ORGANS OF GENERATION .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	3	1	—	—	1	—	—	—	—	—	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN	22	19	1	—	2	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	14	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	15	8	4	—	1	1	—	—	1	—	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—FEMALES.

[illegible]

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	ALL AGES.	MALES.												
			AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	40	4	2	1	-	2	-	-	-	1	7	1	2	3
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	2	1	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	4	-	-	2	1	-	-	-	1	-	-	-	-	-
	3. Scarlatina	7	-	-	1	1	2	1	-	1	-	1	-	-	-
	4. Diphtheria	4	-	-	1	-	1	1	1	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	8	-	-	-	3	-	1	1	3	-	-	-	-	-
	7. Hooping-cough	14	1	1	4	2	2	3	-	1	-	-	-	-	-
	8. { Typhus Fever	6	-	-	-	-	-	-	-	-	1	-	2	1	-
	Enteric or Typhoid Fever	15	-	-	-	-	-	-	-	4	3	-	-	2	-
	Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	9. Erysipelas	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	16	4	1	3	4	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	5	-	-	-	-	-	-	-	1	-	-	-	1	2
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	3. Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE . . .	8	-	-	-	-	-	-	-	1	-	-	-	-	-
	*														
	3. HOMICIDE . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE . . .	2	-	-	-	-	-	-	-	-	1	-	1	-	-
	5. EXECUTION . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED . . .		2	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	3. Scarlatina . . .	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	4. Diphtheria . . .	10	1	-	2	1	-	2	1	2	-	-	-	-	-
	5. Quinsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup . . .	8	-	-	-	3	2	2	1	-	-	-	-	-	-
	7. Hooping-cough . . .	20	-	1	10	4	2	2	-	-	-	-	-	-	-
	8. { Typhus Fever . . .	5	-	-	-	-	-	-	-	1	2	1	1	-	-
	8. { Enteric or Typhoid Fever . . .	13	-	-	-	1	1	1	1	1	3	-	3	1	-
	8. { Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas . . .	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria) . . .	3	-	-	-	-	-	-	-	-	-	-	1	-	1
	11. Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	14. Diarrhoea . . .	13	4	1	4	1	1	-	-	-	-	-	-	-	-
	15. Cholera . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17. Remittent Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18. Rheumatism . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
19. Other Miasmatic Diseases . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.														
	1. Syphilis . . .	5	2	-	2	1	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
1. Thrush . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Worms, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
II.	ORDER 1.														
	1. Gout . . .	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Dropsy . . .	5	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Cancer . . .	18	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma) . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Mortification . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
V.	1. ACCIDENT OR NEGLIGENCE . . .	3	3	5	3	2	-	1	-	-	-	-	-	-	-	-	-
	*																
	3. HOMICIDE . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED . . .		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED . . .		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.																
	1. Small-pox . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever . . .	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever . . .	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas . . .	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria) . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhœa . . .	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	15. Cholera . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																
	1. Thrush . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Dropsy . . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer . . .	1	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma) . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.--FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	-	1	1	-	2	1	1	-	-	-	1	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	10. Puerperal Fever (Metria)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-
	3. Cancer	1	3	2	3	1	2	3	1	1	1	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	10	1	—	3	3	—	—	—	1	—	1	—	—	—
	2. Tabes Mesenterica	6	—	2	2	—	—	—	—	1	—	1	—	—	—
	3. Phthisis	59	—	1	1	—	—	—	—	3	2	5	8	5	8
	4. Hydrocephalus	28	1	3	5	10	3	2	2	2	—	—	—	—	—
	ORDER 1.														
	1. Cephalitis	10	1	—	2	1	—	—	1	4	—	—	1	—	—
	2. Apoplexy	11	—	—	—	—	1	—	—	—	—	—	—	—	—
	3. Paralysis	24	—	—	—	1	1	—	—	—	—	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Convulsions	17	8	3	2	2	1	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	5	—	1	1	1	—	—	—	1	—	—	1	—	—
	ORDER 2.														
	1. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	38	—	—	1	—	—	—	—	1	—	—	1	2	2
	ORDER 3.														
	1. Laryngitis	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	84	8	10	19	9	2	—	—	—	—	—	1	—	—
	3. Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Pneumonia	33	—	2	2	4	2	2	—	—	—	—	1	—	—
	5. Asthma	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	5	2	—	—	—	—	1	—	—	—	—	—	—	1
	ORDER 4.														
	1. Gastritis	2	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Enteritis	5	1	2	—	—	—	—	—	—	—	1	—	—	1
	3. Peritonitis	2	—	—	—	—	—	—	—	—	—	—	1	—	1
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines . . .	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	6. Hernia	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	4	—	—	1	—	—	—	—	—	1	—	1	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	10	1	—	—	1	—	—	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	2	1	—	—	—	—	—	—	—	—	1	—	—	—
	14. Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	15. Liver Disease, etc.	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.														
	1. Nephritis	2	1	—	—	—	—	—	—	—	—	1	—	—	—
	2. Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria) . . .	2	—	—	—	—	1	—	—	—	1	—	—	—	—
	4. Diabetes	3	—	—	—	—	—	—	—	—	—	—	—	1	—
	5. Calculus (Stone)	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—	1
	7. Kidney Disease, etc.	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.														
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	1	—	—	—	—	—	—	—	1	—	—	—	—	—

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
		3	6	12											
III.	ORDER 2.														
	1. Scrofula	8	-	-	1	2	-	-	1	1	1	-	-	-	1
	2. Tabes Mesenterica	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	67	1	-	1	2	2	-	-	6	1	7	8	8	10
	4. Hydrocephalus	18	1	3	6	2	1	-	2	2	1	-	-	-	-
	ORDER 1.														
	1. Cephalitis	12	-	2	2	2	1	2	1	-	-	1	1	-	-
	2. Apoplexy	14	-	-	-	-	-	-	1	-	-	-	-	1	-
	3. Paralysis	27	-	-	-	-	-	-	-	-	-	-	-	1	-
4. Insanity	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Epilepsy	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
7. Convulsions	10	6	1	-	3	-	-	-	-	-	-	-	-	-	
8. Brain Disease, etc.	5	-	-	-	-	1	-	-	-	-	-	-	-	-	
	ORDER 2.														
	1. Pericarditis	3	-	-	-	-	-	-	-	-	-	-	1	2	-
	2. Aneurism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	50	-	1	-	-	-	-	-	1	-	1	2	4	
	ORDER 3.														
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	83	10	9	15	12	8	2	1	-	-	-	-	-	
	3. Pleurisy	1	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Pneumonia	19	-	-	1	2	2	1	-	1	-	1	-	1	
	5. Asthma	2	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Lung Disease, etc.	8	1	-	-	-	1	-	-	-	-	-	-	-	
	ORDER 4.														
	1. Gastritis	4	1	-	-	-	-	-	-	-	-	-	-	-	
	2. Enteritis	4	2	1	-	-	-	-	-	-	-	-	-	-	
	3. Peritonitis	4	-	-	-	-	-	-	-	-	-	1	1	-	
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Hernia	3	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Ileus	4	1												

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
III.	ORDER 2.																
	1. Scrofula	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Phthisis	7	8	4	4	-	-	3	-	-	-	-	-	-	-	-	
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.																
	1. Cephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Apoplexy	-	1	-	2	2	2	1	2	-	-	-	-	-	-	-	
	3. Paralysis	-	1	1	2	1	5	2	4	5	1	-	-	-	-	-	
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Epilepsy	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Convulsions	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	8. Brain Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.																
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Aneurism	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
	3. Heart Disease, etc.	3	4	3	5	2	4	4	4	1	1	-	-	-	-	-	
	ORDER 3.																
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Bronchitis	3	4	1	-	5	3	3	5	6	3	1	1	-	-	-	
	3. Pleurisy	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
	4. Pneumonia	-	3	3	6	2	2	2	1	1	-	-	-	-	-	-	
	5. Asthma	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
6. Lung Disease, etc.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
ORDER 4.																	
1. Gastritis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
2. Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3. Peritonitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5. Ulceration of Intestines	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7. Pleus	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11. Stomach Disease, etc.	2	-	1	1	1	1	1	-	1	-	-	-	-	-	-		
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14. Jaundice	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
15. Liver Disease, etc.	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-		
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 5.																	
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Ischuria	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
3. Bright's Disease (Nephria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4. Diabetes	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-		
5. Calculus (Stone)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
6. Cystitis	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-		
7. Kidney Disease, etc.	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-		
ORDER 6.																	
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 7.																	
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Joint Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	5	6	1	2	4	2	-	1	-	-	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Apoplexy	1	2	-	1	-	3	-	1	3	1	-	-	-	-	-
	3. Paralysis	1	1	1	-	2	3	5	3	6	2	2	-	-	-	-
	4. Insanity	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	3. Heart Disease, etc.	2	3	9	5	3	8	5	2	1	3	-	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	2	1	1	7	1	1	2	5	5	-	1	-	-	-	-
	3. Pleurisy	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	1	1	2	3	-	2	1	-	-	-	-	-	-	-	-
	5. Asthma	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	6. Lung Disease, etc.	-	3	-	1	-	-	1	1	-	-	-	-	-	-	-
ORDER 4.																
1. Gastritis	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	
2. Enteritis	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
3. Peritonitis	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Hernia	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	
7. Ileus	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
14. Jaundice	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
15. Liver Disease, etc.	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	
16. Spleen Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.																
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
ORDER 6.																
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.																
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[illegible]

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3 .	6	12	2	3	4	5	10	15	20	25	30	35
IV.	ORDER 8.														
	1. Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.														
	1. Premature Birth	20	20	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	2	2	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	2	1	-	-	1	-	-	-	-	-	-	-	-	
	5. Teething	8	-	-	8	4	1	-	-	-	-	-	-	-	
	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever)	7	-	-	-	-	-	-	-	-	-	3	2	-	
	ORDER 3.														
	1. Old Age	30	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.														
	1. Atrophy and Debility	18	14	-	3	-	-	-	-	-	-	-	-	-	
	V.	ORDER 1. (Accident or Negligence.)													
	1. Fractures and Contusions	3	-	-	-	-	-	-	1	-	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-		
4. Burns and Scalds	2	-	-	-	-	-	-	-	-	-	-	-	-		
5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-		
6. Drowning	1	-	-	-	-	-	-	-	-	-	-	-	-		
7. Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-		
8. Otherwise	2	-	-	-	-	-	-	-	-	-	-	-	-		
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	1	-	-	-	-	-	-	-	-	1	-	-	-	
	4. Drowning	1	-	-	-	-	-	-	-	-	-	-	1	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)														
1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sudden Deaths (cause unascertained)			-	-	-	-	-	-	-	-	-	-	-	-	
Causes not specified or ill-defined		2	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in LEITH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	2	3	3	9	9	3	1	-	-	-
	ORDER 4.															
	1. Atrophy and Debility	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	7. Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—MALES.

[illegible]

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.-FEMALES.

Class.	CAUSES OF DEATH.	ALL AGES.	FEMALES.												
			AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	312	24	7	20	18	9	4	8	14	8	3	9	7	10
	Specified Causes	308	24	7	20	17	9	4	8	14	8	3	9	7	10
	(CLASSES.)														
I.	ZYMOTIC DISEASES	32	1	1	5	4	5	1	4	3	1	-	-	-	-
II.	CONSTITUTIONAL „	67	1	1	3	1	-	1	2	7	3	1	7	4	3
III.	LOCAL „	143	8	3	9	10	3	2	-	3	3	2	1	3	6
IV.	DEVELOPMENTAL „	59	14	2	3	2	1	-	1	-	-	-	1	-	1
V.	VIOLENT DEATHS .	7	-	-	-	-	-	-	1	1	1	-	-	-	-
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	31	1	1	5	4	5	1	4	3	1	-	-	-	-
	2. ENTHETIC „	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. DIETIC „	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. PARASITIC „	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „	14	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. TUBERCULAR „	53	1	1	3	1	-	1	2	7	3	1	7	4	3
III.	1. DISEASES OF NERVOUS SYSTEM .	25	-	-	2	-	1	-	-	-	1	-	-	1	-
	2. „ OF ORGANS OF CIRCULATION .	37	1	-	-	1	-	-	-	-	1	-	-	-	2
	3. „ OF RESPIRATORY ORGANS .	55	6	3	7	8	2	-	-	2	1	1	-	-	2
	4. „ OF DIGESTIVE ORGANS .	16	-	-	-	1	-	2	-	1	-	1	-	1	2
	5. „ OF URINARY ORGANS .	5	-	-	-	-	-	-	-	-	-	-	1	1	-
	6. „ OF ORGANS OF GENERATION .	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ OF ORGANS OF LOCOMOTION .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. „ OF INTEGUMENTARY SYSTEM .	2	1	-	-	-	-	-	-	-	-	-	-	-	-
IV.	1. DEV. DIS. OF CHILDREN	4	1	-	2	1	-	-	-	-	-	-	-	-	-
	2. „ OF ADULTS .	3	-	-	-	-	-	-	-	-	-	-	1	-	1
	3. „ OF OLD PEOPLE	30	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	22	13	2	1	1	1	-	1	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	ALL AGES.	MALES.												
			AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	8	1	-	-	-	-	1	-	1	-	-	1	1	2
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	-	-	-	-	-	-	-	-	-	1	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	-	-	-	-	1	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	3	-	-	-	3	-	-	-	-	-	-	-	-	-
	3. Scarlatina	3	1	-	-	-	1	-	1	-	-	-	-	-	-
	4. Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	4	-	-	-	2	1	-	-	1	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	4	-	-	-	-	1	-	-	-	3	-	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	9. Erysipelas	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	3	-	1	1	-	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Cancer	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.--FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	7	-	-	-	-	-	-	1	1	1	-	-	-	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		1	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		3	-	-	-	1	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	4	-	-	2	1	-	-	-	1	-	-	-	-	-
	3. Scarlatina	6	-	-	-	1	1	-	2	1	1	-	-	-	-
	4. Diphtheria	4	-	-	-	-	2	1	1	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	4	1	1	-	-	2	-	-	-	-	-	-	-	-
	7. Hooping-cough	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	7	-	-	2	1	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	3. Cancer	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS, CAUSE UNASCERTAINED		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	3. Cancer	1	2	-	2	2	1	1	-	1	1	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
III.	ORDER 2.														
	1. Scrofula	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	5	-	1	-	-	1	1	-	-	2	-	-	-	-
	3. Phthisis	41	-	-	-	1	1	-	-	1	2	10	3	4	5
	4. Hydrocephalus	9	-	1	3	1	1	1	-	2	-	-	-	-	-
	ORDER 1.														
	1. Cephalitis	6	-	-	-	1	-	2	1	1	1	-	-	-	-
	2. Apoplexy	8	1	-	-	-	-	-	-	-	-	-	-	1	-
	3. Paralysis	14	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	12	-	-	1	-	-	-	1	-	1	-	1	-	1
	ORDER 2.														
	1. Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	28	-	-	-	-	-	-	-	-	2	1	-	-	1
	ORDER 3.														
	1. Laryngitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	43	5	2	9	4	2	1	-	1	1	-	-	-	-
	3. Pleurisy	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	4. Pneumonia	14	1	-	-	1	1	1	-	1	-	-	-	1	2
	5. Asthma	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	5	1	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 4.														
	1. Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Peritonitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	4	-	-	-	-	-	-	-	-	-	-	1	-	-	
6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Ileus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14. Jaundice	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.															
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	3	-	-	-	-	-	-	-	-	1	1	-	-	1	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	4	-	-	-	1	-	-	1	1	-	-	1	-	-
	2. Tabes Mesenterica	3	-	-	-	-	-	-	1	1	-	-	-	-	-
	3. Phthisis	40	-	1	-	-	-	1	-	3	3	1	6	4	3
	4. Hydrocephalus	6	1	-	3	-	-	-	-	2	-	-	-	-	-
	ORDER 1.														
	1. Cephalitis	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	2. Apoplexy	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Paralysis	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Convulsions	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
8. Brain Disease, etc.	8	-	-	-	-	-	-	-	-	1	-	-	1	-	
	ORDER 2.														
	1. Pericarditis	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	34	1	-	-	1	-	-	-	-	1	-	-	-	2
	ORDER 3.														
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	38	6	2	6	5	1	-	-	-	-	-	-	-	-
	3. Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	10	-	-	1	3	-	-	-	2	1	1	-	-	1
	5. Asthma	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	6	-	1	-	-	1	-	-	-	-	-	-	-	1
	ORDER 4.														
	1. Gastritis	3	-	-	-	1	-	-	-	-	-	1	-	-	-
	2. Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Peritonitis	2	-	-	-	-	-	1	-	-	-	-	-	1	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Hernia	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	2	-	-	-	-	-	1	-	-	-	-	-	-	1
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	2	-	-	-	-	-	-	-	1	-	-	-	-	1
	14. Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diabetes	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	7. Kidney Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 6.														
	1. Ovarian Dropsy	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.														
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
IV.	ORDER 8.														
	1. Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Skin Disease, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 1.														
	1. Premature Birth	5	5	—	—	—	—	—	—	—	—	—	—	—	
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Spina Bifida	2	1	—	1	—	—	—	—	—	—	—	—	—	
	4. Other Malformations . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Teething	3	—	1	2	—	—	—	—	—	—	—	—	—	
	ORDER 2.														
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3.														
	1. Old Age	25	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4.														
	1. Atrophy and Debility . .	12	9	1	—	1	—	—	—	—	—	—	—	—	
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	3	—	—	—	—	—	—	—	—	—	—	1	2	
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	
	6. Drowning	3	—	—	—	—	—	1	—	1	—	—	—	—	
	7. Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	
	8. Otherwise	2	1	—	—	—	—	—	—	—	—	—	1	—	
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Cut, Stab	1	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Hanging	1	—	—	—	—	—	—	—	—	—	—	1	—	
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5. (Execution)														
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sudden Deaths (cause unascertained)		—	—	—	—	—	—	—	—	—	—	—	—	—	
Causes not specified or ill-defined		1	—	—	—	—	1	—	—	—	—	—	—	—	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	3	-	-	2	1	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever)	3	-	-	-	-	-	-	-	-	-	-	1	-	1	
	ORDER 3.															
	1. Old Age	30	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility	22	13	2	1	1	1	-	1	-	-	-	-	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	3	-	-	-	-	-	-	1	-	-	-	-	-	-	
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Suffocation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	2	-	-	-	-	-	-	-	-	1	-	-	-	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined		3	-	-	-	1	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in PERTH, at different Periods of Life, in 1877.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (<i>see</i> Puerperal Fever).	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	2	7	3	7	7	1	2	1	-	-
	ORDER 4.															
	1. Atrophy and Debility . . .	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Suffocation	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	8. Otherwise	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	ORDER 3. (<i>Homicide.</i>)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (<i>Suicide.</i>)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (<i>Execution.</i>)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined)	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

TABLE showing the Distribution of DEATHS according to MONTHS, or the influence of SEASON on the MORTALITY.

		DEATHS in 1877.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
MEAN TEMPERATURE in 1877		37°·6	39°·5	38°·4	41°·4	45°·9	55°·1	56°·3	55°·1	50°·5	46°·7	42°·5	39°·3	45°·7
SCOTLAND		6952	5927	7646	6849	7027	5710	5617	5454	4848	5740	5655	6521	73946
1	PRINCIPAL TOWN DISTRICTS	2588	2229	2993	2562	2707	2178	2044	2048	1884	2245	2120	2622	28220
2	LARGE TOWN DISTRICTS	882	744	929	829	923	675	628	659	579	771	668	776	9063
3	SMALL TOWN DISTRICTS	1539	1312	1619	1477	1538	1259	1325	1251	1048	1159	1225	1347	16099
4	MAINLAND-RURAL DISTRICTS	1701	1459	1851	1752	1650	1443	1464	1358	1211	1438	1503	1606	18436
5	INSULAR-RURAL DISTRICTS	242	183	254	229	209	155	156	138	126	127	139	170	2128
DIVISIONS.														
1	NORTHERN	207	177	217	206	197	144	168	166	147	126	138	166	2059
2	NORTH-WESTERN	285	239	289	301	265	205	185	211	173	187	198	225	2763
3	NORTH-EASTERN	705	589	704	594	582	491	505	501	434	493	489	635	6722
4	EAST-MIDLAND	1040	864	1104	1058	1029	882	863	845	726	894	880	974	11159
5	WEST-MIDLAND	493	399	538	485	486	428	441	376	323	358	398	453	5178
6	SOUTH-WESTERN	2949	2532	3387	2877	3141	2395	2368	2337	2137	2586	2481	2713	31903
7	SOUTH-EASTERN	938	798	1010	944	940	843	823	725	667	800	812	1039	10339
8	SOUTHERN	335	329	397	384	387	322	264	293	241	296	259	316	3823
COUNTIES.														
I. NORTHERN.														
1	Shetland	48	46	60	50	50	30	38	35	22	26	27	37	469
2	Orkney	54	47	59	53	59	47	34	29	34	30	33	42	521
3	Caithness	63	50	66	71	51	38	58	71	62	43	47	53	673
4	Sutherland	42	34	32	32	37	29	38	31	29	27	31	34	396
II. NORTH-WESTERN.														
5	Ross and Cromarty	147	127	148	127	125	121	92	97	72	89	79	118	1342
6	Inverness	138	112	141	174	140	84	93	114	101	98	119	107	1421
III. NORTH-EASTERN.														
7	Nairn	13	11	19	14	15	13	12	13	7	8	14	10	149
8	Elgin (or Moray)	86	77	86	59	83	42	60	50	59	66	53	60	781
9	Banff	102	67	95	97	66	70	58	58	51	67	71	92	894
10	Aberdeen	446	393	451	382	380	324	331	330	278	310	312	425	4362
11	Kincardine	58	41	53	42	38	42	44	50	39	42	39	48	536
IV. EAST-MIDLAND.														
12	Forfar	497	425	495	512	497	399	383	363	332	451	419	459	5232
13	Perth	242	179	263	227	185	212	189	200	159	194	184	203	2437
14	Fife	261	230	294	270	278	219	236	235	177	205	231	254	2890
15	Kinross	13	9	14	12	15	17	13	12	11	8	14	19	157
16	Clackmannan	27	21	38	37	54	35	42	35	47	36	32	39	443
V. WEST-MIDLAND.														
17	Stirling	174	166	209	222	177	189	183	137	126	160	179	210	2132
18	Dumbarton	140	95	126	112	137	98	113	100	83	91	108	110	1313
19	Argyll	138	109	162	133	138	116	109	96	92	84	84	117	1378
20	Bute	41	29	41	18	34	25	36	43	22	23	27	16	355
VI. SOUTH-WESTERN.														
21	Renfrew	441	343	460	423	428	334	380	409	342	396	372	447	4775
22	Ayr	417	358	451	462	466	339	356	327	287	308	311	326	4408
23	Lanark	2091	1831	2476	1992	2247	1722	1632	1601	1508	1882	1798	1940	22720
VII. SOUTH-EASTERN.														
24	Linlithgow	66	57	76	80	77	59	65	60	49	38	64	75	766
25	Edinburgh	683	575	738	710	707	625	619	536	500	605	613	807	7718
26	Haddington	60	59	75	57	57	40	51	44	41	50	43	46	623
27	Berwick	57	63	53	50	47	57	43	40	43	54	44	62	613
28	Peebles	24	10	19	18	14	20	14	15	2	16	15	19	186
29	Selkirk	48	34	49	29	38	42	31	30	32	37	33	30	433
VIII. SOUTHERN.														
30	Roxburgh	82	70	100	100	81	76	66	65	50	87	76	82	935
31	Dumfries	120	117	161	133	164	148	95	104	90	101	91	128	1452
32	Kirkcudbright	74	65	59	69	77	49	65	63	46	53	52	53	725
33	Wigtown	59	77	77	82	65	49	38	61	55	55	40	53	711

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES
BY AN ASTERISK (*).

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
59b	Carnoch	Parts of Contin, Fodderty, and Urray.
71b	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenrinnnes	Parts of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
217	Logie-Coldstone & Cromar	Logie-Coldstone, and part of Glenmuick, etc.
222b	Millbren	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar, and part of Udney.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249b	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans
282	Dundee	Dundee, and part of Liff, Benzie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328b	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhiddier	Balquhiddier, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally.
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowls-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meikle	Meikle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch. [Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenantry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy and Abbotshall	Kirkcaldy, Abbotshall, and part of Kinghorn.
481b	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmallie.
509	Cumlodden and Minard	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilthead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail. [Knapdale.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South
536	Bowmore (or Kilarrow)	Part of Kilarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Kilarrow and Kilmeny.
545	Kinlochspelve	Part of Torosay.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmore.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew (2 and 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canonsgate and parts of St Cuthberts, Dudding- ston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698b	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774a	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
776b	Ladhope	Part of Melrose.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown)
862	Corsockbridge	Parts of Balmacellellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie - - -	* Fortrose.	
130	Drainie - - -	- - -	* Lossiemouth.
164	Rathven - - -	- - -	* Buckie.
167	Seafeld - - -	Cullen.	
211	Kinnellar - - -	Kintore.	
213	Kintore - - -	Inverurie.	
251 ¹	Banchory-Devenick - -	Aberdeen.	
253	Benholm - - -	Inverbervie.	
255	Dunnottar - - -	- - -	Stonehaven.
258 ¹	Fetteresso - - -	- - -	Do.
262	Kinneff, etc. - - -	Inverbervie.	
274	Barry - - -	- - -	Carnoustie.
280	Craig - - -	Montrose.	
282 ⁴	St Andrews (Dundee) -	- - -	Broughty-Ferry
310	Monifieth - - -	- - -	Do.
316	Panbride - - -	- - -	Carnoustie.
371	Leacroft - - -	- - -	Bridge of Allan.
374	Logie - - -	Stirling.	Do.
385	Muckhart - - -	- - -	Dollar.
386 ^a	Muthill - - -	- - -	Crieff.
389	Rattray - - -	- - -	Blairgowrie.
400	Abdie - - -	- - -	Suburban of Newburgh.
405	Auchterderran - - -	- - -	Lochgelly.
408	Ballingry - - -	- - -	Do.
427	Elie - - -	- - -	Suburban of Earlsferry.
436	Kilconquhar - - -	* Earlsferry.	Do.
438	Kilrenny - - -	Anstruther-Easter.	
456	Seconie - - -	- - -	* Leven.
459	Wemyss - - -	- - -	Buckhaven.
466	Clackmannan - - -	- - -	Alloa.
475	Campsie - - -	- - -	* Lennoxtown.
478	Dunipace - - -	- - -	Denny.
488	St Ninians - - -	- - -	Bannockburn
493	Bonhill - - -	- - -	* Alexandria.
494	Cardross - - -	- - -	* Renton.
500	New or East Kilpatrick -	- - -	* Milngavie.
503	Row - - -	- - -	* Helensburgh.
523	Kilmore and Kilbride -	* Oban.	
559 ¹	Abbey - - -	Paisley	
559 ²	Do. (Landward) - - -	- - -	Barrhead.
650	Cathcart - - -	- - -	{ Busby.
562	Eastwood - - -	- - -	{ Crosshill (Suburban of Glasgow).
564	Greenock, East - - -	Port-Glasgow.	* Pollockshaws and Thornliebank.
571	Mearns - - -	- - -	Busby.
576 ¹	Old Ardrossan - - -	- - -	Saltcoats.
577	Auchinleck - - -	- - -	Cumnock.
593	Galston - - -	- - -	Newmilns.
597	Kilmarnock - - -	- - -	Hurlford.
603	Loudoun - - -	- - -	Galston and Newmilns
611	Riccarton - - -	Kilmarnock,	Hurlford.
613	Sorn - - -	- - -	* Catrine.
615	Stevenston - - -	- - -	Saltcoats.
621	Avondale - - -	- - -	* Strathaven.
622 ²	Shettleston - - -	- - -	Tollcross.
625 ¹	Bothwell - - -	- - -	* Bellshill.
625 ²	Holytown - - -	- - -	Calderbank.
628	Cambusnethan - - -	- - -	* Newmains and Wishaw.
639	Dalziel - - -	- - -	Motherwell.
643	East Kilbride - - -	- - -	Busby.
646 ¹	Govan Church - - -	- - -	Suburban of Glasgow.
646 ²	Partick - - -	- - -	{ Hillhead, Whiteinch, and Suburban
647	Hamilton - - -	- - -	{ of Glasgow.
651 ²	New Monkland (Landward) -	- - -	Larkhall and Motherwell.
652	Old Monkland - - -	- - -	Suburban of Airdrie.
	(1) Western District - -	- - -	Bailliestone, and Tollcross.
	(2) Middle District - -	- - -	Coatbridge and Rosehall.
	(3) Eastern District - -	- - -	Do. do. and Calderbank.
654	Rutherglen - - -	- - -	Cambuslang.
664	Carriden - - -	- - -	Bo'ness.
673 ²	Fauldhouse - - -	- - -	* Crofthead.
689	Inveresk - - -	* Musselburgh.	
691	Lasswade - - -	- - -	Penicuik.
727	Ayton - - -	- - -	Eyemouth.
776 ^b	Ladhope - - -	Galashiels.	
810	Wilton - - -	Hawick.	
813 ^b	Brydekirk - - -	Annan.	
863	Crossmichael - - -	- - -	Castle-Douglas.
868	Kells - - -	* New Galloway.	
869	Kelton - - -	- - -	Castle-Douglas.
876	Minnigaff - - -	- - -	Newton-Stewart.
880	Terregles - - -	Dumfries.	
882	Troqueer - - -	Do.	
895	Penninghame - - -	- - -	Newton-Stewart.

* The asterisk indicates that the entire Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, . . . 559	Baldernock, . . . 471	Buckhaven, . . . 459	Corsock-Bridge, 862	Dolphington, . . . 640
Abbey St Bath- ans, . . . 726	Balfron, . . . 472	Buittle, . . . 859	Corstorphine, 678	Dores, . . . 90
Abbotshall, . . . 399	Ballachulish & Cor- ran of Ardgour, 506	Bunkle and Preston, . . . 728	Cortachy & Clova 278	Dornoch (Suth- erland), . . . 47
Abdie, . . . 400	Ballantrae, . . . 579	Burntisland, 411	Coull, . . . 182	Dornoch (Dum- fries), . . . 819
Abercorn, . . . 661	Ballingry, . . . 408	Burra & Quarff, 1	Coupar-Angus, 279	Douglas, . . . 641
Aberdalgie, . . . 323	Balmacellan, . . . 856	Cabrach, . . . 177	Covington and Thankerton, 634	Dowally, . . . 344
Aberdeen, . . . 168	Balmaghie, . . . 857	Cadder, . . . 626	Coylton, . . . 583	Drainie, . . . 130
Aberdour (Aber- deen), . . . 169	Balmerino, . . . 409	Caddonfoot, 774	Craig, . . . 280	Dreghorn, . . . 589
Aberdour (Fife), 401	Balquhider, . . . 331	Cairney, . . . 178	Craigie, . . . 584	Dron, . . . 345
Aberfeldy, . . . 324	Banchory-Deve- nick, . . . 251	Calderhead, 626	Craighish, . . . 508	Drumblade, . . . 188
Aberfoyle, . . . 325	Banchory-Ter- nan, . . . 252	Callender, . . . 336	Crail, . . . 417	Drumelzier, . . . 759
Aberlady, . . . 702	Banff, . . . 147	Calton, . . . 644	Crailing, . . . 786	Drumoak, . . . 189
Aberlemno, . . . 269	Bannockburn, 488	Cambuslang, 627	Cramond, . . . 679	Dryfesdale, . . . 820
Aberlour, . . . 145	Bargrennan, . . . 857	Cambusnethan, 628	Cranston, . . . 680	Drymen, . . . 477
Abernethy, . . . 326	Barony, . . . 622	Cameron, . . . 412	Crathie and Braemar, . . . 183	Duddingston, 684
Abernethy and Kincardine, 90	Barr, . . . 580	Camlachie, . . . 644	Crawford, . . . 635	Duffus, . . . 131
Abernyte, . . . 327	Barra (Inver- ness), . . . 108	Campbeltown, 507	Crawfordjohn, 636	Duirinish, . . . 110
Aboyne, . . . 170	Barrhead, . . . 572	Campsie, . . . 475	Creich (Fife), 418	Dull, . . . 346
Aharacle, . . . 505	Barrhill, . . . 582	Canisbay, . . . 35	Crichton, . . . 681	Dumbarton, . . . 496
Airdrie, . . . 651	Barry (Forfar), 274	Canonbie, . . . 814	Crieich (Suther- land), . . . 46	Dumfries, . . . 821
Airlie, . . . 270	Barvas, . . . 86	Canongate, . . . 685	Crieff, . . . 342	Dun, . . . 281
Airth, . . . 469	Bathgate, . . . 662	Caputh, . . . 337	Crimond, . . . 184	Dunbar, . . . 706
Alford, . . . 171	Beath (Fife), 410	Cardross, . . . 494	Cromarty, . . . 61	Dunbarney, . . . 347
Alloa, . . . 465	Bedrule, . . . 782	Cardston, . . . 277	Cromdale and Advie, . . . 128	Dunblane, . . . 348
Alness, . . . 57	Beith (Ayr), 581	Cargill, . . . 338	Crossmichael, 863	Dunbog, . . . 423
Alva (Stirling), 470	Belhelvie, . . . 174	Carlaverock, 815	Croy & Dalcross, 94	Dundee, . . . 282
Alvah (Banff), 146	Bellie, . . . 126	Carloway, . . . 86	Cruden, . . . 185	Dundonald, . . . 590
Alves, . . . 125	Benbecula, . . . 118	Carluke, . . . 629	Cullen, . . . 150	Dunfermline, 424
Alvie, . . . 90	Bendochy, . . . 332	Carmichael, 630	Culross, . . . 343	Dunino, . . . 425
Alyth, . . . 328	Benholm, . . . 253	Carmunnock, 631	Culsamond, 186	Dunipace, . . . 478
Ancrum, . . . 780	Bernera, . . . 111	Carmylie, . . . 276	Culter, . . . 637	Dunkeld, . . . 349
Anderston, . . . 644	Bervie, . . . 254	Carnbee, . . . 413	Cults, . . . 419	Dunlop, . . . 591
Annan, . . . 812	Biggar, . . . 623	Carnoch (Ross), 595	Cumbernauld, 495	Dunnet, . . . 36
Anstruther-E., 402	Birnie, . . . 127	Carnock (Fife), 414	Cumraes, . . . 552	Dunnichen, . . . 283
Anstruther-W., 403	Birsay, . . . 13	Carnwath, . . . 632	Cumlodden and Minard, . . . 509	Dunning, . . . 350
Anwoth, . . . 855	Birse, . . . 175	Carriden, . . . 664	Cummertrees, 817	Dunnottar, . . . 255
Appin, . . . 525	Blackford, . . . 333	Carrington, 675	Cupar, . . . 420	Dunoon & Kil- mun, . . . 510
Applecross, . . . 58	Blackfriars, . . . 644	Carsphairn, 860	Currie, . . . 682	Dunrossness, 3
Applegarth, . . . 813	Blair-Athol, 334	Carstairs, . . . 633	Dailly, . . . 585	Dunscore, . . . 822
Arbirlot, . . . 271	Blairgowrie, 335	Castleton, . . . 784	Dairsie, . . . 421	Dunse, . . . 735
Arbroath, . . . 272	Blantyre, . . . 624	Cathcart, . . . 560	Dalavich, . . . 517	Dunsyre, . . . 642
Arbuthnott, . . . 250	Blythwood, . . . 644	Cavers, . . . 785	Dalbeattie, . . . 864	Durness, . . . 48
Ardchattan, . . . 504	Boddam, . . . 232	Cawdor, . . . 122	Dalgetty, . . . 422	Duror, . . . 525
Ardelach, . . . 120	Boharm, . . . 128	Ceres, . . . 415	Dalkeith, . . . 683	Durris, . . . 256
Ardersier, . . . 91	Boisdale, . . . 118	Channelkirk, 729	Dallas, . . . 129	Durrisdeer, . . . 823
Ardnamurchan, 505	Boleskine, . . . 92	Chapel-of-Gari- och, . . . 179	Dalmellington, 586	Duthil, . . . 96
Ardoch, . . . 328	Bolton, . . . 704	Chirnsie, . . . 730	Dalmeny, . . . 665	Dyce, . . . 190
Ardrossan, . . . 576	Bonar, . . . 46	Clackmannan, 466	Dalrymple, . . . 588	Dyke, . . . 133
Arisaig, . . . 505	Bonhill, . . . 493	Clatt, . . . 180	Dalserf, . . . 638	Dysart, . . . 426
Armadaie, . . . 662	Borgue, . . . 858	Cleish, . . . 460	Dalton, . . . 818	Eaglesham, . . . 561
Arngask, . . . 404	Bo'ness, . . . 663	Closeburn, . . . 816	Dalziel, . . . 639	Earlsferry, . . . 436
Arrochar, . . . 492	Borthwick, . . . 674	Clunie (Perth), 339	Daviot, . . . 187	Earlston, . . . 736
Ashkirk, . . . 781	Bothkennar, 473	Cluny (Aberd'n), 181	Davot & Dun- lichity, . . . 95	Eassie & Nevay, 284
Assynt, . . . 44	Bothwell, . . . 625	Clyne, . . . 45	Deerness, . . . 14	East Kilbride, 643
Athelstaneford, 703	Botriphny, . . . 148	Cockburnspath, 731	Delting, . . . 6	Eastwood, . . . 562
Auchindoir, . . . 172	Bourtie, . . . 176	Cockpen, . . . 676	Dennistoun, 644	Eccles, . . . 737
Auchinleck, . . . 577	Bowden, . . . 783	Coigach, . . . 75	Denny, . . . 471	Ecclesmachan, 666
Auchterarder, 329	Bower, . . . 34	Coldingham, 732	Deskford, . . . 152	Echt, . . . 191
Auchterderran, 405	Bowmore, . . . 536	Coldstream, 733	Dingwall, . . . 62	Eckford, . . . 787
Auchtergaven, 330	Boyndie, . . . 149	Colinton, . . . 677	Dirleton, . . . 705	Eday & Pharay, 15
Auchterhouse, 273	Bracadale, . . . 109	Coll, . . . 551	Dollar, . . . 467	Edderton, . . . 63
Auchterless, . . . 173	Brechin, . . . 275	Collace, . . . 340		Eddlestone, . . . 760
Auchtermuchty, 406	Bressay, . . . 1	Collessie, . . . 416		Eddrachillis, . . . 49
Auchtertool, . . . 407	Bridgeton, . . . 644	Colmonell, . . . 582		Edgerston, . . . 787
Auldearn, . . . 121	Brodick, . . . 553	Colonsay, . . . 539		Edinburgh, . . . 635
Avoch, . . . 59	Broughton, . . . 758	Colvend, . . . 861		Edinkillie, . . . 134
Avondale, . . . 621	Brydekirk, . . . 813	Comrie, . . . 341		Ednam, . . . 788
Ayr, . . . 578	Buchanan, . . . 474	Contin, . . . 60		Edrom, . . . 738
Ayton, . . . 727		Cookney, . . . 258		

* The actual number of Districts is 1032—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced

Edzell,	285	Glenbucket,	200	Jedburgh,	792	Kinfauns,	366	Langton,	747
Elgin,	135	Glencairn,	826	Johnstone		Kingarth,	554	Larbert,	485
Elie,	427	Glencoe and		(Dumfries),	832	King-Edward,	210	Largo,	443
Ellon,	192	Ballachulish,	525	Johnstone (Ren-		Kinghorn,	439	Largs,	602
Enzie,	152	Glencorse,	687	frew),	559	Kinglassie,	440	Larkhall,	638
Errol,	351	Glendevon,	358	Jura,	539	Kingoldrum,	295	Lasswade,	691
Erskine,	563	Glenelg,	97			Kingsbarns,	441	Latheron,	38
Eskdalemuir,	824	Glengarry,	99	Keig,	205	Kingussie, &c.,	102	Lauder,	748
Ettrick,	774	Glenholm,	761	Keir,	833	Kinloch,	372	Laurencekirk,	263
Evie & Rendall,	16	Glenisla,	290	Keith,	159	Kinlochbervie,	49	Leadhills,	635
Ewes,	825	Glenlivat,	157	Keith-hall,	206	Kinlochluichart,	71	Lecropt,	371
Eyemouth,	739	Glenmoriston,	107	Kells,	868	Kinloch-Ran-		Legerwood,	749
		Glenmuick, Tul-		Kelso,	793	noch,	467	Leith,	692
Fair Isle,	3	lich, &c.,	201	Kelton,	869	Kinlochspelve,	545	Leochel-Cush-	
Fala & Soutra,	686	Glenorchy,	512	Kelvin,	644	Kinloss,	138	nie,	214
Falkirk,	479	Glenrinnies,	155	Kemback,	433	Kinnaird,	368	Lerwick,	5
Falkland,	428	Glenshee,	370	Kemnay,	207	Kinneff and		Leslie (Aberd'n),	215
Farnell,	286	Glenshiel,	67	Kenmore,	360	Catterline,	262	Leslie (Fife),	444
Farr,	50	Golspie,	51	Kennoway,	434	Kinnell,	296	Lesmahagow,	649
Fauldhouse,	673	Gorbals,	644	Kettins,	294	Kinnellar,	211	Leswalt,	891
Fearn (Forfar),	287	Gordon,	742	Kettle,	435	Kinnethmont,	212	Lethendy,	372
Fearn (Ross),	64	Gourock,	567	Kilbarchan,	568	Kinnettles,	297	Lethnot and	
Fenwick,	592	Govan Church,	646	Kilberry,	516	Kinning Park,	644	Navar,	300
Ferry-Port-on-		Graitney (or		Kilbirnie,	596	Kinnoull,	369	Leuchars,	445
Craig,	429	Gretna),	827	Kilbrandon and		Kinross,	462	Libberton (Lan-	
Fetlar,	4	Grange,	156	Kilchattan,	515	Kintail,	72	ark),	650
Fettercairn,	257	Grangemouth,	481	Kilbride,	553	Kintore,	213	Liberton (Edin.)	693
Fetteresso,	258	Greenlaw,	743	Kilbucho, &c.,	763	Kippen,	484	Liff, Benvie, &	
Findo-Gask,	352	Greenock,	564	Kilcalmonell,	516	Kirkbean,	870	Invergowrie,	301
Fintray (Aber-		Guthrie	291	Kilchoman,	540	Kirkcaldy and		Lilliesleaf,	795
deen),	193			Kilchrenan,	517	Abbotshall,	442	Linlithgow,	668
Fintry (Stirling),	480	Haddington,	709	Kilconquhar,	436	Kirkcolm,	887	Linton,	796
Firth & Stennes,	17	Haggs,	476	Kildalton & Oa,	541	Kirkconnel,	834	Lintrathen,	302
Flisk,	430	Halfmorton,	828	Kildonan,	52	Kirkcowan,	888	Lismore,	525
Flotta,	32	Halkirk,	37	Kildrummy,	208	Kirkcudbright,	871	Little Dun-	
Fodderty,	65	Hamilton,	647	Kilfinan,	518	Kirkden,	298	keld,	373
Fogo,	740	Harray,	18	Kilfinichen and		Kirkgunzeon,	872	Livingstone,	669
Fordoun,	259	Harris,	111	Kilvickeon,	542	Kirkhill,	103	Lochaber,	99
Fordyce,	153	Hawick,	789	Killean and		Kirkhope,	776	Lochalsh,	74
Forfar,	288	Heriot,	688	Kilchenzie,	519	Kirkinner,	889	Lochbroom,	75
Forgan,	431	Hobkirk,	790	Killearn,	482	Kirkintilloch,	498	Lochcarron,	76
Forgandenny,	353	Hoddum,	829	Kilearnan,	68	Kirkliston,	667	Lochee,	282
Forglen,	154	Holm & Paplay,	19	Killin,	361	Kirkmabreck,	873	Lochgilthead,	526
Forgue,	194	Holytown,	625	Kilmaddock,	362	Kirkmahoe,	835	Lochgoilhead,	527
Forres,	137	Holywood,	830	Kilmalcolm,	569	Kirkmaiden,	890	Lochlee,	303
Fort-Augustus		Houston and		Kilmallie,	520	Kirkmichael		Lochmaben,	840
(or Abertarff),	92	Killellan,	565	Kilmarny (Fife),	437	(Ayr),	600	Lochranza,	556
Forteviot,	354	Howmore,	118	Kilmarnock,	597	Kirkmichael		Lochrutton,	875
Fortingall,	355	Hownam,	791	Kilmarnock,	497	(Banff),	160	Lochs,	87
Fortrose,	80	Hoy & Græmsay,	20	Kilmartin,	521	Kirkmichael		Lochwinnoch,	570
Foss,	355	Humbie,	710	Kilmaurs,	598	(Dumfries),	836	Logie (Fife),	446
Fossaway and		Hume,	744	Kilmelford,	524	Kirkmichael		Logie (Perth),	374
Tulliebole,	461	Huntly,	202	Kilmenny (Ar-		(Perth),	370	Logiealmond,	375
Foula,	12	Hutchesontown,	644	gyll),	543	Kirknewton and		Logie-Buchan,	216
Foulden,	741	Hutton (Ber-		Kilmodan,	522	East-Calder,	690	Logie-Cold-	
Foveran,	195	wick),	745	Kilmonivaig,	99	Kirkoswald,	601	stone & Cromar,	217
Fowlis-Easter,	356	Hutton (Dumf.),	831	Kilmorack,	100	Kirkpatrick-		Logie-Easter,	77
Fowlis-Wester,	357	Inch (Wigtown),	886	Kilmore & Kil-		Durham,	874	Logie-Pert,	304
Fraserburgh,	196	Inchinnan,	566	bride,	523	Kirkpatrick-		Logierait,	376
Fyvie,	197	Inchture,	359	Kilmorich,	527	Fleming,	837	Longforgan,	377
		Inverkip,	567	Kilmory,	554	Kirkpatrick-		Longformacus,	750
Gairloch,	66	Innerleithen,	762	Kilmuir,	112	Juxta,	838	Longside,	218
Galashiels,	775	Innerwick (Had.)	711	Kilmuir-Easter,	69	Kirkton (As-		Lonmay,	219
Galston,	593	Innerwick in		Kilmun,	510	synt),	44	Loth,	54
Gamrie,	155	Glenlyon,	355a	Kilninian and		Kirkton (Farr),	50	Loudoun,	603
Gargunnoch,	481	Insch (Aberd'n),	203	Kilmore,	544	Kirktown (Rox-		Lumphanan,	220
Gartly,	198	Inverallan,	128	Kilninver,	524	burgh),	794	Lunan,	305
Garvald,	707	Inveraray,	513	Kilrenny,	338	Kirkurd,	764	Lundie,	306
Garvock,	260	Inverarity,	292	Kilspindie,	363	Kirkwall & St Ola	21	Lunnasting,	7
Gigha,	537	Inveravon,	157	Kilsyth,	483	Kirriemuir,	299	Luss,	499
Girthon,	866	Inverchaolain,	514	Kiltarlity,	101	Knockando,	139	Lyne,	765
Girvan,	594	Inveresk,	689	Kiltearn,	70	Knockbain,	73		
Gladsmuir,	708	Inverkeillor,	293	Kilwinning,	599	Knoydart,	97	Madderty,	378
Glamis,	289	Inverkeithing,	432	Kincardine				Mains,	307
Glasgow,	644	Inverkeithny,	158	(Perth),	364	Ladhope,	776	Makerstoun,	797
Glass,	199	Inverness,	98	Kincardine		Ladykirk,	746	Manor,	766
Glassary,	511	Inverurie,	204	(Ross),	71	Laggan,	104	Markinch,	447
Glasserton,	885	Iona,	538	Kincardine		Lairg,	53	Marnock,	161
Glassford,	645	Irongray,	867	O'Neil,	209	Lanark,	648	Maryculter,	264
Glenbervie,	261	Irvine,	595	Kinclaven,	365	Langholm,	839	Maryhill,	622

Marykirk, . . .	265	Nigg (Kincard.),	266	Rayne, . . .	236	Shieldaig, . . .	58	Tobermory, . . .	549
Marytown, . . .	308	Nigg (Ross), . .	78	Reay, . . .	40	Shotts, . . .	655	Tomintoul, . . .	160
Mauchline, . . .	604	North Berwick, .	713	Redgorton, . . .	390	Skene, . . .	238	Tongland, . . .	881
Maxton, . . .	798	North Bute, . . .	557	Renfrew, . . .	575	Skipness, . . .	531	Tongue, . . .	56
Maybole, . . .	605	North Knapdale, .	530	Rerrick, . . .	879	Skirling, . . .	769	Torosay, . . .	550
Mearns, . . .	571	North Leith, . . .	692	Rescobie, . . .	317	Slains, . . .	239	Torphichen, . . .	671
Megget, . . .	765	Northmavine, . .	8	Resolis, . . .	79	Slamannan, . . .	489	Torryburn, . . .	458
Meigle, . . .	379	North Morar, . . .	97	Rhynd, . . .	391	Sleat, . . .	115	Torthorwald, . .	850
Melrose, . . .	799	North Ronald-		Rhynie, . . .	237	Smailholm, . . .	805	Tough, . . .	244
Menmuir, . . .	309	shay, . . .		Riccarton, . . .	611	Small Isles, . . .	116	Towie, . . .	245
Merton, . . .	751	North Uist, . . .	113	Roberton, . . .	777	Snizort, . . .	117	Tradeston, . . .	644
Methlie, . . .	221	North Yell, . . .	4	Rogart, . . .	55	Sorbie, . . .	897	Tranent, . . .	722
Methven, . . .	380			Rosehall, . . .	46	Sorn, . . .	613	Traquair, . . .	771
Mid-Calder, . . .	694	Oa, . . .	546	Rosemarkie, . . .	80	Southdean, . . .	806	Trinity-Gask, . .	396
Middlebie, . . .	841	Oathlaw, . . .	315	Roseneath, . . .	502	Southend, . . .	532	Troon, . . .	590
Midmar, . . .	222	Oban, . . .	523	Rosskeen, . . .	81	South Knapdale, .	533	Troqueer . . .	882
Mid & S. Yell, .	6	Ochiltree, . . .	609	Rothies, . . .	141	South Leith, . . .	692	Tulliallan, . . .	397
Millbrex, . . .	222	Old Ardrossan, .	576	Rothsay, . . .	558	South Ronald-		Tullynessle and	
Milton, . . .	644	Old Cumnock, . .	610	Rothiemay, . . .	165	shay & Burray . .	29	Forbes, . . .	246
Minnigaff, . . .	876	Old Deer . . .	228	Rothiemurchus, .	96	South Uist, . . .	118	Tundergarth, . .	851
Minto, . . .	800	Oldhamstocks, . .	714	Rousay and		Speymouth, . . .	143	Turriff, . . .	247
Mochrum, . . .	892	Old, or West, . .		Egilsay, . . .	24	Spott, . . .	720	Tweedsmuir, . . .	772
Moffat, . . .	842	Kilpatrick . . .	501	Row, . . .	503	Sprouston, . . .	807	Twynholm, . . .	883
Moneydie, . . .	381	Old Luce, . . .	894	Roxburgh, . . .	803	Stair, . . .	614	Tynron, . . .	852
Monifieth, . . .	310	Old Machar, . . .	168	Rutherglen, . . .	654	Stenscholl, . . .	112	Tyree, . . .	551
Monikie, . . .	311	Old Meldrum, . . .	229	Ruthven, . . .	318	Stenton, . . .	721	Tyrie . . .	248
Monimail, . . .	448	Old Monkland, . .	652	Ruthwell, . . .	846	Stevenston, . . .	615		
Monkton and		Olrig, . . .	39			Stewarton, . . .	616	Udny, . . .	249
Prestwick, . . .	606	Ordiqhill, . . .	163	Saddell, . . .	531	Stirling, . . .	490	Uig, . . .	89
Monquhitter, . .	223	Ormiston . . .	715	St Andrew		Stitchell, . . .	808	Unst, . . .	11
Montrose, . . .	312	Orphir . . .	23	(Dundee), . . .	282	Stobhill, . . .	698	Uphall, . . .	672
Monymusk, . . .	224	Orwell, . . .	463	St Andrew		Stobo, . . .	770	Urquhart (El-	
Monzie (Perth), .	382	Oxnam, . . .	802	(Edinburgh), . .	685	Stoer, . . .	44	gin), . . .	144
Monzievaird and		Oyne, . . .	230	St Andrews		Stonehouse, . . .	656	Urquhart (In-	
Strowan, . . .	383			(Orkney), . . .	25	Stoneykirk, . . .	898	verness), . . .	107
Monzie (Fife), .	449	Paisley, . . .	573	St Andrews-		Stornoway, . . .	88	Urquhart and	
Mordington, . . .	752	Panbride, . . .	316	Lhanbryde, . . .	142	Stow, . . .	699	Logie-Wester, . .	84
Morebattle, . . .	801	Papa-Stour, . . .	12	St Andrews and		Stracathro, . . .	320	Urr, . . .	884
Morham, . . .	712	Papa-Westray, . .	33	St Leonards		Strachan, . . .	268	Urray, . . .	85
Mortlach, . . .	162	Partick, . . .	646	(Fife), . . .	453	Strachur, . . .	534		
Morton, . . .	843	Parton, . . .	878	St Boswells, . . .	804	Straiton, . . .	617	Walls (Shetland),	12
Morvern, . . .	528	Peebles, . . .	768	St Clement, . . .	282	Stralachlan, . . .	534	Walls (Orkney), .	32
Moulin, . . .	384	Pencaitland, . . .	716	St Cyrus, . . .	267	Stranraer, . . .	899	Walston, . . .	658
Mousewald, . . .	844	Penicuik, . . .	697	St Fergus, . . .	166	Strath, . . .	119	Wamphray, . . .	853
Moy and Dala-		Penninghame, . . .	895	St George, . . .	685	Strathblane, . . .	491	Wandell and	
rossie, . . .	105	Penpont, . . .	845	St Giles, . . .	685	Strathdon, . . .	240	Lamington, . . .	659
Muckairn, . . .	529	Persie, . . .	386	St Kilda, . . .	111	Strathfillan, . . .	394	Wanlockhead, . .	853
Muckart, . . .	385	Perth, . . .	387	St Madoes, . . .	392	Strathmartin, . . .	307	Watten, . . .	42
Muiravonside, . .	486	Peterculter, . . .	231	St Mary, . . .	282	Strathmiglo, . . .	457	Weem, . . .	398
Muirkirk, . . .	607	Peterhead, . . .	232	St Martins, . . .	393	Strathoykel, . . .	71	Wemyss, . . .	459
Murroes, . . .	313	Pettinain, . . .	653	St Monance (or		Strathy, . . .	50	West Calder, . . .	701
Musselburgh, . .	689	Petty, . . .	106	Abercrombie), .	454	Strichen, . . .	241	Westerkirk, . . .	854
Muthill, . . .	386	Pitsligo, . . .	233	St Mungo, . . .	847	Stromness, . . .	30	West Kilbride, . .	620
		Pittenweem, . . .	452	St Nicholas, . . .	168	Stronsay, . . .	31	West Linton, . . .	773
Nairn, . . .	123	Polmont, . . .	487	St Ninians, . . .	488	Sunart, . . .	505	Westray, . . .	33
Neilston, . . .	572	Polwarth, . . .	754	St Peter, . . .	282	Swinton, . . .	755	Westruther, . . .	756
Nenthorn, . . .	753	Port-Glasgow, . .	574	St Quivox, &c., .	612	Symington		Whalsay and	
Nesting, . . .	7	Port of Mon-		St Rollox, . . .	644	(Ayr) . . .	618	Skerries, . . .	7
New Abbey, . . .	877	teith, . . .	388	St Vigeans, . . .	319	Symington		Whitburn, . . .	673
New Ardrossan, .	576	Portlethen, . . .	251	Salen (Argyll), .	548	(Lanark), . . .	657	Whitekirk and	
Newbattle, . . .	695	Portmoak, . . .	464	Saline (Fife), . .	455			Tynninghame, . .	723
Newburgh, . . .	450	Portnahaven, . . .	547	Salton, . . .	719	Tain, . . .	82	Whiteness and	
Newburn, . . .	451	Portobello, . . .	684	Sanday, . . .	26	Tannadice, . . .	321	Weisdale, . . .	10
New Byth, . . .	210	Portpatrick, . . .	896	Sandness, . . .	12	Tarbat, . . .	83	Whithorn, . . .	900
New Cumnock, . .	608	Portree, . . .	114	Sandsting and		Tarbert, . . .	535	Whitsome, . . .	757
New Deer, . . .	225	Portsoy, . . .	153	Aithsting, . . .	9	Tarbolton, . . .	619	Whittinghame, . .	724
New Galloway, . .	868	Premnay, . . .	234	Sandwick, . . .	27	Tarland, . . .	242	Wick, . . .	43
Newhills, . . .	226	Prestonkirk, . . .	717	Sandwick & Cun-		Tarves, . . .	243	Wigtown, . . .	901
Newington, . . .	685	Prestonpans, . . .	718	ingsburgh, . . .	3	Tealing, . . .	322	Wilton, . . .	810
New Kilpatrick, .	500			Sanquhar, . . .	848	Temple, . . .	700	Wiston and Ro-	
Newlands, . . .	767	Queensferry, . . .	670	Savoch, . . .	237	Tenandry, . . .	394	berton, . . .	660
New Luce, . . .	893			Scone, . . .	394	Terregles, . . .	880		
New Machar, . . .	227	Raasay, . . .	114	Scoonie, . . .	456	Teviothead, . . .	809	Yarrow, . . .	779
New Monkland, . .	651	Rafford, . . .	140	Scourie, . . .	49	Thurso, . . .	41	Yester (or Gif-	
New Pitsligo, . .	227	Rathen, . . .	235	Seafeld, . . .	167	Tibbermore, . . .	395	ford), . . .	725
New Spynie, . . .	136	Ratho, . . .	698	Selkirk, . . .	778	Tillicoultry, . . .	468	Yetholm . . .	811
Newton, . . .	696	Rathven, . . .	164	Shapinshay, . . .	28	Tingwall, . . .	10	Ythan Wells . . .	249
Newtyle, . . .	314	Ratray, . . .	389	Shettleston, . . .	622	Tinwald, . . .	849		

EDINBURGH: PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.

